

THIS DOCUMENT IS PROTECTED BY COPYRIOHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRALI SUPPLY, INC THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECTTO CHANGE WITHOUT NOTCE. COPYRIGHT 1993.

7340 ALL-4

CLEAN, PENETRATE, LUBIRCATE, PROTECT - DOES ALL-4

- SILICONE FREE
- MEETS MILITARY SPEC. #MIL-C-16173D, GROUP III

USES: FOR USE ON MACHINERY, SPARE PARTS, NUTS, BOLTS, LAWN MOWERS, GUNS, WHEELS, AIRCRAFT PARTS, TAPS AND DIES, MARIES AND MINING EQUIPMENT, OFFICE MACHINES, SLIDING DOORS AND HINGES.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (1	0 oz.) 12 Cans	0019C07340
18 oz. T/S	12 Cans	0019C07341
Gallon Can	1 Gallon	0019C07342

6030 PENETRATING

LOOSENS RUST AND CORROSION FORMED BY ALKALI, FRUIT ACIDS, WATER, AND ELECTROLYSIS. RELEASE RUSTED AND CORRODED PARTS WITH EASE.

PERFORMS AT TEMPERATURES BETWEEN
 -100°F AND 700°F (-73°C AND 371°C)

USES: METAL, ALLOYS, RUBBER, AND MOST PAINTED SURFACES. RELEASE RUSTED AND

CORRODED NUTS, PIPES, PUMPS, HINGES, VALVE. SCREW, PULLEYS, SHAFTING, MUFFLERS, STUD BOLTS, HEAT RISERS, BATTERY CABLES, ROLLER CONVERYERS, AND WHEEL LUG NUT RELEASE. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

ENETRAT OIL

6030

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11oz.)	12 Cans	0019C06030

6078 P.T.F.E. LUBRICANT

MADE WITH PTFE AND ACRYLIC RESIN FOR HEAVY-DUTY LUBRICATION AND ULTIMATE PROTECTION.

•	RESIN BONDED (2% ACRYLIC)

USES: CONVEYOR BELTS, MACHINE TOOLS, DIES, AND LOCKING MECHANISMS, CEMENT MOLDS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11oz.)	12 Cans	0019C06078



ARROW BLAST PENETRATING OIL

- "CORROSION BLASTING" FORMULA QUICKLY CUTS THROUGH TOUGH BUILDUP OF GREASE, GRIME AND CONTAMINANTS THAT STOP OTHER PENETRANTS.
- CLEANS AND REMOVES RUST AND CORROSION.
- REMOVES OLD GREASE AND GRIME, LEAVING NEW. CLEAN LUBRICATION THAT PREVENTS WEAR AND TEAR AND EXTENDS SERVICE LIFE.
- NON-DRYING LUBRICATING OILD PROVIDES LASTING LUBRICATION AND PREVENTS RUST AND OXIDATION DAMAGE.

CAN SIZE	CASE PACK	PART NO.
17 oz. Aerosol	12 Cans	ARB50

TEF-LUBE™

A SUPERIOR LUBRICANT THAT COMBINES THE ADVANTAGES OF HIGH-GRADE PETROLEUM OILS AND SOLVENTS WITH MICRON-SIZED PTFE TO PROVIDE THE FINEST MULTI-COMPONENT PENETRATING LUBRICANT SYSTEM AVAILABLE.

- PROTECTS AGAINST CORROSION, DISPLACES
 MOISTURE
- MEETS MIL-C-372B (SMALL ARMS BORE CLEANER), MIL-C-23411/A (CORROSION PREVENTIVE COMPOUND), VV-P-216B (PENETRATING OIL), VV-L-820C (GENERAL PURPOSE LUBRICATING OIL), AND VV-L-751C (CHAIN, WIRE ROPE LUBRICATING OIL)

USES: CHAINS, BEARINGS, GEARS, SPROCKETS, CONVEYORS, ELECTRIC MOTORS AND SWITCHES, LOCKS, AIR TOOLS, WEAPONS, OFFICE MACHINES, AND HOME APPLIANCES/REPAIRS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE CA	ASE PACK	PART NO.
16 oz. Aerosol (11 oz.)	12 Cans	0019C00937

8034 SILICONE LUBE

THIS SILICONE LUBRICANT LEAVES A CLEAR RESIDUAL DRY FILM THAT HELPS TO PREVENT STICKING WITHOUT TRANSFERRING TO THE SURFACE. SLOWER DRY ALLOWS FULL PENETRATION INTO RUBBER SURFACES.





• 5% SILICONE FORMULA

USES: METAL HINGES, PLASTIC ROLLERS, RUBBER MOUNTINGS, O-RINGS, ELECTRICAL INSULATION, SLIDES, GUIDES, CONVEYORS, DOUGH MIXERS, SAWS, GRINDERS, DOORS, LOCKS, TRUNK LIDS, AND ANY SLIDING SURFACE. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.

16 oz. Aerosol (10.5 oz.)	12 Cans	0019C08034
Gallon Can	2 Gallon	0019C08034G

8078 DRY GRAPHITE

DESIGNED FOR ENGINE OR MECHANICAL PARTS PRIOR TO THEIR ASSEMBLY. MADE OF NATURAL COLLOIDAL GRAPHITE AND IS AN IDEAL LUBRICANT WHEN PETROLEUM PRODUCTS MUST BE AVOIDED.



USES: AUTOMOTIVE AND INDUSTRIAL GASKETS, CONVEYORS, BEARINGS, SLIDING WINDOWS AND DOORS, LOCKS, SPRINGS, CHAINS, SPROCKETS, PLATING NON-CONDUCTORS, MATING SURFACES ON MACHINES, AND PRE-ASSEMBLY LUBRICATION OF MOVING PARTS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz.)	12 Cans	0019C08078

6075 DRY FILM LUBRICANT

AN INDUSTRIAL STRENGTH DRY PTFE LUBRICANT THAT IS IDEAL WHENEVER SILICONE PRODUCTS ARE NOT ACCESSIBLE, AND HIGHER TEMPERATURES OR

ACCESSIBLE, AND HIGHER TEMPERATURES OR PRESSURE PERFORMANCE IS REQUIRED.

SAFE FOR RUBBER, WOOD, AND METALS.

USES: ANY SITUATION WHERE REDUCED FRICTION AND DRAG IS DESIRED ON PLASTIC, GLASS, RUBBER, METAL OR WOOD. IDEAL IN TEXTILE INDUSTRY, ON INSTRUMENTS, TOOLS, DRAWERS, WINDOWS,

CONVERYOR BELTS, CORD, WIRE AND MACHINE PARTS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11oz.)	12 Cans	0019C06075







THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVO. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, BEPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEK CONSENT OF ARROW INDUSTRIALS UPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

7045 HEAVY DUTY OPEN GEAR & WIRE ROPE LUBE

THIS HIGH-GRADE ASPHALTIC GREASE WON'T BECOME BRITTLE AND IS NOT AFFECTED BY WEATHER. HAS OUTSTANDING ADHESIVE PROPERTIES.



& CABLE LUB

USES: WIRE ROPE, EXPOSED GEARS, WINCHES, ROLLER CHAINS, ELEVATOR CABLES, CONVEYOR ROLLS, DRAGLINES, AND ANYWHERE THAT LUBRICATION AND SUPERIOR MASTIC PROPERTIES ARE DESIRED. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz.)	12 Cans	0019C07045

7043 WIRE ROPE, Chain & Cable Lube

A HIGH-GRADE LUBRICATING OIL, FORTIFIED WITH MOLYBDENUM DISULFIDE TO PENETRATE INACCESSIBLE AREAS AND PROVIDE SUPERIOR LUBRICATION WHERE TEMPERATURES AND STRESS WILL BREAK DOWN ORDINARY LUBRICANTS.

• FALEX E.P. TEST FALLEN LOAD TO 4,500 LBS.

USES: CHAIN DRIVES AND PINS, OPEN GEARING, SPROCKETS, WIRE ROPES, BUSHINGS, ROLLER, CLIPPERS, CABLES, HOISTS, CONVEYORS, AND OTHER METAL SURFACES. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz.)	12 Cans	0019C07043

ZENALUBE CHAIN & CABLE LUBE

MOLY CONTAINING LUBRICANT THAT PROTECTS PARTS WHICH ARE EXPOSED TO HARMFUL OR CORROSIVE ELEMENTS. LUBRICATES AND PENETRATES TO PROTECT AGAINST FRICTION AND WEAR

USES: GEARS, CHAINS, CABLES, SPROCKETS, POWER DRIVE HOISTS, MOTORCYCLES, BICYCLES, CHAIN SAWS, WIRE ROPES, LINK AND ROLLER ASSEMBLIES, MATERIAL HANDLING EQUIPMENT, ROAD AND CONSTRUCTION MACHINERY.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz.)	12 Cans	0019000200

Lubricants/Penetrants

ZENALUBE WHITE

ZENALUBE WHITE IS A MULTI-PURPOSE LITHIUM LUBRICANT. IT CONTAINSZINC OXIDE IN A FINE MICRON PARTICLE SIZE AND A HIGH VISCOSITY INDEX OIL WHICH ADDS TO THE LUBRICITY OF THE PRODUCT AND ALSO ACTS AS A CORROSION INHIBITOR.

USES: AUTOMOTIVE HINGES AND SPRINGS,	-
INDUSTRIAL MACHINERY AND TOOLS, MARINE	-
LINKAGES AND CABLES, AND FARM MACHINERY.	

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11 oz.)	12 Cans	0019000040

ZENALUBE ULTRA

THIS PRODUCT IS A TRANSPARENT, HIGH PRESSURE LUBIRICANT WITH HIGH ADHESIVE STRENGTH. A UNIQUE COMBINATION OF NATURAL AND SYNTHETIC LUBRICATION AGANETS COUPLED WITH A HIGH MOLEDULAR WEIGHT POLYMER (PTFE) MAKES THIS PRODUCT ONE OF THE BEST AVAILABLE.



USES: DOOR HINGES, OPEN GEARS, WIRE ROPES AND CABLES, CHAINS AND SPROCKETS, CONVEYORS, AND MANIFOLD HEAT VALVES

CAN SIZE	CASE PACK	PART NO.
20 oz. Aerosol (13 oz.)	12 Cans	0019000201

APC-961 GREASE-FREE LUBE/FILM

A LIGHT LUBRICANT THAT PENETRATES INTO TIGHT CREVICES, PROVIDES A DRY FILM, AND RESISTS OIL, DUST, AND DIRT BUILDUP.

- CLEANS AND LUBRICATES DELICATE
 MECHANISMS
- WILL NOT HARM PLASTICS OR RUBBER
- CONFORMS TO MIL-C-23411A AND
 001284

USES: ELECTRIC MOTORS, IGNITION SYSTEMS, CABLES, NUTS AND BOLTS, LOCKS AND HINGES, O-RINGS, AND GENERAL PRODUCTION EQUIPMENT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11 oz.) 12 Cans	0019C00961
Gallon Can	2 Gallon	0019C0 0961G

NEED SOMETHING YOU DON'T SEE HERE? CALL US!

(800) 225-6763

8078 DRY GRAPHITE LUBRICANT

DESIGNED FOR ENGINE OR MECHANICAL PARTS PRIOR TO THEIR ASSEMBLY. MADE OF NATURAL COLLOIDAL GRAPHITE AND IS AN IDEAL LUBRICANT WHEN PETROLEUM PRODUCTS MUST BE AVOIDED.

USES: AUTOMOTIVE AND INDUSTRIAL GASKETS,



CONVEYORS, BEARINGS, SLIDING WINDOWS AND DOORS, LOCKS, SPRINGS, CHAINS, SPROCKETS, PLATING NON-CONDUCTORS, MATING SURFACES ON MACHINES, AND PRE-ASSEMBLY LUBRICATION OF MOVING PARTS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz.) 12 Cans	0019C08078

6075 DRY FILM LUBRICANT

AN INDUSTRIAL STRENGTH DRY PTFE LUBRICANT THAT IS IDEAL WHENEVER SILICONE PRODUCTS ARE NOT

ACCESSIBLE, AND HIGHER TEMPERATURES OR PRESSURE PERFORMANCE IS REQUIRED.



SAFE FOR RUBBER, WOOD, AND METALS.

USES: ANY SITUATION WHERE REDUCED FRICTION AND DRAG IS DESIRED ON PLASTIC, GLASS, RUBBER, METAL OR WOOD. IDEAL IN TEXTILE INDUSTRY, ON INSTRUMENTS, TOOLS, DRAWERS, WINDOWS, CONVERYOR BELTS, CORD, WIRE AND MACHINE PARTS.

DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11oz.)	12 Cans	0019C06075





THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

950 PERFORMANCE **BLEND RUST-SOLV™**

QUICKLY LOOSEN RUST WHILE PENETRATING GREASE AND DIRT. THIS IS NOT A LUBRICANT, BUT A DEEP PENETRANT MADE SPECIFICALLY FOR FREEING SEIZED AND/OR FROZEN PARTS AND ASSEMBLIES.

HIGH SPEED, HIGH FLASH, NON-ACID PENETRATING FLUID



USES: LOSSENS CORRODED OR FROZEN NUTS.

PIPES, LOCKS, PUMPS, HINGES, VALVES, SCREWS, SPRINGS, PULLEYS, MUFFLERS, LUGS, STUD BOLTS, BRAKE LINKAGE, HEAT RISERS, AND BATTERY CABLE TERMINALS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz	z.) 12 Cans	0019C00950

7037 LITHIUM GREASE

THIS ALL-WEATHER GREASE AND LUBRICANT IS RECOMMENDED FOR GENERAL METAL-TO-METAL APPLICATIONS. IT IS COMPATIBLE WITH PLASTICS AND RUBBER. HEAVY CONICAL SPRAY DOESN'T DRIP OR RUN ON VERTICAL SURFACES.

- **RESISTS CORROSION AND OXIDATION ON** UNPAINTED METAL SURFACES
- EXCELLENT COMPATIBILITY WITH EXOTIC METALS, PLASTICS AND RUBBER

USES: METAL, PLASTIC, RUBBER, CHAINS, GEARS, DRIVES, HINGES,

BOLTS, AND OTHER VERTICAL OR OVERHEAD SURFACES. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11 oz.)	12 Cans	0019C07037

PB BLASTER

PENETRATES LUBES AND CONDITIONS. WORK WHERE OTHERS FAIL. QUICKLY BREAKS LOOSE AINST FURTHER RUST AND CORROSION.

S	
	BREAKS
	finder DD
	ENETRATING
	CATALYST
	6 - 8 23
	A REAL PROPERTY AND A
	PART NO

CAN SIZE

12 oz. Aerosol

Lubricants/Penetrants

PENTRAZEN

PENTRAZEN HAS UNIQUE PROPERTIES NECESSARY TO AID IN THE RELEASE OF RUSTED OR FROZEN LUGS AND BOLTS. THE SPECIAL OIL, COMBINED WITH **GRAPHITE, PROVIDES THE NECESSARY TOOL FOR** THIS PENETRATION AND LUBRICATION OF TIGHT FITTING PARTS. USE AS AN ALL PURPOSE LUBRICANT FOR SHIP, AUTOMOTIVE OR INDUSTRIAL APPLICATIONS. FREES RUSTED OR CORRODED LUGS OR BOLTS.



USES: NUTS, BOLTS, LOCKS, CLAMPS, LINKAGES, TOOLS, ETC.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11.75 oz	z.) 12 Cans	0008030764

Molybdenum **Disulfide-Based** Lubricants

7041 MOLY GREASE

THIS HIGH-GRADE MOLYBDENUM DISULFIDE LUBRICANT WATERPROOFS AND RUSTPROOFS WHILE UNDER HEAVY STRESS AND VIBRATION.

PERFORMS AT TEMPERATURES UP TO 450°F (232°C)

USES: ELECTRIC MOTOR BEARINGS, OPEN OR EXPOSED GEARS, BEARINGS, POWER TAKE-OFF, WIRE ROPE, FIFTH WHEELS ON TRACTOR TRUCKS, MACHINE TOOLS, PRESSES, THREADS, SPROCKETS, HOISTS, AND ANYWHERE HEAT IS GENERATED FROM METAL-TO-METAL CONTACT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION

CAN SIZE	CASE PACK	PART NO.	
16 oz. Aerosol (11 oz.)	12 Cans	0019C07041	

6080 DRY MOLY LUBRICANT

THIS QUICK DRYING LUBRICANT LEAVES A THIN FILM THAT PROVIDES EXTREME PRESSURE LUBRICATION.

PERFORMS AT TEMPERATURES BETWEEN AND 700°F (-73°C AND 371°C)

USES: AUTOMOTIVE AND INDUSTRIAL GASKETS, GRINDING BELTS, THREADED CONNECTIONS, METAL BELTS, RUBBER COMPONENTS, SLIDING SURFACES AND GEARS, CAMS, BEARINGS, CHAIN DRIVES AND PULLEYS, AND CONVEYOR BELTS WHERE

HEAT IS PRESENT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11.6 oz.)	12 Cans	0019C06080







THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

932 FOOD GRADE LUBE OIL

AN ECONOMICAL, NON-SILICONE LUBRICATING OIL.

CLEAR MINERAL OIL

USES: EQUIPMENT IN FOOD PROCESSING PLANTS, CHAINS, CHAIN BELT DRIVE BELTS, BEARINGS, BELTS, VALVES, PISTONS, ROLLERS, PUMPS, FILLING MACHINERY, AND SLICING MACHINES. DO NOT USE ON ELECTRICAL EOUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11oz.)	12 Cans	0019C00932

933 FOOD GRADE LUBE GREASE

A NON-MELTING, FORTIFIED WATERPROOF GREASE THAT FORMS A DURABLE FILM TO WITHSTAND DAILY EQUIPMENT WASHDOWN.

- NSF H-1
- N.L.G.I. GRADE 2

USES: SLIDES, GUIDES, CHAINS, CONVEYORS, AND OTHER TRANSFER EQUIPMENT FOUND IN FOOD PROCESSING AND PACKAGING PLANTS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11 oz.) 12 Cans	0019C00933
Gallon Can	1 Gallon	0019C00933G

Lubricants/Penetrants **Food Grade Lubricants**

8036 FOOD **GRADE SILICONE** LUBE

A LOW VISCOSITY SILICONE LUBRICANT THAT ELIMINATES SQUEAKS, INSULATES AND WATERPROOFS ELECTRICAL PARTS.

NSF H-1 •

UD GR LUBE O

- 4% SILICONE .
- WILL NOT INTERFERE WITH CARTON SEALING, •
- BOTTLE CAPPING, OR OTHER FOOD PREPARATION . APPLICATIONS
- WILL NOT HARM PAINT, METAL, WOOD SURFACES, AND MOST PLASTICS

USES:METAL HINGES, PLASTIC ROLLERS, GUIDE RAILS, SLIDES, OR ANYTHING THAT STICKS. MAY ALSO BE USED ON AIR TABLES AND ON FOOD PREPARATION EQUIPMENT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (10.5 oz.) 12 Cans	0019C08036
Gallon Can	2 Gallon	0019C08036G

9152 ANTI-SEIZE FOOD GRADE

DESIGNED TO LUBRICATE AND PROTECT MOST METALS FROM CORROSION AND SEIZURE.

PROTECTS PARTS UNDER EXTREME HEAT. COLD, PRESSURE, STEAM, AND SALT WATEI **EXPOSURE** MEETS MIL-A-907E

USES: FOOD PROCESSING EQUIPMENT, THREADED FITTINGS, METAL FITTINGS, PACKING SLEEVES, VALVES, PUMPS, BUSHINGS, COMPRESSORS, AND CASTINGS.

CAN SIZE	CASE PACK	PART NO.
8 oz. B/T bottle	12 bottles	0019C09152

FOOD GRADE PIPE SEALING PASTE

CAN SIZE	CASE PACK	PART NO.
8 oz. B/T bottle	6 bottles	0019M10702
1lb Bottle	4 bottles	0008000017

NEED SOMETHING YOU DON'T SEE HERE? CALL US!

(800) 225-6763





THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

7020 CUTTING OIL

AN ALL-PURPOSE, SOLVENT-BASED LUBRICANT AND COOLANT FOR INDUSTRIAL CUTTING OPERATIONS.

USES: TURRET LATHES, LATCHES, GEAR CUTTERS, GRINDERS, AUTOMATIC SCREW MACHINES. AND PIPE THREADERS. DO NOT USE ON ELECTRICAL EOUIPMENT OR MACHINERY WHILE IN OPERATION.



CAN SIZE C	ASE PACK	PART NO.
16 oz. Aerosol (10.5oz.)	12 Cans	0019C07020
Gallon Can	2 Gallons	0019C07020G

9106 TAP TOOL

A SYNTHETIC LUBRICANT THAT INCREASES TOOL LIFE BY AS MUCH AS 200%

USES: DRILLING, TAPPING, MILLING, THREADING, BORING, BROACHING, REAMING, TURNING, AND ENGRAVING. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (14 oz)	12 Cans	0019C09106

890 CUTTING OIL

THIS NON-FLAMMABLE, WATER-BASED CUTTING OIL IMPROVES METAL CUTTING OPERATIONS AND INCREASES EFFICIENCIES IN MACHINING OPERATIONS.



AnchorLub

USES: SAWING, TAPPING, GRINDING, MACHINING, THREADING, AND DRILLING. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11oz.)	12 Cans	0019C0890

TAPPING COMPUND

TOP PERFORMING MULTI-PURPOSE LUBRICANT OFFERING A NEW LEVEL OF TOOL-LIFE ALONG WITH THE CLEANLINESS OF A WATER/SOAP BASED COMPOUND. ANCHORLUBE IS A SEMI-PASTE AND PERFORMS WELL ON ALL METALS, ESPECIALLY STAINLESS STEEL, HIGH-CARBON, HIGH-CHROME, CASE IRON MONEL, AND OTHER EXOTIC METALS THAT SHORTEN TOOL LIFE. IT CAN ALSO BE USED ON NON-FERROUS METALS SUCH AS BRASS AND ALUMINUM.

CAN SIZE	CASE PACK	PART NO.
8 oz. Bottle	12Bottles	0028000555

Metalworking Fluids Metalworking Compounds & Fluids

BUTTER CUTTING/ TAPPING COMPOUND

THIS HIGH TEMPERATURE, HIGH PRESSURE FILM PROVIDES DEPENDABLE TOOL POINT LUBRICATION.



WELDI

USES: STAINLESS STEEL, NICKEL, COPPER ALLOYS AND OTHER METALS AND ALLOYS THAT ARE DIFFICULT TO CUT OR TAP. BORING, DRILLING,

PLANING, MILLING, SAWING, TAPPING, AND MANY OTHER CLOSE-TOLERANCE OPERATIONS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

CAN SIZE	CASE PACK	PART NO.
Pint Can	12 Cans	0019C05040
Gallon Can	2 Gallons	0019C05041

887 ANTI-SPATTER

A VEGETABLE BASED FORMULA THAT PROVIDES A PROTECTIVE FILM COATING TO AID IN THE REMOVAL OF WELD SPATTER AND KEEPS WELDING TIPS AND NOZZLES CLEAN.

TTING DEVICES LES AND TIPS. DERS, FIXTURES,) IN ALL TYPES OF MAINTENANCE/PRODUCTION WELDING APPLICATIONS. DO NOT USE ON ELECTRICAL EQUIPMENT

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz.)	12 Cans	0019C00887

TOOLMAKER'S INK BLUE

SPECIALLY FORMULATED BLUE LAYOUT FLUID IS USED IN TOOL AND DIE MAKING, PATTERN MAKING, MACHINING AND OTHER RELATED APPLICATIONS.

EXCELLENT ADHESION TO ALL METALS. ALUMINUM AND GLASS

USES: CTOOL AND DIE MAKING, PATTERN MAKING, MACHINING, TEMPLATES, MACHINED PARTS, AND MAINTENANCE MECHANICALS.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz)	12 Cans	0019C06001
Gallon Can	2 Gallons	0019C06001G

6090 PRUSSIAN BLUE HIGH SPOT INDICATOR

FOR OUICK IDENTIFICATION OF HIGH SPOTS ON SURFACES AND FOR MATING COMPONENTS IN ASSEMBLY OPERATIONS.



CAN SIZE	CASE PACK	PART NO.
6 oz. Aerosol (5 oz.)	12 Cans	0019C06090

6095 TOOLMAKER'S

USE TO REMOVE #6001 TOOLMAKER'S INK BLUE AND #6090 PRUSSIAN BLUE HIGH SPOT INDICATOR.

Toolilate
CRISSION TOOLMAKERS INK REMOVE 6095

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (10.5 o	oz.) 12 Cans	0019C06095
Gallon Can	2 Gallons	0019C06095G



INK REMOVER

ART NO.	USES: WELDING AND TORCH CUT INCLUDING MIG AND TIG NOZZL
106	WELDMENTS, ELECTRODE HOLD RESISTANT WELDING TIPS, AND

OR MACHINERY WHILE IN OPERATION.

ARROW INDUSTRIAL SUPPLY	PHONE ORDERS: 614/898-5997	TF 800/225-6763	FAX ORDERS: 614/898-6080	TF FAX 800/828-7190	WWW.ARROWISI.COM



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

LOATING

2.41

INSULATING EPOXY

A TOUGH, FLEXIBLE COATING THAT PROTECTS AND INSULATES EXPOSED WIRES AND ELECTRICAL WINDINGS. IDEAL FOR INSULATING COILS. TRANSFORMERS AND OTHER ELECTRICAL COMPONENTS.

- AIR DRIES IN 15 MINUTES, HARDENS IN 1 HOUR
- CLASS F THERMAL RESISTANCE

USES: FIELD COILS, MOTOR WINDINGS, TAPED COILS, EXPOSED METAL, FRAYED INSULATION, PITTED MOTOR WINDINGS, BUS BARS AND SWITCHBOARD PARTS, TRANSFORMERS, COMMUTATOR ENDS, SEALING ELECTRICAL AND ELECTRONIC COMPONENTS, COLLECTOR RINGS, ARMATURES, AND INSIDE WALLS OF CONTROL BOXES.

CAN SIZE	CASE PA	CK	PART NO.
Red-16 oz. Aeroso	ol (12.5 oz.)	12 Cans	0019C00401
Black-16 oz. Aeros	sol (12.5 oz.)	12 Cans	0019C00402
Clear-16 oz. Aeros	ol (12.5 oz.)	12 Cans	0019C00403

595 UNDERCOATING SOUND INSULATOR

A QUICK-DRYING, BLACK RUBBERIZED FILM DESIGNED TO OFFER MAXIMUM COVERAGE AND SUPERIOR INSULATION PROPERTIES AGAINST ROAD AND CHASSIS NOISE.

USES: AUTO UNDERBODIES, TRUNKS, FENDER AND BODY SEAMS, RUST HOLDS, WELD JOINTS, GAS TANK, ROCKER PANELS, AND DOOR PANELS. CAN ALSO BE USED TO SEAL RIAN GUTTERS, COAT TREE WOUNDS, FOR MINOR ROOF REPAIRS, DRIVEWAY CRACKS, AND SWAMP AND TOWER COOLERS.

		HT BERGY IS DEALERS (197)
CAN SIZE	CASE PACK	PART NO.
20 oz. Aerosol (15oz.)	12 Cans	0019C00595

6005 BATTERY TERMINAL COATING

PROVIDES A TOUGH, DURABLE COATING FOR BATTERY TERMINALS, CABLES, AND CLAMPS.

USES: EFFECTIVE ON ALL TYPES OF BATTERIES FOR AUTO, CYCLE, MARINE, AND AIRCRAFT. USE ON BATTERY TERMINALS, CABLE CONNECTORS, CASINGS AND FRAMES, CLAMPS, AND BATTERY POSTS.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz.)	12 Cans	0019C06005

Protective Coatings

6007 RUST INHIBITOR

PREVENTS RUST ON TOOLS, STEEL STOCK AND PARTS. PROVIDES TEMPORARY OR EXTENDED PROTECTION OF MACHINERY. GREAT FOR LONG-TERM INDOOR STORAGE.

USES: PREVENTS RUST ON TOOLS, STEEL STOCK, PARTS, AND TEMPORARY OR EXTENDED PROTECTION OF MACHINERY. DO NOT USE ON ELECTRICAL EQUIPMENT OF MACHINERY WHILE IN OPERATION.



CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (11oz)	12 Cans	0019C06007
Gallon Can	2 Gallon	0019C06008

APC-963 H.D. CORROSION INHIBITOR

STOPS RUST AND CORROSION IN ITS TRACKS.

USES: GREAT ON BARE METAL, BATTERY TERMINALS, CABLES AND CHAINS, ELEVATORS, CRANES, FORK LIFTS, PUMPS, OUTDOOR TOOLS AND EQUIPMENT, AIRBRAKE RELEASE SPRINGS, AIRCRAFT FUSELAGES, AND OFFSHORE DRILLING.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (10 oz)	12 Cans	0019C00963
Gallon Can	2 Gallon	0019C00963G

BLACK UNDERCOAT

AN EXTREMELY DURABLE RUST AND CORROSION INHIBITOR. A PREMIUM ASPHALT BASED RUBBERIZED UNDERCOATING THAT SEALS OUT MOISTURE AND DEADENS SOUND. RESISTS CHIPPING AND WILL NOT CRACK OR PEEL WITH AGE.

- PAINTABLE
- PREVENTS RUST
- LAYS DOWN SMOOTH WITH A BLACK FINISH .
 - DEADENS SOUND
- WATERPROOF, ELASTIC
- DRIES FAST

CAN SIZE	CASE PACK	PART NO.
20 oz. Aerosol (16oz)	12 Cans	0019C496405

6013 CORROSION **SUPPRESANT 101**

PROVIDES EXCELLENT RUST PROTECTION FOR METAL PARTS THAT MUST BE STORED, INDOORS OR OUT, FOR LONG PERIODS OF TIME. EXCELLENT FOR OUTDOOR METAL SHIPMENTS AND OUTDOOR STORAGE.

DOES NOT CONTAIN CFCs, HCFCs, OR CHIORINATED SOLVENTS MEETS MIL-C-16173E, GRADE 4



USES: ALL METAL SURFACES, MARINE EQUIPMENT, FARM MACHINERY, CONSTRUCTION EQUIPMENT, MOTORS, TANKS, PIPES, DIES, MOLDS, PARTS, TOOLS, AUTO BODIES, FRAMES, CABLES, AND SPORTING EQUIPMENT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (5 oz.)	12 Cans	0019C06013
Gallon Can	2 Gallon	0019C06013G

6084 RED

CAN SIZE

INSULATING VARNISH

A FLEXIBLE, TOUGH, OIL-PROOF FILM. THIS INSULATING VARNISH IS A CLASS F ESTER WITH A DIELECTRIC STRENGTH OF 1200V/MIL WET AND 2100 V/MIL DRY

USES: FOR ARMATURE AND STATOR WINDINGS, HIGH VOLTAGE CIRCUITS, COATING FRAYED INSULATION,	
AND TO RESTORE DIELECTRIC PROPERTIES LOST AS A RESULT OF WEAR OR DAMAGE	

CASE PACK	
E	Annual Castle

	16 oz. Aerosol (13oz)	12 Cans	0019C06084
--	-----------------------	---------	------------

8079 DRIVE BELT DRESSING

PREVENTS BELT SLIPPAGE AND GLAZING FOR BETTER MOTOR EFFICIENCY AND LONGER BELT LIFE.



USES: INDUSTRIAL BELT DRIVES INCLUDING GENERATORS AND FANS, FLAT, ROUND, OR V-STYLE BELTS, AUTO FANS, WATER PUMPS, TRANSMISSIONS, POWER STEERING, FARM MACHINERY, APPLIANCES, AIR CONDITIONERS, AND POWER TOOLS.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (12 oz)	12 Cans	0019C08079
Quart Can	12 Cans	0019C08079Q











THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE IRANSLAIED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

LFP CLEANER/ DEGREASER

THIS FAST DRYING, INDUSTRIAL STRENGTH SOLVENT IS INEXPENSIVE AND IDEAL FOR CLEANING AND DEGREASING. REMOVES GREASE, OIL, WAX, LID CLEANER ADHESIVES, AND OTHER CONTAMINANTS, WITHOUT LEAVING A RESIDUE. HAS A LOW FLASH POINT (LFP). **DERIFASE**

NON-CHLORINATED DOES NOT CONTAIN CFCs OR HCFCs

USES: MOTORS, TOOLS, MACHINERY, METAL PARTS, MECHANICAL EQUIPMENT, AIR CONDITIONERS, AIRCRAFT PARTS, AUTOMOTIVE PARTS, BEARINGS, CHAINS, PACKAGING MACHINERY, COMPRESSORS, GENERATORS, PORTABLE TOOLS, OFFICE MACHINERY, PUMPS, BRAKES, CLUTCHES, RELAYS, GEARS, CABLES, AND SOLENOIDS.

CAN SIZE	CASE PACK	PART NO.
18 oz. T/S	12 Cans	0019C00398
20oz. Aerosol (15 oz.)	12 Cans	0019C00399
Gallon Can	2 Gallons	0019C00399G

8260 HEAVY DUTY CITRUS CLEANER/ DEGREASER

A HEAVY-DUTY, CITRUS-BASED CLEANER/DEGREASER THAT IS SAFE ON MOST PLASTICS.

- **CITRUS BASED CLEANER**
- DOES NOT CONTAIN CFCs, HCFCs, OR CHLORINATED SOLVENTS

USES: REMOVED GREASE AND GRIME FROM ALTERNATORS, PULLEYS, CHAINS, BREAKS, ENGINES, FORKLIFTS AND MORE

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (20 oz.)	12 Cans	0019C08260
Gallon Can	2 Gallons	0019C08260G

5070 CLEANER/ DEGREASER - WB

A CONCENTRATED LIQUID CLEANER/DEGREASER DEVELOPED TO MEAT A VARIETY OF APPLICATIONS AND SURFACES. MAY BE DILUTED.

- WATER BASED
- NON-FLAMMABLE
- NON-BUTYL CONCENTRATE
- DOES NOT CONTAIN CHLORINATED SOLVENTS

USES: TO CLEAN GRILLS, DRIVEWAYS, FLOORS, FIBERGLASS, VINYL, GLASS, LIGHTS, TILE, MIRRORS, ETC.

CAN SIZE	CASE PACK	PART NO.
1- Quart Can T/S	12 Cans	0019C05070
Gallon Can	4 Gallons	0019C05071

Cleaners/Degreasers

5055 ALL PURPOSE CLEANER

THIS WATER AND AMMONIA BASED CLEANER PROVIDES A LOW FOAMING ACTION CLEANER FOR BREAKING UP GRIME.



CAN SIZE	CASE PACK	PART NO
1607 Aerosol (15 oz)	12 Cans	0019(0550)

860 GLASS & SURFACE CLEANER

AN INDUSTRIAL GLASS AND SURFACE CLEANER THAT CUTS THROUGH DIRT, GREASE, AND GRIME ON A VARIETY OF SURFACES.

USES: GLASS, BAKED ENAMEL, PORCELAIN, VINYL. PLEXIGLAS, LAMINATED SURFACES, COUNTER TOPS, TILE, STAINLESS STEEL, AND CHROME.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (19 oz.)	12 Cans	0019C00860
Quart T/S	12 Cans	0019C00860Q
Gallon Can	2 Gallons	0019C00860-1
5 Gallon Can	1 Can	0019C00860-5
55 Gallon Can	1 Can	0019C00860-55

400 NFP SAFETY SOLVANT H.D.

EFFECTIVELY REMOVES OIL, GREASE, WAX, DIRT, AND MOISTURE. THE HIGH-DELIVERY (H.D.) SPRAY COMBINED WITH ITS UNIQUE WETTING ACTION PENETRATES INACCESSIBLE AREAS, EFFECTIVELY FLUSHING AWAY CONTAMINANTS WITHOUT LEAVING A RESIDUE. SAFETT Solvent HD 460

NO FLASH POINT (NFP)

USES: CHAINS, MOTORS, ELECTRICAL BOXES, AIRCRAFT PARTS, MACHINERY, AUTOMOTIVE PARTS, TOOLS, BRAKES, CLUTCHES, RELAYS, CABLES, LOCKS, GEARS, PORTABLE TOOLS, RADAR EQUIPMENT, GENERATORS, BEARINGS, COMPRESSORS, SWITCH GEARS, OFFICE MACHINERY, PUMPS, AND MORE.


CAN SIZE	CASE PACK	PART NO.
20 oz. Aerosol (20oz.)	12 Cans	0019C00400



PORCELAIN, PLASTIC, AND CHROME.	:	: FOR HARD TO CLEAN SPOTS ON WOOD, ME	FAL, 📔
	ł	PORCELAIN, PLASTIC, AND CHROME.	4

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (15 oz.)	12 Cans	0019C05505





8060 NFP SAFETY SOLVENT

THIS QUICK DRYING, NO FLASH POINT (NFP) SOLVENT REMOVES GREASE DEPOSITS, OIL, METALLIC PARTICLES, CARBON DUST, AND OTHER DANGEROUS MATERIALS, AND PREVENTS COSTLY FLASH-OVERS.

NON-FLAMMABLE, NON-CORROSIVE FORMULA

USES: SAFE FOR CLEANING ELECTRIC MOTORS, LATHES, MINING EQUIPMENT, GREASE FITTINGS, MOLDS, SWITCHES, GENERATORS, RELAYS, BRAKE LININGS, RHEOSTATS, AND FUSE HOLDERS.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (20 oz.)	12 Cans	0019C08060
Gallon Can	2 Gallons	0019C08060G

BATTERY TERMINAL CLEANER

REMOVES CORROSION FROM ALL BATTERY PARTS AND OUICKLY IDENTIFIES LEAKS, COLOR INDICATOR SHOWS RED IN PRESENCE OF ACID. WHEN NEUTRALIZING, COLOR INDICATOR SHOWS YELLOW. REGULAR USE INCREASES BATTERY PERFORMANCE AND LIFE EXPECTANCY. NEUTRALIZES ACID AND DISSOLVES CORROSION FROM TERMINAL CABLES, HOLDDOWNS, AND BOXES.



USES: AUTOMOBILE, MARINE, AIRCRAFT AND INDUSTRIAL APPLICATIONS.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (18 oz.)	12 Cans	0019490605

ALL PURPOSE FOAM CLEANER

PENETRATES QUICKLY TO EMULSIFY AND DISSOLVE DIRT, SOAP SCUM & OTHER DEPOSITS. REGULAR USE HELPS KEEP SURFACES LIKE-NEW. THICK FOAM CLINGS TO SMOOTH VERTICAL SURFACES



USES: CLEANING TILE & WHITENING GROUT. PROCELAIN, LEATHER, FORMICA, WALLS, CERAMICS, METAL, SINKS, BATHTUBS, WOOD SURFACES AND MORE.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (18 oz.)	12 Cans	0019496335

NEED SOMETHING YOU DON'T SEE HERE? CALL US! (800) 225-6763







THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

590 CARB & CHOKE CLEANER

A FAST-ACTING BLEND OF SOLVENTS THAT MAXIMIZES CARBURETOR PERFORMANCE.

- DOES NOT CONTAIN CFCs, HCFCs, OR CHLORINATED SOLVENTS
- MEETS VOC REQUIREMENTS IN ALL 50 STATES, INCLUDING CARB

USES: AUTOMATIC CHOKES, CARBURETOR COMPONENTS, PVC VALVES, CRANKCASE BREATHER ELEMENTS, EXHAUST GAS RECYCLING VALVES AND INTAKE PARTS. MAY BE USED IN ANY CARBURETOR OR FUEL INJECTED GASOLINE ENGINE.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (12 oz.)	12 Cans	0019C00590

MASTER CARB & CHOKE CLEANER

MASTER CARB & CHOKE CLEANER IS A POWERFUL FAST ACTING PROFESSIONAL STRENGHT FORMULA THAT QUICKLY CLEANS CARBURETOR JETS, FLOAT BOWLS AND OTHER COMPONENTS.

CAN SIZE	CASE PACK	PART NO.
16.25 oz. Aerosol	12 Cans	0008101085

591 LOW VOC BRAKE 8 PARTS CLEANER (LESS THAN 10% VOC)

A NON-CORROSIVE DEGREASER EFFECTIVE IN REMOVING OIL, GREASE, WAX, DIRT, AND MOISTURE FROM BRAKE DRUMS, LININGS, AND PADS.

USES: DRUM AND DISK-TYPE BREAKS. MAY ALSO BE USED FOR CLEANING CHAINS, GEARS, BEARINGS, CLUTCHES, U-JOINTS, AND OTHER AREAS WHERE GREASE AND OIL HAVE ACCUMULATED.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (14 oz.)	12 Cans	0019C00591
Gallon Can	2 Gallons	0019C00591G



592 BRAKE & PARTS CLEANER (LESS THAN 20% VOC)

324

A NON-CORROSIVE DEGREASER EFFECTIVE IN REMOVING OIL, GREASE, WAX, DIRT, AND MOISTURE FROM BRAKE DRUMS, LININGS, AND PADS.

USES: DRUM AND DISK-TYPE BREAKS. MAY ALSO BE USED FOR CLEANING CHAINS, GEARS, BEARINGS, CLUTCHES, U-JOINTS, AND OTHER AREAS WHERE GREASE AND OIL HAVE ACCUMULATED.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (14 oz.)	12 Cans	0019C00592
Gallon Can	2 Gallons	0019C00592G

MASTER BRAKE CLEANER

THIS PROFESSIONAL STRENGTH NON-CHLORINATED BRAKE CLEANER CLEANS AND DEGREASES ALL TYPES OF BRAKE ASSEMBLIES. LININGS AND DRUMS.

NON-CHLORINATED

CAN SIZE	CASE PACK

15oz. Aerosol (14 oz.) 12 Cans

MASTER ENGINE STARTING FLUID

AN ENGINE STARTING FLUID WITH UPPER CYLINDER LUBRICANT FOR USE IN ALL GASOLINE AND DIESEL ENGINE.

CAN SIZE	CASE PACK	PART NO.
7oz. Aerosol	12 Cans	0008101090
11oz. Aerosol	12 Cans	0008101091

MASTER ENGINE CLEANER

USE MASTER "ENGINE CLEANER" FOR MARINE. TRACTOR, AUTO AND POWER MOWER ENGINES. IT IS AN EFFECTIVE MAINTENANCE PRODUCT FOR ALL FARM AND GARDEN EQUIPMENT AND INDUSTRIAL MACHINERY.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol	12 Cans	000810EC16

ZENACOIL

SPECIALLY FORMULATED FOAMING COIL CLEANER. NO RINSE FORMULA REACHES ALL AREAS OF COILS. THICK FOAM LIFTS OUT AND HOLDS DIRT AND GRIME IN SUSPENSION UNTIL RINSED OR CONDENSATION WASHES AWAY SOIL

USES: FOR USE IN HOTELS, INDUSTRIAL PLANTS,

AUTOMOTIVE, HOSPITALS, ROOF TOP OR WINDOW

PART NO.


0019C493555





PART NO.

0008101080



CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (18	3 oz.) 12 Cans	0019499185

20oz. Aerosol (18 oz.) 12 Cans

BIG ORANGE SLICE

BIG ORANGE SLICE IS A HEAVY-DUTY DEGREASER THAT USES NATURAL CITRUS. THIS VERSATILE PRODUCT CAN BE USED TO REMOVE GREASE, OIL, GASKETS, PROTECTIVE COATINGS, AND MUCH MORE. THIS FORMULA WORKS EXTREMELY WELL DEGREASING HEAVY EQUIPMENT, MACHINED PARTS, MOTORS, MOLDS, AND DIES. IT DOES NOT CONTAIN ANY FLUOROCARBON PROPELLANTS OR CHLORINATED SOLVENTS THAT CAN DEPLETE THE OZONE. THIS VERSATILE FORMULAS CONTAINS A CITRUS FRAGRANCE AND RINSES WITH WATER.

- **DEGREASES & DEODORIZES**
- **USES NATURAL CITRUS**
- EMULSIFIES IN WATER
- NO OZONE-DAMAGING CFC'S
- WORKS GREAT ON BUGS, TAR, & REMOVING ADHESIVES

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (18 oz.)	12 Cans	0019C499385



AIR CONDITIONER UNITS.

NON-CHLORINATED



E a a



THIS DOCUMENT IS PROTECTED BY COPYNICHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATET DO NANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRALIS SUPPLY. INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECTTO CHANGE WITHOUT NOTCE. COPYNGIGHT 1993.

Contact Cleaners

415 OFF-LINE CONTACT CLEANER H.D.

THIS FAST EVAPORATING CLEANER IS HIGHLY REFINED AND DESIGNED FOR USE ON HIGH-TECH ELECTRONIC HARDWARE, PCBS AND PWBS.

FLAMMABLE, NOT TO BE USED ON ENERGIZED
 EQUIPMENT OR IN OPERATION

USES: ELECTIRCAL COMPONENTS, CONNECTORS, CONTACTS, MAGNETIC TAPE HEADS, SEMICONDUCTOR ASSEMBLIES, PRECISION INSTREAMENTS, PRINTED CIRCUITS, COMPUTER COMPONENTS, RELAYS AND CONTROLS. METAL, PLASTICS, RUBBER, AND GLASS SURFACES.

contribes. meme, renstres, nobben, nub denss sommets.		
CAN SIZE	CASE PACK	PART NO.
20 oz. Aerosol (15oz.)	12 Cans	0019C00415
Gallon Can	2 Gallons	0019C00415G

8377 ELECTRIC COMPONENT CLEANER

THIS NO-FLASH, FAST PENETRATING, HIGH PRESSURE CLEANER IS DESIGNED FOR PRECISION CLEANING ON ELECTRONIC HARDWARE AND PRINTED CIRCUIT BOARD

NO FLASH CLEANER

USES: ELECTRICAL CONTACTS AND TERMINALS, SEMICONDUCTOR ASSEMBLIES, PRECISION INSTRUMENTS, CIRCUIT BREAKERS, SWITCHES, RELAYS AND CONTROLS, PCBS, MECHANICAL OR ELECTRICAL SOLENOIDS, TELEPHONE EQUIPMENT, SENSORS, AND TELEVISIONS.

CAN SIZE	CASE PACK	PART NO.
16 oz. Aerosol (14 oz)	12 Cans	0019C08377

8276 OFF-LINE Contact Cleaner

A FAST-EVAPORATING, LOW-ODOR CLEANER FOR OFF-LINE EQUIPMENT MAINTENANCE.

DOES NOT CONTAIN CFCs, HCFCs, OR CHLORINATED SOLVENTS

USES: OUT-OF-SERVICE ELECTRONIC COMPONENTS. FOR RELAYS, TERMINALS, SWITCHES, ETC

CAN SIZE	CASE PACK	PART NO.
20 oz. Aerosol (15oz)	12 Cans	0019C08276

Cleaners/I	Degreasers
------------	------------

ZENASHEEN H20

NEW GENERATION WATER-BASED CLEANER/POLISH FORMULATED

FOR STAINLESS STEEL, CHROME, BRASS, COPPER, AND ALUMINUM. GREAT FOR RAILINGS, ELEVATOR CABS, KITCHEN, AND LAB EQUIPMENT, ETC. EFFECTIVELY REMOVES SMUDGES, FINGERPRINTS, WATER MARKS, GREASE, TARNISH, AND OXIDATION FROM BRIGHT METALS. SEALS AND PROTECTS AGAINST FUTURE OXIDATION



- RESTORES ORIGINAL LUSTER
- REPELS DUST

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (18 oz.)	12 Cans	0019C496655



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO NONTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY. INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTCE. COPYRIGHT 1993.

Anti-Seize Products

COPPER ANTI-SEIZE

DESIGNED TO LUBRICATE AND PROTECT MOST METAL CORROSION AND SEIZURE.

MEETS MIL-A-907E
 DOES NOT CONTAIN CFCs, HCFCs, OR
 CHLORINATED SOLVENTS



CAN SIZE	CASE PACK	PART NO.
.70 oz. Stick		0028003320
16oz. Aerosol (12 oz.)	12 Cans	0019C09120
8 oz. B/T Bottle	12 Bottles	0019C09122
1 lb. B/T Bottle	12 Bottles	0019C09123

9105 ANTI-SEIZE COMPOUND

PROVIDES AN AEROSOL DELIVERY OF GRAPHITE IN A THIN BLACK FILM FOR STUD ASSEMBLIES, FLANGE BOLTS, CYLINDER HEADS, HIGH TEMPERATURE CONNECTIONS, AND MANHOLE LUGS.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (12 oz.)	12 Cans	0019C09105

NICKEL ANTI-SEIZE COMPOUND

PROTECT METAL PARTS FROM RUST, CORROSION, GALLING AND SEIZING ON HIGH TEMPERATURE. FOR USE ON STAINLESS STEEL AND OTHER METALS IN HARSH ENVIRONMENTS.

HEK	SOLUTION 2500 METAL-FREE ANTISEIZE
	PAGE NO. 10000
cv	

CAN SIZE	CASE PACK	PART NO.
8 oz. B/T bottle	6 Bottles	0019001603
1 Lb. B/T bottle	4 Bottles	0019000640

Anti-Seize & Adhesives

8177 MUTIPURPOSE Adhesive

PROVIDES HOLDING POWER ON MOST SURFACES, ROUGH OR SMOOTH.

NON-FLAMMABLE, NON-CORROSIVE FORMULA

USES: PAPER, CARDBOARD, WOOD, OR METALS. IDEAL FOR LIGHT PRODUCTION WORK, ESPECIALLY THE TEMPORARY PINNING ALIGNMENT OF PARTS FOR FINAL ASSEMBLY.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (14 oz.)	12 Cans	0019C08177

8190 HI-STRENGTH Adhesive

A HIGH-STRENGTH, INDUSTRIAL GRADE ADHESIVE FOR EXTRA-STRONG BONDING OF MATERIALS TO A VARIETY OF SURFACES.

FAST DRYTIME; 1 MINUTE TO TACK

USES: BONDING INSULATION, HARD PLASTIC, WOOD, METAL, FABRIC, AND PAPER.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (12 oz.)	12 Cans	0019C08190

8178 EPS FOAM/ CONCRETE ADHESIVE

A PRESSURE SENSITIVE, UPSIDE-DOWN SPRAY ADHESIVE FOR FAST TACKING AND EXTRA-STRONG BONDING OR LAMINATING OF EXPANDED POLYSTYRENE (EPS).

FLAMMABLE, NOT TO BE USED ON ENERGIZED
 EQUIPMENT OR IN OPERATION



USES: CAN BE USED THROUGHOUT GENERAL INDUSTRY AND CONSTRUCTION FOR BONDING EPS TO CONCRETE AND OTHER SURFACES.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (14 oz.)	12 Cans	0019C08178

NEED SOMETHING YOU DON'T SEE HERE? CALL US!

(800) 225-6763

Adhesives



875 LABEL Adhesive

FORMULATED FOR PERMANENT OR TEMPORARY BONDING OF A VARIETY OF MATERIALS TO PAINTED, UNPAINTED, SMOOTH OR ROUGH SURFACES.



USES: LIGHTWEIGHT MATERIALS SUCH AS LABELS, PAPER, FOAM, RUBBER, CLOTH, CARDBOARD, STENCILS, FELT, FABRIC, ARTS AND CRAFTS, PHOTOGRAPHIC PRINTS, ACETATE, FOIL, AND MOST PLASTICS.

CAN SIZE	CASE PACK	PART NO.
20 oz. Aerosol (14 oz.)	12 Cans	0019C00875

876 CARTON Adhesive

THIS HIGH-STRENGTH INDUSTRIAL ADHESIVE IS SPECIALLY FORMULATED FOR EITHER TEMPORARY OR PERMANENT BONDING TO UNEVEN OR POROUS SURFACES AND WEIGHTED MATERIALS.



USES: FOR CARTON SEALING, FIBERGLASS INSULATION, WEATHER STRIPPING, FELT BONDING, LABEL APPLICATION, TRUCK AND AIRCRAFT INTERIORS, TACKING DROP CLOTHS, BONDING GASKETS IN WATER PUMPS, ADHERING UPHOLSTERY, AND METAL-TO-METAL CONTACT APPLICATIONS, AND DECORATIVE LAMINATES.

CAN SIZE	CASE PACK	PART NO.
20 oz. Aerosol (12 oz.)	12 Cans	0019C00876



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993

Mold Specialties

3090 TOOL & DIE SAVER

PROTECT STORED TOOLS AND DIES FROM MOISTURE DURING STORAGE. IDEAL FOR LONG-TERM, INDOOR STORAGE.



MOLD CLEANER

USES: GOOD FOR CHUCKS, SET-UP JIGS, TOOLS, STORED METAL MOLDS AND DIES, AND SELDOM USED PARTS.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (11 oz.)	12 Cans	0019C03090

3091 MOLD & DIE PROTECTOR

FOR MAXIMUM STORAGE PROTECTION OF TOOLS, JIGS, HARDWARE, MOLDS, DIES, AND BARE METAL SURFACES. EXCELLENT FOR LONG DISTANCE SHIPPING.

USES: GOOD FOR CBARE METAL, MOLDS, DIES, TOOLS, JIGS, ETC.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (10).5 oz.) 12 Cans	0019C03091

3095 MOLD CLEANER

A SOLVENT-BASED SPRAY CLEANER FOR GENERAL CLEANING OF METAL MOLDS.

USES: METAL MOLDS, DIES, PINS, JIGS, MACHINERY, AND MECHANICAL EOUIPMENT.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (10.5 oz.)) 12 Cans	0019C03095

Mold Products



Mold Releases

2010 GENERAL PURPOSE SILICONE

INDUSTRIAL STRENGTH RELEASE AGENTS THAT ARE ECONOMICALLY PRICED AND HELP RESIST COSTLY BREAKDOWNS.

2% SILICONE FORMULA

USES: PLASTIC INJECTION, COMPRESSION, CANDLE AND BLOW MOLDERS, EXTRUDERS, FOUNDRIES, AND INVESTMENT CASTINGS. RECOMMENDED FOR USE ON A.B.S. RESINS, ACRYLICS, WAX, RUBBER, POLYESTERS, CELLULOSICS, AND POLYSTYRENES.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (12 oz.)	12 Cans	0019C02010

2012 HEAVY DUTY SILICONE

INDUSTRIAL STRENGTH RELEASE AGENTS THAT ARE ECONOMICALLY PRICED AND HELP RESIST COSTLY BREAKDOWNS.

4% SILICONE FORMULA

USES: PLASTIC INJECTION, COMPRESSION, CANDLE AND BLOW MOLDERS, EXTRUDERS, FOUNDRIES, AND INVESTMENT CASTINGS. RECOMMENDED FOR USE ON A.B.S. RESINS, ACRYLICS, WAX, RUBBER, POLYESTERS, CELLULOSICS, AND POLYSTYRENES.

CAN SIZE	CASE PACK	PART NO.
1607 Aprocal (12 oz)	12 Cans	0010002012

RELEASE

FOOD GRADE SILICONE RELEASE THAT IDEAL FOR ALL POLYPROPYLENE AND POLYURETHANE MOLDINGS.

USES: PLASTIC INJECTION, COMPRESSION, CANDLE AND BLOW MOLDERS, EXTRUDERS, FOUNDRIES, AND INVESTMENT CASTINGS. PROVIDES EXCELLENT LUBRICATING PROPERTIES FOR GUIDES, SAWS, CONVEYORS, AND ROLLERS ON PACKAGING EQUIPMENT.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (12 oz.)	12 Cans	0019C02011



PAINTABLE SILICONE MOLD RELEASE

SPECIALLY FORMULATED PAINTABLE SILICONE FLUIDS PROVIDE EXCELLENT RELEASE PROPERTIES THAT ARE IDEAL FOR ALL TYPES OF PLASTICS WHERE DECORATING IS REQUIRED AFTER MOLDING.



USES: HOT OR COLD MOLDING PROCESSES FOR RUBBER, POLYSTYRENES, POLYURETHANE FOAMS, PLASTIC, METAL CASTINGS, AND ELASTOMERIC MATERIALS.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (12 oz.)	12 Cans	0019C02013

T.F.E. DRY FILM MOLD RELEASE

AN ECONOMICAL RELEASE THAT PROVIDES EXCELLENT ANTI-STICK PROPERTIES AND LEAVES A THIN, DRY FILM. FILM WILL NOT TRANSFER TO FINISHED PARTS.

NON-SILICONE FORMULA; CONTAINS PTFE MEETS MIL-L-60326 MU TYPE II PERFORMANCE REOUIREMENTS

.

ת א

USES: NYLON, RUBBER, FOAM, SOME PLASTICS, METAL PHENOLIC RESINS, FILAMENT WINDINGS, EPOXY POTTING AND ENCAPSULATING, POLYPROPYLENES, POLYSTYRENES, AND POLYURETHANES.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (12 oz.)	12 Cans	0019C02014

MOLD RELEASE &



NO NEED TO REMOVE, JUST SHOOT MOLD CLEAN. USES: EPOXY MOLDING, POLYURETHANE, AND PHENOLICS.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (13 oz.)	12 Cans	0019C03470

NEED SOMETHING YOU DON'T SEE HERE? CALL US!

(800) 225-6763





THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO NOTTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTAILS JUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECTTO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

420 DUST AIR™

A PURE NON-CFC CONTROLLED AIR SOURCE THAT REMOVES DUST AND AIRBORNE CONTAMINANTS FROM DELICATE INSTRUMENTS WITHOUT SCRATCHING.



USES: ELECTRONICS, LAB EQUIPMENT, DATA PRPOCESSING AND OPTICAL, PRECISION MECHANICAL PARTS, COMPUTER EQUIPMENT, ELECTRONIC CIRCUITRY, AND PHOTOGRAPHIC EQUIPMENT.

CAN SIZE	CASE PACK	PART NO.
12oz. Aerosol (10 oz.)	12 Cans	0019C00420

HAND-Y CLEANING TOWELS

WATERLESS, ANTI-BACTERIAL CLEANING TOWELS ARE LINT-FREE AND PACKAGED IN A CONVENIENT TUB WITH A DISPENSER LID FOR EASY ACCESS.

PRE-MOISTENED, NO NEED FOR WATER
 FRESH CITRUS SCENT



USES: REMOVE GREASE, ADHESIVE, GRIME, INK, LUBRICANTS, TAR, AND OTHER INDUSTRIAL STAINS AND SOILS.

TUB SIZE	CASE PACK	PART NO.
72 Towel Tub	6 Tubs	0019C05021

HAND-Y PRO TOWELS

WATERLESS, ANTI-BACTERIAL CLEANING TOWELS ARE LINT-FREE AND PACKAGED IN A CONVENIENT TUB WITH A DISPENSER LID FOR EASY ACCESS. SCRUBBING SURFACE HANDLES TOUGH JOBS.



- FRESH CITRUS SCENT
 - ROUGH ON ONE SIDE, SMOOTH ON ONE SIDE

USES: REMOVE GREASE, ADHESIVE, GRIME, INK, LUBRICANTS, TAR, AND OTHER INDUSTRIAL STAINS AND SOILS.

TUB SIZE	CASE PACK	PART NO.
72 Towel Tub	6 Tubs	0019C05025

Miscellaneous

328

ADJUSTABLE HAND SPRAYER

HANDY TRIGGER SPRAY BOTTLE FOR NON-PAINT LIQUID PRODUCTS.

BOTTLE SIZE	CASE PACK	PART NO.
22 oz.	6 Bottles	0019C02310




HAND CLEANER WITH PUMP - NATURAL ORANGE WITH PUMICE

SIZE

0008101119
0008101120
0008101121

INDUSTRIAL HAND CLEANER

HEAVY DUTY, SOLVENT FREE, WALNUT BASED CLEANER DOES IT ALL. CLEANS THE TOUGHEST SOILS GREASES, INKS, PAINTED AND ALMOST ANYTHING ELSE. CONCENTRATED ONE SOAP THAT DOES IT ALL.



CHERRY INDUSTRIAL HAND CLEANER

AN INDUSTRIAL STRENGTH PUMICE BASED SOAP DESIGNED TO REMOVE GREASE, GRIME, PAINT, AND SO MUCH MORE. ENRICHED WITH MULTIPLE EMOLLIENTS AND SKIN CONDITIONERS. CHERRY BURST

CAN SIZE	CASE PACK	PART NO.
1 GAL.		0019C233053
Dispenser		0008030761

CITRUS DISINFECTANT

READY TO USE, BROAD-SPECTRUM, ANTI-MICROBIAL AGENT IN ONE STEP DISINFECTING/DEODORIZING SPRAY. PREVENTS MOLD, MILDEW, AND BACTERIA ON ENVIRONMENTAL SURFACES. DISINFECTS AND DEODORIZES SURFACES THROUGH EFFECTIVE BACTERIAL AND FUNGICIDAL ACTIVITY.

^5

PART NO.

GOĨO



CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (15 oz.)	12 Cans	0019495565





USDA F-2

THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

862 HORNET & WASP SPRAY

THIS FAST-ACTING SPRAY SATURATES NESTS AND INSTANTLY KILLS HORNETS, WASPS, AND YELLOW JACKETS.

USES: UTILITY METERS/BOXES, EAVES, TELEPHONE POLES, SHRUBS, FENCES, AND WINDOW AND DOOR FRAMES.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (14 oz.)	12 Cans	0019C00862

5062 ANTI-VANDAL SPRAY

A CLEAR SPRAY BLEND OF SOLVENTS THAT REMOVES LIPSTICK, PENCIL, INK, CRAYON, AND SPRAY PAINT FROM A VARIETY OF HARD SURFACES.

Itilitu Mate CRIXW77 TI-VAND USES: ON TILE, BRICK, ALUMINUM, STEEL, GRANITE,

MARBLE, FORMICA. AND DOZENS OF OTHER HARD SURFACES. IDEAL FOR REMOVING UNWANTED MARKS FROM ROAD SIGNS, WASHROOMS, PUBLIC BUILDINGS, SIDEWALKS, UNDERPASSES, SCHOOL LOCKER ROOMS, TRANSIT SYSTEM BUILDINGS AND VEHICLES, AND RAIL CARS.

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (14 oz.)	12 Cans	0019C05062

MULTI-PURPOSE INSECT KILLER

A SYNTHETIC PERMETHRIN BASED, FAST-ACTING, FLYING/CRAWLING INSECT SPRAY. KILLS INSTANTLY AND PREVENTS BREEDING. FOR USE IN HOMES AND IN NON-FOOD AREAS OF INDUSTRIAL BUILDINGS

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (15 oz.)	12 Cans	0019495785

Miscellaneous

FLY AWAY WIPES -**INSECT REPELLANT**

FLY AWAY WIPES PROVIDE UP TO 4 HOURS OF PROTECTION FROM MOSOUITOES, BLACK FLIES, STABLE FLIES, SAND FLIES, GNATS, CHIGGERS, FLEAS, AND TICKS. THESE CONVENIENT, EASY TO USE WIPES ALLOW FOR QUICK AND THOROUGH APPLICATION TO SKIN, HAIR, AND CLOTHING TO ENSURE MAXIMUM PROTECTION. WATER-BASED FORMULA WITH 25% DEET



PART NO.

6"X 8" WIPE

CAN SIZE

40-ct. canister

0019495785





IMPROVES AIR TOOL PERFORMANCE



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

GEL-TYPE HAND SANITIZER.

AN ALCOHOL-BASED SKIN SANITIZER THAT HELPS PREVENT THE SPREAD OF GERMS. POWERED WITH 62% ETHYL ALCOHOL, THIS GEL CLEANER IS EFFECTIVE AGAINST 99.9% OF COMMON GERMS WITHIN 15 SECONDS, AS WELL AS OTHER PATHOGENIC ORGANISMS. NO WATER SOURCE IS NECESSARY WITH THIS PRODUCT ... IT SIMPLY EVAPORATES FROM THE SURFACE OF THE SKIN. LEFT BEHIND AFTER EVAPORATION ARE A COMBINATION OF EFFECTIVE SKIN CONDITIONING EMOLLIENTS THAT LEAVE HANDS FEELING FRESH AND CLEAN.

SIZE	CASE PACK	PART NO.
4 oz.	24	0019C515
8 oz.	12 Squat Pump	0019C515-1

LOTION HAND CLEANER

ECONOMICAL LOTION HAND CLEANER FORMULATED TO PRODUCE A POWERFUL, YET MILD LATHER THAT PROVIDES EFFECTIVE CLEANING AND RINSES CLEAN LEAVING HANDS FEELING SOFT AND FRESH. THIS **OPAQUE PINK, ALMOND SCENTED CLEANER** IS IDEAL FOR THOSE REOUIRING MULTIPLE HAND WASHINGS.

SIZE	CASE PACK	PART NO.
800 mL bag	12 Bags	001900500
1 Gallon	4 bottles	001900501

800/1000 ML BAG **IN BOX HAND SOAP** DISPENSER

FOR ITEMS ABOVE - HUSKY 515 AND 500.

PART NO.

00195370W

HUSKY 570 FOAM-ING PERMIUM HAND WASH

A PREMIUM FOAMING HAND WASH FORMULATED TO PROVIDE GENTLE HAND CLEANING FOR PROFESSIONALS, EMPLOYEES, CARE GIVERS AND GUESTS. THE RICH FOAM QUICKLY CLEANS AWAY SOILS.

SIZE	CASE PACK	PART NO.
1 Gallon	4 Bottles	0019C570

ODOR NEUTRALIZING FOGGER

- **REMOVES OFFENSIVE ODORS**
- TREATS 6,000 CU. FT.
- SAFE ON FABRICS
- UNIQUE SCENT

IDEAL FOR USE IN HOTELS, MOTELS, APARTMENTS, NURSING HOMES, GARBAGE CONTAINERS, CLOSETS, HAMPERS, LOCKER ROOMS, BATHROOMS, SMOKING AREAS AND AUTOMOBILES

SIZE	CASE PACK	PART NO.
8 oz. Aerosol (6.75oz.)	12 Cans	0019C109056

ODOR NEUTRALIZING AEROSOL

- **REMOVES OFFENSIVE ODORS**
- TREATS 6,000 CU. FT.
- SAFE ON FABRICS
- FRESH LINEN SCENT

IDEAL FOR USE IN APARTMENTS, HOSPITALS, NURSING HOMES, GARBAGE CONTAINERS, BOATS, CARPETS, UPHOLSTERY, DRAPES, FABRICS, LOCKER ROOMS, BATHROOMS, SMOKING AREAS, RV'S AND AUTOMOBILES.

SIZE	CASE PACK	PART NO.
20 oz. Aerosol (14oz)	12 Cans	0019C491123

ZENABRITE LEMON

CREAMY-RICH FURNITURE POLISH WITH LEMON OIL. FORTIFIED WITH CARNAUBA, BEESWAX AND LEMON OIL. REGULAR USE FEEDS AND NOURISHES WOOD, ENHANCING AND DEEPENING THE NATURAL BEAUTY OF THE SURFACE. AN IDEAL PRODUCT FOR FINE WOODS, MARBLE, PLASTIC LAMINATES AND FIBERGLASS. CLEANS /ES

	CLEANS
•	PRESERVE
	PROTECTS

REPELS

SIZE	CASE PACK	PART NO.
20 oz. (18 oz.)	12 Cans	0019494725

DRY SPRAY FOR AUTOMATIC DISPENSERS

USE ANYWHERE ODOR IS A PROBLEM: BATHROOMS, LOCKER ROOMS, HOSPITALS, NURSING HOMES, SMOKING AREAS, CARS, BOATS, RV'S, MOTELS, RESTAURANTS, CARPETS, UPHOLSTERY, DRAPERIES, FABRICS AND MORE. FRESH LINEN SCENT.

SIZE	CASE PACK	PART NO.
20 oz. (18 oz.)	12 Cans	0019C491333

DISPENSER

AUTOMATIC DISPENSER FOR USE WITH NEUTRAZEN NATURAL SCENTS DRY SPRAY ODOR COUNTERACTANT.

PART NO.

0019C499501

CARPET CLEANER

PINPOINT SPRAY CARPET STAIN REMOVER WORKS ON OIL, GREASE, DIRT, COFFEE, AND MORE. FORMULATED FOR DIRECT APPLICATION TO CARPET STAINS. SAFE ON MOST FABRICS. BEFORE USING ANY PRODUCT ON FABRIC, ALWAYS TEST IN AN INCONSPICUOUS AREA FIRST.



•	SPRAYS UPSIDE DOWN	
•	DESTROYS ODORS	
•	SAFE ON MOST FABRICS	
•	SPRAY ON-BLOT OFF	

SIZE	CASE PACK	PART NO.
20 oz. (18 oz.)	12 Cans	0019493955

CARPET CLEANER

POWERFUL CARPET STAIN AND SPOT REMOVER. CONTAINS STRONG CLEANERS TO REMOVE STAINS DUE TO DIRT, INK, MUD, KETCHUP, URINE, VOMIT, COFFEE, TEA, ALCOHOLIC BEVERAGES AND SOFT DRINKS. UPRIGHT SPRAY VALVE ALLOWS EASY APPLICATION.



- FAST ACTING UPRIGHT VALVE CITRUS FRAGRANCE .
 - NON-FOAMING
 - SAFE FOR USE ON MOST FABRIC & CARPET YARNS
 - GREAT FOR AUTOMOTIVE INTERIORS, UPHOLSTERY AND CARPETING

SIZE	CASE PACK	PART NO.
20 oz. (18 oz.)	12 Cans	0019493965



ARROW INDUSTRIAL SUPPLY | PHONE ORDERS: 614/898-5997 TF 800/225-6763 | FAX ORDERS: 614/898-6080 TF FAX 800/828-7190 | WWW.ARROWISI.COM

Miscellaneous



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR DOLMOLTED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

VELONEX UPHOLSTERY CLEANER

FOAMY CLEANER MADE ESPECIALLY TO CLEAN AND PRESERVE THE VELOUR UPHOLSTERY FABRICS. EASILY CLEANS DIRT, SOIL, AND STAINS. EXCELLENT FOR CLEANING ALL OTHER TYPES OF FABRIC UPHOLSTERY. WHEN DRY, A SUPERIOR STAIN PROTECTOR IS LEFT BEHIND TO REPEL DIRT, SOIL, AND GRIME.



CAN SIZE	ASE PACK	PART NO.
20oz. Aerosol (18 oz.)	12 Cans	0008030763

ZENASHINE

A CLEAR AND ODORLESS COATING THAT WORKS INSTANTLY. FAST AND EASY TO USE. BRIGHTENS AND RENEWS ANY VINYL AND PLASTIC SURFACE. NO WIPING NECESSARY. FINE AEROSOL MIST IS IDEAL FOR THOSE HARD-TO-REACH PLACES.



CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (12 oz.)	12 Cans	0008030762

ZENASHINE FOAM

A SELF-CLEANING FOAM EMULSION THAT CURES TO A GLOSSY PROTECTIVE SHINE IN MINUTES. EXCELLENT FOR USE ON VINYL, RUBBER AND SYNTHETIC SURFACES.

- SELF-CLEANING
- RENEWS AND PROTECTS PREVENTS OXIDATION
- ALL WEATHER

CAN SIZE	CASE PACK	PART NO.
16oz. Aerosol (13 oz.)	12 Cans	0010C494705

ZENALUBE RED GREASE

ZENALUBE RED IS A MULTI-PURPOSE LUBRICANT THAT PROVIDES EXTRA PROTECTION UNDER EXTREME PRESSURES. IT MAINTAINS CONSTANT VISCOSITY OVER A WIDE RANGE OF TEMPERATURES.

CAN SIZE	CASE PACK	PART NO
16 oz. Aerosol (11.25 oz.) 12 Cans	0019000050

Miscellaneous

MILDEW STAIN MOVER

A READY-TO-USE SPRAY CLEANER THAT COMBINES POWERFUL CLEANING ACTION WITH A STAIN REMOVER TO CLEAN AND BRIGHTEN MOLD STAINS AND MILDEW STAINS. USE HUSKY 416 ANYWHERE MOLD AND MILDEW STAINS ARE PRESENT.



USES: TILE, GROUT, SHOWER DOORS, VINYL SHOWER CURTAINS, COUNTERS AND SINKS.

SIZE	CASE PACK	PART NO.
32 oz. Bottles	12 Bottles	0019C416

MOLD CONTROL

EFFECTIVELY ELIMINATES MOLD, INHIBITS MOLD RE-GROWTH, AND GETS RID OF MUSTY ODORS WITHOUT HARSH CHEMICALS. THIS EPA **REGISTERED PRODUCT CAN BE USED BY** HOMEOWNERS, PROFESSIONAL REMODELERS, CONTRACTORS AND MOLD REMEDIATORS ON VIRTUALLY ALL SURFACES

USES: WALLBOARD, WOOD, CONCRETE, METAL, TILE, GROUT, FABRIC UPHOLSTERY AND FURNITURE.

SIZE	CASE PACK	PART NO.
32 oz. Bottles	12 Bottles	0019C418
1 GAL.		0019C418-1

MECHANIC'S HELPER RTV SILICONE

MECHANIC'S HELPER IS A PREMIUM GRADE, LOW VOLATILE SILICONE GASKET MAKING MATERIAL THAT IS MADE FROM 100% RTV (ROOM TEMPERATURE VULCANIZING) SILICONE FOR SAFE USE ON ALL OXYGEN SENSOR EOUIPPED VEHICLES. MECHANIC'S HELPER REPLACES A WIDE RANGE OF CORK, PAPER, ASBESTOS, FELT AND METAL GASKETS

USES: OIL AND WATER PUMPS, OIL AND

TRANSMISSION PANS, GEAR BOXES, VALVE COVERS, TIMING CHAIN COVERS, ELECTRIC MOTORS, ELECTRIC CONTROL BOXES, MECHINE COVERS, COMPRESSORNS AND OXYGEN SENSOR EQUIPPED VEHICLES.

CAN SIZE	CASE PACK	PART NO.
8 oz. BLACK	6 Cans	0008009001
8 oz. BLUE	6 Cans	0008009003
8 oz. RED	6 Cans	0008009005
8 oz. CLEAR	6 Cans	0008009009
8 oz. WHITE	6 Cans	0008009010

RTV SILICONE ADHESIVE SEALANT



SIZE	COLOR	PART NO.
3 oz.	BLACK	0008101050
3 oz.	BLUE	0008101060
3 oz.	CLEAR	0008101063
3 oz.	RED	0008101055

TITEBOND 100% SILICONE SEALANT

TITEBOND® 100% SILICONE SEALANT IS A VERSATILE 100% SILICONE FORMULA THAT IS IDEAL FOR BOTH INTERIOR AND EXTERIOR APPLICATIONS. IT OFFERS EXCELLENT ADHESION TO MANY COMMON CONSTRUCTION MATERIALS, INCLUDING VINYL, ALUMINUM, GLASS AND PAINTED SURFACES. IT ALSO PROVIDES A STRONG, FLEXIBLE SEAL THAT OFFERS EXCELLENT WATER-RESISTANCE.



USES: COMMON CONSTRUCTION MATERIALS, INCLUDING VINYL, ALUMINUM, GLASS AND PAINTED SURFACES

SIZE	CASE PACK	PART NO.
10.1 oz. CLEAR	12 Cans	0008270-000
10.1 oz. WHITE	12 Cans	0008270-001
10.1 oz. ALMOND	12 Cans	0008270-427

ZENAMELT

A FAST ACTING FROST AND ICE REMOVER SPECIFICALLY FORMULATED TO OUICKLY



DISSOLVE ICE, FROST AND SNOW DEPOSITS.



- FAST ACTING, WATER RINSEABLE, THAWS FROZEN LOCKS
- HELPS PREVENT FREEZING

.

CAN SIZE	CASE PACK	PART NO.
20oz. Aerosol (12 oz.)	12 Cans	0019498755

PART NO.	0.02. Willi
0019000050	



THIS DOCUMENT IS PROTECTED BY COPRIGHT. ALL RIGHTS ARE RESERVED NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

THE BOSS - GLASS & SURFACE CLEANER

THIXOTROPIC SPOT-FREE GLASS. A THICK CLEANING FORMULA THAT ELIMINATES WASTE AND SAVES MONEY.

PREVENTS FINGERPRINTS AND SMUDGES
 DRIES CRYSTAL CLEAR

	12
ES	10 m
	Boa

Gleamone

* Folim En - Mipe Dr * Non-Annomiated * Okum, Reduced

G

SIZE	CASE PACK	PART NO.
32 oz.	12 bottles	0019C272103

GLEAMONEX GLASS CLEANER

PREMIUM NON-AMMONIATED GLASS CLEANER. THICK FOAM CLEANER LIFTS AWAY THE TOUGHEST SOILS. IDEAL FOR USE ON WINDOWS, MIRRORS, WINDSHIELDS, AND SHOWCASES.

- FOAM ON-WIPE DRY
- CLEANS, RESTORES, SHINES
- "FRESH" FRAGRANCE
- COMPLETELY STREAKPROOF
- SAFE ON TINTED WINDOWS

SIZE	CASE PACK	PART NO.
		\sim

2002. Actosol (12 02.) 12 cuits 0019 c19520.	20oz. Aerosol (12 oz.) 1	2 Cans	0019C495205
--	--------------------------	--------	-------------

ZENATIZE FOAM CLEANER

HOSPITAL USE, BROAD SPECTRUM DISINFECTANT. DISINFECTS AGAINST STAPHYLOCOCCUS AUREUS, SALMONELLA CHOLERAESUIS, AND PSEUDOMONAS AERUGINOSA. KILLS HIV. ELIMINATES TRICHOPHYTON MENTAGROPHYTES (THE CAUSE OF ATHLETE'S FOOT FUNGUS). POWERFUL CLEANER FOR USE ON FLOORS, WALLS, GARBAGE CANS, SHOWERS, LAVATORY FIXTURES, AND MORE. SAFE ON CHROME, PLASTIC, ENAMEL, PORCELAIN, AND FIBERGLASS.

- BACTERIOCIDAL, VIRUCIDAL, FUNGICIDAL
- NONABRASIVE
- NO SCRUBBING, NO RINSING
- KILLS HIV
- PREVENTS AND CONTROLS MOLDS AND MILDEWS
- SPRAY ANYWAY 360 DEGREE VALVE
- CLEANS, SHINES, DEODORIZES, AND DISINFECTS

SIZE CAS	E PACK	PART NO.
20oz. Aerosol (18.25 oz.)	12 Cans	0019C494955

Miscellaneous

GLASS CLEANER Concentrate

A CONCENTRATED, STREAK-FREE, NON-FOGGING, GLASS CLEANER THAT MAY BE UTILIZED ON HOME WINDOWS, COMMERCIAL BUILDING WINDOWS, CAR WINDOWS, LEXAN, LUCITE, AND PLEXIGLASS SURFACES, AS WELL AS COMPUTER AND TELEVISION SCREENS. REGISTERED WITH THE NSF NON-FOOD COMPOUNDS PROGRAM - A1, C1, C2. NSF REGISTRATION #: 146432

PROFESSIONAL

FAST-ACTING, CHLORINATED DRAIN OPENER AND

CLEANER PIERCES THROUGH STANDING WATER TO QUICKLY OPEN THE TOUGHEST OF CLOGGED DRAINS. SAFE TO USE ON STANDARD AND PLASTIC

INSTITUTIONAL GRADE EQUIPMENT AND DRAINS.

CASE PACK

12 Bottles

PIPE, IN SEPTIC SYSTEMS, AND IN GARBAGE DISPOSALS, FORMULATED FOR USE ON

STRENGTH DRAIN

CASE PACK

12 Bottles

EPA SDSI NSF REGISTERED

OPENER

NOT EFFECTIVE ON PAPER.

BACTERIAL

DIGESTANT

DEODORANT

FAST-ACTING DRAIN MAINTAINER CONTAINS

LIVE BACTERIA THAT DIGEST GREASE AND OTHER ORGANIC WASTE TO KEEP DRAINS

FLOWING. THIS NON-ACID, NON-CAUSTIC

PRODUCT IS IDEALLY USED FOR DAILY DRAIN

EPA SDSI

SIZE

32 oz.

SIZE

32 oz.



0019C421

PART NO.

0019C403

TOILET BOWL CLEANER

A 9% HYDROCHLORIC ACID TOILET BOWL CLEANER THAT EFFECTIVELY CLEANS, DEODORIZES, AND DISINFECTS PORCELAIN, CERAMIC OR VITREOUS CHINA TOILET BOWLS AND URINALS. THIS LOW ACID CLEANER PROVIDES RICH SUDSING ACTION LEAVING OILET BOWLS AND URINALS SPARKLING CLEAN AND ELIMINATES OFFENSIVE ODORS IN THE RESTROOM.



SIZE	CASE PACK	PART NO.
32 oz.	12 Bottles	0019C302

FLOOR STRIPPER

RESILIENT TILE FL	PER EFFICIENTLY CLEANS OORING AND REMOVES	
USE OF A FLOOR N AGITATION DISSOI PERMITTING FAST OR WET VAC. NO N REQUIRED, AND N BEHIND TO INTER	FINISH WITHOUT THE IACHINE. SIMPLE MOP VES FINISH BUILDUP, PICK UP WITH A MOP IEUTRALIZING RINSE O RESIDUE IS LEFT FERE WITH SUBSEQUENT ON. VOC CARB COMPLIANT.	Note Free RNSE Free And Constrainer And Constrainer And Constrainer And Constrainer
SIZE	CASE PACK	PART NO.
1 Gallon 5 Gallon	4 Bottles	0019C704

HEAT BARRIER SPRAY

- PREVENTS HEAT DAMAGE TO COMPONENTS DURING SOLDERING, BRAZING OR WELDING
- THE UNIQUE GELLED FORMULA STICKS
 TO THE SURFACE WITHOUT DRIPS AND RUNS
- PROTECTS ADJOINING AREAS MADE OF WOOD, WALLBOARD, INSULATION, ETC.
- NO MESSY CLEANUP

SIZE

32 oz.

000811509

• EPA SDSI

SIZE	CASE PACK	PART NO.
32 oz.	12 Bottles	0019C400

NEED SOMETHING YOU DON'T SEE HERE? CALL US!

(800) 225-6763

SECTION 19 | PAGE 17



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED. REPRODUCED. OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WAITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE NOFOMATION CONTIAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

Paint Manufactured in the U.S.A.



About Our Paints...

MRO Industrial Enamels

A superior, lead-free industrial coating formulated for maintenance operations where maximum performance is required. This high solids paint does not run or sag, and gives twice the coverage of conventional aerosol enamels.

Big Rig

Formulated with the heavy duty owner/operator in mind, this high solids coating works best in fleet maintenance applications where maximum performance is required. Resists fading, chipping, and corrosion.

Hi Tech

A premium grad paint formulated for general purpose applications where maximum indoor/outdoor coating performance is required. Rust inhibitive.

Farm and Industry

A superior, premium grade enamel formulated for maximum exterior durability and outstanding weather resistance. Available in many popular implement manufacturer colors.

PBE

Designed for the quality conscious paint and body professional, these primers prevent rust and corrosion and enhance the quality and appearance of the finished product. Sandable in 5 minutes!

Spray Glo Fluorescent Paints

An ultra high visibility coating for any project that requires a brilliant color. It has 400% greater visibility than regular paint.

Ceiling Tile Paint

A special water based formulation for touching up stains that appear on both textured and acoustical ceiling tiles. Must be used in an upright position and is activated by pressing sprayhead to the side.

Stripe Athletic Field Marker

Specially formulated for line striping athletic fields and engineered for use in an inverted position for quick and easy application. Stripe Athletic Field Marker can be used in nearly all of our competitors marking machines due to the universal sprayhead design.

Stripe Latex Traffic Marker

An environmentally friendly water-borne formulation for line striping. Compatible with most American made marking machines currently on the market.

Stripe Temporary Marking Paint

A quick drying marker applied in an inverted position where a temporary mark is desired. Marking paint remains for only as long as the paint remains free of moisture. Paint will simply wash away after a few heavy rains or by directly removing the paint with a garden hose.

MRO enamel affords excellent protection in the following exposures:

Weather Resistance: Excellent gloss and color retention under normal weather conditions.

Water & Humidity: Withstands high humidity, splash and spray. This enamel is not recommended for continuous immersion.

Abrasion Resistance:Very good Heat Resistance: Up to 250°F (121°C) dry heat



Catalog Legend

The following paint pages reflect categories that, in some instances, contain several types of paints. Please be sure to note the following markings as the product type will determine whether it is high solids as well as the Net Weight of that particular selection.

Hi Tech	*
Farm and Industry	†

(16 Oz. Can, 12 Oz Net Weight)

Color swatches shown are approximations for identification purposes and are not intended to reflect actual paint colors.



```
THIS DOCUMENT IS PROTECTED BY
COPYRIGHT. ALL RIGHTS ARE RESERVED.
NO PART OF THIS DOCUMENT MAY
BE PHOTOCOPIES, REPRODUCED, OR
TRANSLATED TO ANOTHER LANGUAGE
WITHOUT THE WRITTEN CONSENT OF
ARROW INDUSTRIAL SUPPLY, INC. THE
INFORMATION CONTAINED IN THIS
DOCUMENT IS SUBJECT TO CHANGE
WITHOUT NOTICE. COPYRIGHT 1993.
```

MRO Hi-Solids -Enamels

20 Oz. Cans - 16 Oz. Weight

Gloss Black	1415
Flat Black	S6201433
Flat White	S6201412
Gloss White	1413
Gloss Safety Yellow	S6201419
Gloss Safety Red	S6201423
Gloss Safety Blue	S6201427
Light Blue	S6201425
Gloss Safety Green	S6201452
Dark Green	S6201449
Cascade Green	S6201448
Gloss Safety Orange	S6201451
Gray ANSI 61	S6201416
Dark Machinery Gray ANSI 49	S6201417
Light Machinery Gray ANSI 70	S6201418
Tan	S6201435
Stainless Steel	S6201460
Deep Blue	S6201426
Gloss Dove Gray (Light)*	S16112
Semi-Gloss Black*	S16139
Dove Gray*	S16112
Hunter Green*	S16128
Colonial White*	S16140
Gloss Red*	S16122

Paints Manufactured in the U.S.A.

MRO Hi-Solids -Gallons

1 Gallon Weight

Gloss Black	S11415
Flat Black	S11433
Gloss White	S11413
Gloss Safety Yellow	S11419
Equipment Yellow	S11443
Gloss Safety Blue	S11427
Shiny Aluminum	S11411
Gloss Safety Green	S11452
Gloss Safety Orange	S11451
Light Machinery Gray ANSI 70	S11418
Dark Machinery Gray ANSI 49	S11417
Gloss Safety Red	S11423
Sandstone	S11480

Rust Proof Anyway -Solvent Based IEnamels 16 Oz. Cans - 12 Oz. Weight

	Safety Purple	0019C00300
	Safety Red	0019C00301
	Safety Yellow	0019C00302
	Safety Blue	0019C00303
	Safety Green	0019C00304
	Safety Orange	0019C00305
	Safety Black	0019C00306
	White	0019C00307
	Brite Red	0019C00308
	Aluminum	0019C00309
	Silver	0019C00310
	Gold	0019C00311
	Flat Black	0019C00312
	Flat White	0019C00313
	Brown	0019C00314
	Tan	0019C00317
	Light Blue	0019C00318
	Royal Blue	0019C00319
	Forest Green	0019C00320
	Dark Gray	0019C00333
	Semi-Flat Black	0019C00342
	Satin Black	0019C00344
	Meter Green	0019C00348
	Meter Gray	0019C00349
	Light Gray	0019C00361
_		

Color swatches shown are approximations for identification purposes and are not intended to reflect actual paint colors.

*† Denotes Seymour Farm & Industry * Denotes Seymour Hi-Tech*

THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHEN LANGUAGE TRANSLATED TO ANOTHEN LANGUAGE MITHOUT THE WAITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE DOCUMENT IS SUBJECT TO CHANGE WITHOUT MOTICE, COPYRIGHT 1993.

Engine Enamels -Automotive **20 Oz. Cans - 16 Oz. Weight**

Universal Black (GM)	SEN42
Chevrolet Orange*	0019C00520
Ford Blue*	0019C00560
Ford Mustang Blue*	SEN56
Ford Gray*	SEN43
GM Blue*	0019C00562
GM Red*	SEN59
Cummins Beige*	0019C00580
Chrome Aluminum*	SEN41
Detroit Diesel Alpine Green*	0019C00540
AMC Blue*	SEN66
Chrysler Blue*	0019C00568
Ford/Chrysler Red*	0019C00550
Dull Aluminum*	0019C00575
Universal Gold*	SEN50
Gloss Clear Engine Coat*	0019C00510

High Temp 1200³F 16 Oz. Cans - 11 Oz. Weight

Aluminum	0019CZ630
White	0019CZ645
Black	0019CZ635
Cast Iron Gray*	0019CZ642

Color swatches shown are approximations for identification purposes and are not intended to reflect actual paint colors.

Paints Manufactured in the U.S.A.

Tractor & Implement-Enamels **20 Oz. Cans - 16 Oz. Weight**

School Bus Yellow	0019C00178
Equipment Yellow†	0019C00167
New Equipment Yellow	0019C00168
JD New Farm & Implement Yellow	S16266
Ryder Yellow	S6201446
Farm & Implement/Case Green†	0019C00157
New Farm & Implement Green†	S16268
IHC Red †	S16214
Omaha Orange	S6201450
Case Power Tan †	S16272
Allis Chalmers Orange †	S16210
Ford Blue †	S16242

Primers 16 Oz. Cans - 11 Oz. Weight

Red Oxide	0019CZ8074
Light Gray	0019CZ8072
White	0019CZ8076
Black	0019CZ8078

Weld Thru Primers 20 Oz. Cans - 15 Oz. Weight

Spray-Galv	S16845
Shiny Galv	S16841
Cold Galv	S161445

ARROW INDUSTRIAL SUPPLY | PHONE ORDERS: 614/898-5997 TF 800/225-6763 | FAX ORDERS: 614/898-6080 TF FAX 800/828-7190 | WWW.ARROWISI.COM

Fluorescent Paint -General Use 16 Oz. Cans - 11 Oz. Weight

Fluorescent Orange	0019CZ1422
Fluorescent Red	0019CZ1418
Fluorescent Yellow	0019CZ1417
Flourescent Green	0019CZ1416
Flourescent Blue	0019CZ1415

General Purpose -Lacquers/Acrylics & Metallics **20 Oz. Cans - 16 Oz. Weight**

Shiny Aluminum	S6201411
Dull Aluminum*	S16132
Dull Black*	S16806

Ceiling Tile Paint 20 Oz. Cans - 16 Oz. Weight

New White	S25051
Old White	S20052

Miscellaneous

16 Oz. Cans - 11 Oz. Weight

Steel Renew	0019C00291
Flat Matte Clear Acrylic	0019C00292
White Appliance Paint	0019C00293
Almond Appliance Paint	0019C00290

*† Denotes Seymour Farm & Industry * Denotes Seymour Hi-Tech*

THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVEN DO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WAITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE ARROW INDUSTRIAL SUPPLY, INC. THE DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE, COPYRIGHT 1993.

Inverted Marking -20 Oz. Cans - 17 Oz. Weight

White	0019C01387
Yellow	0019C01382
Blue	0019C01241
Red	0019C01381
Green	0019C01384
Fluorescent Red	0019C01390
Orange	0019C01385
Fluorescent Orange	0019C01392
Fluorescent Blue	0019C01394
Fluorescent Green	0019C01391
Silver	0019C00210
Fluorescent Red/Orange	0019C01395
Purple	0019C00260

Field Marking - Turf 20 Oz. Cans - 18 Oz. Weight

White	0019C00291
Red	0019C00292
Yellow	0019C00293
Blue	0019C00290

"Upright" Markers 20 Oz. Cans - 18 Oz. Weight

Fluorescent Orange	S201757
Fluorescent Red	S201754
Green Fluorescent	S201768
White	S201752

Color swatches shown are approximations for identification purposes and are not intended to reflect actual paint colors.

Paints Manufactured in the U.S.A.



Ked	0008101013
Black	0008101014
Yellow	0008101015
White	0008101016
Blue	0008101021
Green	0008101022

Striping Paint -Solvent Based

20 oz. Cans - 18 Oz. Weight

Traffic White	0019C00710
Traffic Yellow	0019C00720
Traffic Red	0019C00730
Traffic Orange	0019C00740
Traffic Blue	0019C00750
Traffic Green	0019C00760
Asphalt Black	0019C00770

Striping Paint -Water Based

20 oz. Cans - 18 Oz. Weight

White	0019C00790
Yellow	0019C00791
Blue	0019C00792
Red	0019C00793

Paint Accessories -Traffic & Athletic Applicator Tools



Designed exclusively for Stripe Traffic paints, this easy to use machine applies crisp, even 2"-4" lines on any hard surface. Holds 12 cans.

Athletic Field Machine SZ607

For use with Stripe Athletic Field Marking paints. The same as the SZ604 except for its larger wheels, this machine allows application of lines between 2-4 inches on athletic fields and other turf surfaces.



Compact and lightweight, this tool is ideal for freehand marking with any Stripe traffic or inverted tip cans.



For use with a variety of Stripe inverted tip marking paints (those with a straight tip). This lightweight tool is ideal for a wide range of precise marking applications. SECTION 19P | PAGE 1



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993

Technology acer Industrial Chemicals • Manufactured in the U.S.A.

337

ADVANCED TECHNOLOGY

RX-50

FAST CURE • GENERAL PURPOSE • 50 CPS VISCOSITY • ALLOWS UP TO .004" GAP FILL CAPACITY • MEETS MIL-A-46050-C TYPE CLASS I

SIZE **5** Grams **CASE PACK** 10/case PART NO. 0019P04015

SIZE **CASE PACK** PART NO.

20 Grams 10/case 0019P04010



CE

X-GEL

RX-50M GEL (LOCTITE 454)

SLOW CURE • ALLOWS MAXIMUM TIME FOR PARTS POSITIONING • NON-SAG, NON-RUNNING FEATURE ALLOWS VERTICAL APPLICATIONS • ALLOWS UP TO .02" GAP FILL CAPACITY

SIZE	5 Grams
CASE PACK	10/case
PART NO.	0019P04075


SIZE 20 Grams **CASE PACK** 10/case 0019P04070 PART NO.

SPECIALTY CHEMICALS

OUICK SETTING METAL EPOXY ADHESIVE

CAN BE DRILLED, TAPPED OR FILED WHEN CURED • TEMP RANGE -40 TO 300°F • 24 HR FULL CURE TIME • SHEAR STRENGTH 2500 PSI • BONDS COPPER, STEEL, BRASS, IRON, **STAINLESS STEEL & ALUMINUM**

SIZE	1 oz.
CASE PACK	12/case
PART NO.	0008000022



ARROW INDUSTRIAL SUPPLY | PHONE ORDERS: 614/898-5997 TF 800/225-6763 | FAX ORDERS: 614/898-6080 TF FAX 800/828-7190 | WWW.ARROWISI.COM



SEALANTS

PIPE SEALANT WITH PTFE

(LOCTITE 592)

GENERAL PURPOSE • RESISTS CHEMICALS • INSTANT SEALING

50 ml SIZE **CASE PACK** PART NO.

10/case 0019P08000



SPECIALTY CHEMICALS

X-9 DEBONDER CA REMOVER **(LOCTITE 768)**

REMOVES CYANOACRYLATE ADHESIVES • SOFT IN 20-30 SECONDS • SAFE ON MOST PLATICS, METALS, FABRICS, AND WORK SURFACES

SIZE **CASE PACK** PART NO.

PACER[®] WARNING: EXTREMELY FLAMMABLE, VAPOR HARMFUL 1 FL 0Z (29.5 mL)

1 oz. 10/case 0019P06102



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY RE PHOTOCOPIED REPRODUCED OR BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993

ndustrial Adhesives

Manufactured in the U.S.A.

338



ANL-42 (LOCTITE 242) MEDIUM STRENGTH **REMOVABLE BLUE** THREADLOCKER

MEDIUM STRENGTH REMOVABLE **GENERAL PURPOSE ADHESIVE FOR** LOCKING / SEALING FASTENERS OVER 1/4" IN DIAMETER MAY BE DISASSEMBLED WITH HAND TOOLS

SIZE	10 ml
CASE PACK	10/case
PART NO.	0019P06120

ANL-71 (LOCTITE 271)

RED THREADLOCKER

LOCKING / SEALING FASTENERS OVER 1"

IN DIAMETER • DISASSEMBLY DIFFICULT

10 ml

50 ml

ANL-RC (LOCTITE 609)

RETAINING COMPOUND

HIGH STRENGTH

PERMANENT RED

10/case

10/case

0019P06140

0019P06142

HIGH STRENGTH PERMANENT

SIZE 50 ml **CASE PACK** 10/case PART NO. 0019P06122

HIGH STRENGTH PERMANENT HIGH STRENGTH ADHESIVE FOR

SIZE

SIZE

CASE PACK

CASE PACK

PART NO.

PART NO.



NA-ITE

VIBRA-TITE GEL **MEDIUM STRENGTH, BLUE** THREADLOCKER

FOR FASTENERS FROM 1/4" TO 3/4" IN DIAMETER. **REMOVABLE. COMPARABLE TO LOCTITE 242**

35 ml PUMP SIZE **CASE PACK** PART NO.

2/pack 00280012535

SIZE **CASE PACK** PART NO.

2 ml resealable Tubes 10 pack 002812102



VIBRA-TITE GEL **HIGH STRENGTH** PERMANENT RED TREADLOCKER

HIGH STRENGTH • GENERAL PURPOSE • PERMANENTLY LOCKS NUTS AND BOLTS UP TO 1" IN DIAMETER • **COMPARABLE TO LOCITE 262**

SIZE **CASE PACK** PART NO.

50 ml 10/case 00280013535

SIZE **CASE PACK** PART NO.



2 ml resealable tubes 10/pack 002814002

Gasket Maker

VIBRA-TITE FLEXIBLE **GASKET MAKER**

PROVIDES RESISTANCE TO LOW PRESSURES AFTER ASSEMBLY OF FLANGES

SIZE PART NO.

50 ml Tube 002870950



HIGH STRENGTH • GENERAL PURPOSE RETAINING COMPOUND FOR RETAINING BEARINGS, BUSHINGS, COLLARS, KEYS AND SPLINES • .005" GÁP FILLING CAPACITY ALLOWS SLIP FIT INSTEAD OF PRESS FIT PARTS • MEETS MIL-R-46082B

SIZE	10 ml
CASE PACK	10/case
PART NO.	0019P06170

SIZE 50 ml CASE PACK 10/case PART NO. 0019P06172



PACER[®]

ANL-71

THREADLOCKING

GH STRENGTH

FOR FASTENERS UP

1.69 fl oz (50 mL)

PACER

HIGH STRENGTH

FOR FASTENERS UP TO 1" IN DIAMETER

CAUTION: IRRITATING TO EYES, RESPIRAT SYSTEM AND SKIN. See Cautions - back pe

0.33 fl oz (10 mL)

ANL-71 THREADLOC



THIS DOCUMENT IS PROTECTED BY COPYINGHT, ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, BEPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTAILS USPEV. INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.



339

Industrial Chemicals • Manufactured in the U.S.A.

Instant Super Glue Multi-Purpose

CLEAR; BONDS RUBBER, METAL, PLASTIC PARTS WITH GAPS TO 0.004 INCH; VISCOSITY: 45 CP

SIZE	2 ml bullets
CASE PACK	100/Fishbowl
PART NO.	002839502

Instant Super Glue

CLEAR; BONDS RUBBER, METAL, PLASTIC PARTS WITH GAPS TO 0.004 INCH • VISCOSITY: 45 CP •15-20 APPLICATIONS PER TUBE.

SIZE	2 ml re
CASE PACK	10/pa
PART NO.	00283

2 ml resealable tubes 10/pack 002839502

Threadlocker

MEDIUM STRENGTH, BLUE

FOR FASTENERS FROM 1/4" TO 3/4" IN DIAMETER. REMOVABLE. COMPARABLE TO LOCTITE 242

SIZE 35 ml CASE PACK 10/case PART NO. 002800

35 ml 10/case 00280012535

2 ml bullets

002812102

100/Fishbowl



SIZE CASE PACK PART NO.

HIGH STRENGTH PERMANENT RED

HIGH STRENGTH • GENERAL PURPOSE • RETAINING COMPOUND FOR RETAINING BEARINGS, BUSHINGS, COLLARS, KEYS AND SPLINES • .005" GAP FILLING CAPACITY ALLOWS SLIP FIT INSTEAD OF PRESS FIT PARTS • MEETS MIL-R-46082B COMPARABLE TO LOCITE 271

SIZE 50 ml CASE PACK 10/cas PART NO. 00280

50 ml 10/case 00280013535

SIZE CASE PACK PART NO. 2 ml bullets 100/Fishbowl 002814002

