


CATALOG


WWW.ARROWISI.COM



FASTENERS



ELECTRICAL



FLUID FLOW



SHOP SUPPLIES



INVENTORY CONTROL



PAINTS/CHEMICALS




CUTTING TOOLS



ABRASIVES

A Service Uncommon to the Marketplace Since 1983

Look us up on the net !!
www.arrowisi.com



**You can learn
all about us
from our
beginning
in 1983
to today.**

*When you call our office, we do
not use automated attendants or
Voice mail during office hours.*

*We believe in customer service;
a Sales Professional will help you.*

*You need 1 or 101,
we will sell you
what you want !!*

For your convenience,
we accept Visa, Master
Card or American
Express

**We want your business and look
forward to your orders.**

Please call :

PHONE **614-898-5997**

TOLL FREE **800-225-6763**

Our hours are:

**7:30am - 6:00pm EST
Monday thru Friday**



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

7340 ALL-4

CLEAN, PENETRATE, LUBRICATE, PROTECT - DOES ALL-4

- SILICONE FREE
- MEETS MILITARY SPEC. #MIL-C-16173D, GROUP III

USES: FOR USE ON MACHINERY, SPARE PARTS, NUTS, BOLTS, LAWN MOWERS, GUNS, WHEELS, AIRCRAFT PARTS, TAPS AND DIES, MARIES AND MINING EQUIPMENT, OFFICE MACHINES, SLIDING DOORS AND HINGES.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (10 oz.) | 12 Cans | 0019C07340 |
| 18 oz. T/S | 12 Cans | 0019C07341 |
| Gallon Can | 1 Gallon | 0019C07342 |

6030 PENETRATING OIL

LOOSENS RUST AND CORROSION FORMED BY ALKALI, FRUIT ACIDS, WATER, AND ELECTROLYSIS. RELEASE RUSTED AND CORRODED PARTS WITH EASE.

- PERFORMS AT TEMPERATURES BETWEEN -100°F AND 700°F (-73°C AND 371°C)

USES: METAL, ALLOYS, RUBBER, AND MOST PAINTED SURFACES. RELEASE RUSTED AND CORRODED NUTS, PIPES, PUMPS, HINGES, VALVE, SCREW, PULLEYS, SHAFTING, MUFFLERS, STUD BOLTS, HEAT RISERS, BATTERY CABLES, ROLLER CONVEYERS, AND WHEEL LUG NUT RELEASE. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 16 oz. Aerosol (11oz.) | 12 Cans | 0019C06030 |

6078 P.T.F.E. LUBRICANT

MADE WITH PTFE AND ACRYLIC RESIN FOR HEAVY-DUTY LUBRICATION AND ULTIMATE PROTECTION.

- RESIN BONDED (2% ACRYLIC)

USES: CONVEYOR BELTS, MACHINE TOOLS, DIES, AND LOCKING MECHANISMS, CEMENT MOLDS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 16 oz. Aerosol (11oz.) | 12 Cans | 0019C06078 |

ARROW BLAST PENETRATING OIL

- "CORROSION BLASTING" FORMULA QUICKLY CUTS THROUGH TOUGH BUILDUP OF GREASE, GRIME AND CONTAMINANTS THAT STOP OTHER PENETRANTS.
- CLEANS AND REMOVES RUST AND CORROSION.
- REMOVES OLD GREASE AND GRIME, LEAVING NEW. CLEAN LUBRICATION THAT PREVENTS WEAR AND TEAR AND EXTENDS SERVICE LIFE.
- NON-DRYING LUBRICATING OIL PROVIDES LASTING LUBRICATION AND PREVENTS RUST AND OXIDATION DAMAGE.



| CAN SIZE | CASE PACK | PART NO. |
|----------------|-----------|----------|
| 17 oz. Aerosol | 12 Cans | ARB50 |

TEF-LUBE™

A SUPERIOR LUBRICANT THAT COMBINES THE ADVANTAGES OF HIGH-GRADE PETROLEUM OILS AND SOLVENTS WITH MICRON-SIZED PTFE TO PROVIDE THE FINEST MULTI-COMPONENT PENETRATING LUBRICANT SYSTEM AVAILABLE.

- PROTECTS AGAINST CORROSION, DISPLACES MOISTURE
- MEETS MIL-C-372B (SMALL ARMS BORE CLEANER), MIL-C-23411/A (CORROSION PREVENTIVE COMPOUND), VV-P-216B (PENETRATING OIL), VV-L-820C (GENERAL PURPOSE LUBRICATING OIL), AND VV-L-751C (CHAIN, WIRE ROPE LUBRICATING OIL)

USES: CHAINS, BEARINGS, GEARS, SPROCKETS, CONVEYORS, ELECTRIC MOTORS AND SWITCHES, LOCKS, AIR TOOLS, WEAPONS, OFFICE MACHINES, AND HOME APPLIANCES/REPAIRS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (11 oz.) | 12 Cans | 0019C00937 |

8034 SILICONE LUBE

THIS SILICONE LUBRICANT LEAVES A CLEAR RESIDUAL DRY FILM THAT HELPS TO PREVENT STICKING WITHOUT TRANSFERRING TO THE SURFACE. SLOWER DRY ALLOWS FULL PENETRATION INTO RUBBER SURFACES.

- 5% SILICONE FORMULA

USES: METAL HINGES, PLASTIC ROLLERS, RUBBER MOUNTINGS, O-RINGS, ELECTRICAL INSULATION, SLIDES, GUIDES, CONVEYORS, DOUGH MIXERS, SAWS, GRINDERS, DOORS, LOCKS, TRUNK LIDS, AND ANY SLIDING SURFACE. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|---------------------------|-----------|-------------|
| 16 oz. Aerosol (10.5 oz.) | 12 Cans | 0019C08034 |
| Gallon Can | 2 Gallon | 0019C08034G |

8078 DRY GRAPHITE LUBRICANT

DESIGNED FOR ENGINE OR MECHANICAL PARTS PRIOR TO THEIR ASSEMBLY. MADE OF NATURAL COLLOIDAL GRAPHITE AND IS AN IDEAL LUBRICANT WHEN PETROLEUM PRODUCTS MUST BE AVOIDED.

USES: AUTOMOTIVE AND INDUSTRIAL GASKETS, CONVEYORS, BEARINGS, SLIDING WINDOWS AND DOORS, LOCKS, SPRINGS, CHAINS, SPROCKETS, PLATING NON-CONDUCTORS, MATING SURFACES ON MACHINES, AND PRE-ASSEMBLY LUBRICATION OF MOVING PARTS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (12 oz.) | 12 Cans | 0019C08078 |

6075 DRY FILM LUBRICANT

AN INDUSTRIAL STRENGTH DRY PTFE LUBRICANT THAT IS IDEAL WHENEVER SILICONE PRODUCTS ARE NOT ACCESSIBLE, AND HIGHER TEMPERATURES OR PRESSURE PERFORMANCE IS REQUIRED.

- SAFE FOR RUBBER, WOOD, AND METALS.

USES: ANY SITUATION WHERE REDUCED FRICTION AND DRAG IS DESIRED ON PLASTIC, GLASS, RUBBER, METAL OR WOOD. IDEAL IN TEXTILE INDUSTRY, ON INSTRUMENTS, TOOLS, DRAWERS, WINDOWS, CONVEYOR BELTS, CORD, WIRE AND MACHINE PARTS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 16 oz. Aerosol (11oz.) | 12 Cans | 0019C06075 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

7045 HEAVY DUTY OPEN GEAR & WIRE ROPE LUBE

THIS HIGH-GRADE ASPHALTIC GREASE WON'T BECOME BRITTLE AND IS NOT AFFECTED BY WEATHER. HAS OUTSTANDING ADHESIVE PROPERTIES.



USES: WIRE ROPE, EXPOSED GEARS, WINCHES, ROLLER CHAINS, ELEVATOR CABLES, CONVEYOR ROLLS, DRAGLINES, AND ANYWHERE THAT LUBRICATION AND SUPERIOR MASTIC PROPERTIES ARE DESIRED. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (12 oz.) | 12 Cans | 0019C07045 |

7043 WIRE ROPE, CHAIN & CABLE LUBE

A HIGH-GRADE LUBRICATING OIL, FORTIFIED WITH MOLYBDENUM DISULFIDE TO PENETRATE INACCESSIBLE AREAS AND PROVIDE SUPERIOR LUBRICATION WHERE TEMPERATURES AND STRESS WILL BREAK DOWN ORDINARY LUBRICANTS.



- FALEX E.P. TEST FALLEN LOAD TO 4,500 LBS.

USES: CHAIN DRIVES AND PINS, OPEN GEARING, SPROCKETS, WIRE ROPES, BUSHINGS, ROLLER, CLIPPERS, CABLES, HOISTS, CONVEYORS, AND OTHER METAL SURFACES. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (12 oz.) | 12 Cans | 0019C07043 |

ZENALUBE CHAIN & CABLE LUBE

MOLY CONTAINING LUBRICANT THAT PROTECTS PARTS WHICH ARE EXPOSED TO HARMFUL OR CORROSIVE ELEMENTS. LUBRICATES AND PENETRATES TO PROTECT AGAINST FRICTION AND WEAR



USES: GEARS, CHAINS, CABLES, SPROCKETS, POWER DRIVE HOISTS, MOTORCYCLES, BICYCLES, CHAIN SAWS, WIRE ROPES, LINK AND ROLLER ASSEMBLIES, MATERIAL HANDLING EQUIPMENT, ROAD AND CONSTRUCTION MACHINERY.

| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (12 oz.) | 12 Cans | 0019000200 |

Lubricants/Penetrants

ZENALUBE WHITE

ZENALUBE WHITE IS A MULTI-PURPOSE LITHIUM LUBRICANT. IT CONTAINS ZINC OXIDE IN A FINE MICRON PARTICLE SIZE AND A HIGH VISCOSITY INDEX OIL WHICH ADDS TO THE LUBRICITY OF THE PRODUCT AND ALSO ACTS AS A CORROSION INHIBITOR.



USES: AUTOMOTIVE HINGES AND SPRINGS, INDUSTRIAL MACHINERY AND TOOLS, MARINE LINKAGES AND CABLES, AND FARM MACHINERY.

| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (11 oz.) | 12 Cans | 0019000040 |

ZENALUBE ULTRA

THIS PRODUCT IS A TRANSPARENT, HIGH PRESSURE LUBRICANT WITH HIGH ADHESIVE STRENGTH. A UNIQUE COMBINATION OF NATURAL AND SYNTHETIC LUBRICATION AGENTS COUPLED WITH A HIGH MOLECULAR WEIGHT POLYMER (PTFE) MAKES THIS PRODUCT ONE OF THE BEST AVAILABLE.



USES: DOOR HINGES, OPEN GEARS, WIRE ROPES AND CABLES, CHAINS AND SPROCKETS, CONVEYORS, AND MANIFOLD HEAT VALVES.

| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 20 oz. Aerosol (13 oz.) | 12 Cans | 0019000201 |

APC-961 GREASE-FREE LUBE/FILM

A LIGHT LUBRICANT THAT PENETRATES INTO TIGHT CREVICES, PROVIDES A DRY FILM, AND RESISTS OIL, DUST, AND DIRT BUILDUP.

- CLEANS AND LUBRICATES DELICATE MECHANISMS
- WILL NOT HARM PLASTICS OR RUBBER
- CONFORMS TO MIL-C-23411A AND 001284



USES: ELECTRIC MOTORS, IGNITION SYSTEMS, CABLES, NUTS AND BOLTS, LOCKS AND HINGES, O-RINGS, AND GENERAL PRODUCTION EQUIPMENT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|--------------|
| 16 oz. Aerosol (11 oz.) | 12 Cans | 0019C00961 |
| Gallon Can | 2 Gallon | 0019C0 0961G |

NEED SOMETHING YOU DON'T SEE HERE? CALL US!
(800) 225-6763



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

950 PERFORMANCE BLEND RUST-SOLV™

QUICKLY LOOSEN RUST WHILE PENETRATING GREASE AND DIRT. THIS IS NOT A LUBRICANT, BUT A DEEP PENETRANT MADE SPECIFICALLY FOR FREEING SEIZED AND/OR FROZEN PARTS AND ASSEMBLIES.

- HIGH SPEED, HIGH FLASH, NON-ACID PENETRATING FLUID

USES: LOSSENS CORRODED OR FROZEN NUTS, PIPES, LOCKS, PUMPS, HINGES, VALVES, SCREWS, SPRINGS, PULLEYS, MUFFLERS, LUGS, STUD BOLTS, BRAKE LINKAGE, HEAT RISERS, AND BATTERY CABLE TERMINALS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (12 oz.) | 12 Cans | 0019C00950 |

7037 LITHIUM GREASE

THIS ALL-WEATHER GREASE AND LUBRICANT IS RECOMMENDED FOR GENERAL METAL-TO-METAL APPLICATIONS. IT IS COMPATIBLE WITH PLASTICS AND RUBBER. HEAVY CONICAL SPRAY DOESN'T DRIP OR RUN ON VERTICAL SURFACES.

- RESISTS CORROSION AND OXIDATION ON UNPAINTED METAL SURFACES
- EXCELLENT COMPATIBILITY WITH EXOTIC METALS, PLASTICS AND RUBBER

USES: METAL, PLASTIC, RUBBER, CHAINS, GEARS, DRIVES, HINGES, BOLTS, AND OTHER VERTICAL OR OVERHEAD SURFACES. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (11 oz.) | 12 Cans | 0019C07037 |

PB BLASTER

PENETRATES LUBES AND CONDITIONS. WORKS WHERE OTHERS FAIL. QUICKLY BREAKS LOOSE AINST FURTHER RUST AND CORROSION.



| CAN SIZE | PART NO. |
|----------------|------------|
| 12 oz. Aerosol | 0008101079 |

Lubricants/Penetrants

PENTRAZEN

PENTRAZEN HAS UNIQUE PROPERTIES NECESSARY TO AID IN THE RELEASE OF RUSTED OR FROZEN LUGS AND BOLTS. THE SPECIAL OIL, COMBINED WITH GRAPHITE, PROVIDES THE NECESSARY TOOL FOR THIS PENETRATION AND LUBRICATION OF TIGHT FITTING PARTS. USE AS AN ALL PURPOSE LUBRICANT FOR SHIP, AUTOMOTIVE OR INDUSTRIAL APPLICATIONS. FREES RUSTED OR CORRODED LUGS OR BOLTS.

USES: NUTS, BOLTS, LOCKS, CLAMPS, LINKAGES, TOOLS, ETC.



| CAN SIZE | CASE PACK | PART NO. |
|----------------------------|-----------|------------|
| 16 oz. Aerosol (11.75 oz.) | 12 Cans | 0008030764 |

Molybdenum Disulfide-Based Lubricants

7041 MOLY GREASE

THIS HIGH-GRADE MOLYBDENUM DISULFIDE LUBRICANT WATERPROOFS AND RUSTPROOFS WHILE UNDER HEAVY STRESS AND VIBRATION.

- PERFORMS AT TEMPERATURES UP TO 450°F (232°C)

USES: ELECTRIC MOTOR BEARINGS, OPEN OR EXPOSED GEARS, BEARINGS, POWER TAKE-OFF, WIRE ROPE, FIFTH WHEELS ON TRACTOR TRUCKS, MACHINE TOOLS, PRESSES, THREADS, SPROCKETS, HOISTS, AND ANYWHERE HEAT IS GENERATED FROM METAL-TO-METAL CONTACT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (11 oz.) | 12 Cans | 0019C07041 |

6080 DRY MOLY LUBRICANT

THIS QUICK DRYING LUBRICANT LEAVES A THIN FILM THAT PROVIDES EXTREME PRESSURE LUBRICATION.

- PERFORMS AT TEMPERATURES BETWEEN AND 700°F (-73°C AND 371°C)

USES: AUTOMOTIVE AND INDUSTRIAL GASKETS, GRINDING BELTS, THREADED CONNECTIONS, METAL BELTS, RUBBER COMPONENTS, SLIDING SURFACES AND GEARS, CAMS, BEARINGS, CHAIN DRIVES AND PULLEYS, AND CONVEYOR BELTS WHERE HEAT IS PRESENT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|---------------------------|-----------|------------|
| 16 oz. Aerosol (11.6 oz.) | 12 Cans | 0019C06080 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

932 FOOD GRADE LUBE OIL

AN ECONOMICAL, NON-SILICONE LUBRICATING OIL.

- CLEAR MINERAL OIL

USES: EQUIPMENT IN FOOD PROCESSING PLANTS, CHAINS, CHAIN BELT DRIVE BELTS, BEARINGS, BELTS, VALVES, PISTONS, ROLLERS, PUMPS, FILLING MACHINERY, AND SLICING MACHINES. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 16 oz. Aerosol (11oz.) | 12 Cans | 0019C00932 |

933 FOOD GRADE LUBE GREASE

A NON-MELTING, FORTIFIED WATERPROOF GREASE THAT FORMS A DURABLE FILM TO WITHSTAND DAILY EQUIPMENT WASHDOWN.

- NSF H-1
- N.L.G.I. GRADE 2

USES: SLIDES, GUIDES, CHAINS, CONVEYORS, AND OTHER TRANSFER EQUIPMENT FOUND IN FOOD PROCESSING AND PACKAGING PLANTS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|-------------|
| 16 oz. Aerosol (11 oz.) | 12 Cans | 0019C00933 |
| Gallon Can | 1 Gallon | 0019C00933G |

Lubricants/Penetrants

Food Grade Lubricants

8036 FOOD GRADE SILICONE LUBE

A LOW VISCOSITY SILICONE LUBRICANT THAT ELIMINATES SQUEAKS, INSULATES AND WATERPROOFS ELECTRICAL PARTS.

- NSF H-1
- 4% SILICONE
- WILL NOT INTERFERE WITH CARTON SEALING, BOTTLE CAPPING, OR OTHER FOOD PREPARATION APPLICATIONS
- WILL NOT HARM PAINT, METAL, WOOD SURFACES, AND MOST PLASTICS



USES: METAL HINGES, PLASTIC ROLLERS, GUIDE RAILS, SLIDES, OR ANYTHING THAT STICKS. MAY ALSO BE USED ON AIR TABLES AND ON FOOD PREPARATION EQUIPMENT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

| CAN SIZE | CASE PACK | PART NO. |
|---------------------------|-----------|-------------|
| 16 oz. Aerosol (10.5 oz.) | 12 Cans | 0019C08036 |
| Gallon Can | 2 Gallon | 0019C08036G |

9152 ANTI-SEIZE FOOD GRADE

DESIGNED TO LUBRICATE AND PROTECT MOST METALS FROM CORROSION AND SEIZURE.

- PROTECTS PARTS UNDER EXTREME HEAT, COLD, PRESSURE, STEAM, AND SALT WATER EXPOSURE
- MEETS MIL-A-907E



USES: FOOD PROCESSING EQUIPMENT, THREADED FITTINGS, METAL FITTINGS, PACKING SLEEVES, VALVES, PUMPS, BUSHINGS, COMPRESSORS, AND CASTINGS.

| CAN SIZE | CASE PACK | PART NO. |
|------------------|------------|------------|
| 8 oz. B/T bottle | 12 bottles | 0019C09152 |

FOOD GRADE PIPE SEALING PASTE

| CAN SIZE | CASE PACK | PART NO. |
|------------------|-----------|------------|
| 8 oz. B/T bottle | 6 bottles | 0019M10702 |
| 1lb Bottle | 4 bottles | 0008000017 |

NEED SOMETHING YOU DON'T SEE HERE? CALL US!

(800) 225-6763



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

7020 CUTTING OIL

AN ALL-PURPOSE, SOLVENT-BASED LUBRICANT AND COOLANT FOR INDUSTRIAL CUTTING OPERATIONS.

USES: TURRET LATHES, LATHES, GEAR CUTTERS, GRINDERS, AUTOMATIC SCREW MACHINES, AND PIPE THREADERS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|--------------------------|-----------|-------------|
| 16 oz. Aerosol (10.5oz.) | 12 Cans | 0019C07020 |
| Gallon Can | 2 Gallons | 0019C07020G |

9106 TAP TOOL

A SYNTHETIC LUBRICANT THAT INCREASES TOOL LIFE BY AS MUCH AS 200%

USES: DRILLING, TAPPING, MILLING, THREADING, BORING, BROACHING, REAMING, TURNING, AND ENGRAVING. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 16 oz. Aerosol (14 oz) | 12 Cans | 0019C09106 |

890 CUTTING OIL

THIS NON-FLAMMABLE, WATER-BASED CUTTING OIL IMPROVES METAL CUTTING OPERATIONS AND INCREASES EFFICIENCIES IN MACHINING OPERATIONS.

USES: SAWING, TAPPING, GRINDING, MACHINING, THREADING, AND DRILLING. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-----------|
| 16 oz. Aerosol (11oz.) | 12 Cans | 0019C0890 |

TAPPING COMPOUND

TOP PERFORMING MULTI-PURPOSE LUBRICANT OFFERING A NEW LEVEL OF TOOL-LIFE ALONG WITH THE CLEANLINESS OF A WATER/SOAP BASED COMPOUND. ANCHORLUBE IS A SEMI-PASTE AND PERFORMS WELL ON ALL METALS, ESPECIALLY STAINLESS STEEL, HIGH-CARBON, HIGH-CHROME, CASE IRON MONEL, AND OTHER EXOTIC METALS THAT SHORTEN TOOL LIFE. IT CAN ALSO BE USED ON NON-FERROUS METALS SUCH AS BRASS AND ALUMINUM.



| CAN SIZE | CASE PACK | PART NO. |
|--------------|------------|------------|
| 8 oz. Bottle | 12 Bottles | 0028000555 |

Metalworking Fluids

Metalworking Compounds & Fluids

BUTTER CUTTING/TAPPING COMPOUND

THIS HIGH TEMPERATURE, HIGH PRESSURE FILM PROVIDES DEPENDABLE TOOL POINT LUBRICATION.



USES: STAINLESS STEEL, NICKEL, COPPER ALLOYS AND OTHER METALS AND ALLOYS THAT ARE DIFFICULT TO CUT OR TAP. BORING, DRILLING, PLANING, MILLING, SAWING, TAPPING, AND MANY OTHER CLOSE-TOLERANCE OPERATIONS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

| CAN SIZE | CASE PACK | PART NO. |
|------------|-----------|------------|
| Pint Can | 12 Cans | 0019C05040 |
| Gallon Can | 2 Gallons | 0019C05041 |

887 ANTI-SPATTER

A VEGETABLE BASED FORMULA THAT PROVIDES A PROTECTIVE FILM COATING TO AID IN THE REMOVAL OF WELD SPATTER AND KEEPS WELDING TIPS AND NOZZLES CLEAN.



USES: WELDING AND TORCH CUTTING DEVICES INCLUDING MIG AND TIG NOZZLES AND TIPS, WELDMENTS, ELECTRODE HOLDERS, FIXTURES, RESISTANT WELDING TIPS, AND IN ALL TYPES OF MAINTENANCE/PRODUCTION WELDING APPLICATIONS. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 16 oz. Aerosol (12 oz.) | 12 Cans | 0019C00887 |

TOOLMAKER'S INK BLUE

SPECIALLY FORMULATED BLUE LAYOUT FLUID IS USED IN TOOL AND DIE MAKING, PATTERN MAKING, MACHINING AND OTHER RELATED APPLICATIONS.

- EXCELLENT ADHESION TO ALL METALS, ALUMINUM AND GLASS

USES: TOOL AND DIE MAKING, PATTERN MAKING, MACHINING, TEMPLATES, MACHINED PARTS, AND MAINTENANCE MECHANICALS.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-------------|
| 16 oz. Aerosol (12 oz) | 12 Cans | 0019C06001 |
| Gallon Can | 2 Gallons | 0019C06001G |

6090 PRUSSIAN BLUE HIGH SPOT INDICATOR

FOR QUICK IDENTIFICATION OF HIGH SPOTS ON SURFACES AND FOR MATING COMPONENTS IN ASSEMBLY OPERATIONS.



USES: FOR LOCATING HIGH SPOTS WITH SCRAPPING BEARING SURFACES, ETC.

| CAN SIZE | CASE PACK | PART NO. |
|-----------------------|-----------|------------|
| 6 oz. Aerosol (5 oz.) | 12 Cans | 0019C06090 |

6095 TOOLMAKER'S INK REMOVER

USE TO REMOVE #6001 TOOLMAKER'S INK BLUE AND #6090 PRUSSIAN BLUE HIGH SPOT INDICATOR.



| CAN SIZE | CASE PACK | PART NO. |
|---------------------------|-----------|-------------|
| 16 oz. Aerosol (10.5 oz.) | 12 Cans | 0019C06095 |
| Gallon Can | 2 Gallons | 0019C06095G |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

INSULATING EPOXY

A TOUGH, FLEXIBLE COATING THAT PROTECTS AND INSULATES EXPOSED WIRES AND ELECTRICAL WINDINGS. IDEAL FOR INSULATING COILS, TRANSFORMERS AND OTHER ELECTRICAL COMPONENTS.

- AIR DRIES IN 15 MINUTES, HARDENS IN 1 HOUR
- CLASS F THERMAL RESISTANCE



USES: FIELD COILS, MOTOR WINDINGS, TAPED COILS, EXPOSED METAL, FRAYED INSULATION, PITTED MOTOR WINDINGS, BUS BARS AND SWITCHBOARD PARTS, TRANSFORMERS, COMMUTATOR ENDS, SEALING ELECTRICAL AND ELECTRONIC COMPONENTS, COLLECTOR RINGS, ARMATURES, AND INSIDE WALLS OF CONTROL BOXES.

| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

Red-16 oz. Aerosol (12.5 oz.) 12 Cans 0019C00401

Black-16 oz. Aerosol (12.5 oz.) 12 Cans 0019C00402

Clear-16 oz. Aerosol (12.5 oz.) 12 Cans 0019C00403

595 UNDERCOATING SOUND INSULATOR

A QUICK-DRYING, BLACK RUBBERIZED FILM DESIGNED TO OFFER MAXIMUM COVERAGE AND SUPERIOR INSULATION PROPERTIES AGAINST ROAD AND CHASSIS NOISE.



USES: AUTO UNDERBODIES, TRUNKS, FENDER AND BODY SEAMS, RUST HOLDS, WELD JOINTS, GAS TANK, ROCKER PANELS, AND DOOR PANELS. CAN ALSO BE USED TO SEAL RIAN GUTTERS, COAT TREE WOUNDS, FOR MINOR ROOF REPAIRS, DRIVEWAY CRACKS, AND SWAMP AND TOWER COOLERS.

| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

20 oz. Aerosol (15oz.) 12 Cans 0019C00595

6005 BATTERY TERMINAL COATING

PROVIDES A TOUGH, DURABLE COATING FOR BATTERY TERMINALS, CABLES, AND CLAMPS.

USES: EFFECTIVE ON ALL TYPES OF BATTERIES FOR AUTO, CYCLE, MARINE, AND AIRCRAFT. USE ON BATTERY TERMINALS, CABLE CONNECTORS, CASINGS AND FRAMES, CLAMPS, AND BATTERY POSTS.



| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

16 oz. Aerosol (12 oz.) 12 Cans 0019C06005

Protective Coatings

6007 RUST INHIBITOR

PREVENTS RUST ON TOOLS, STEEL STOCK AND PARTS. PROVIDES TEMPORARY OR EXTENDED PROTECTION OF MACHINERY. GREAT FOR LONG-TERM INDOOR STORAGE.

USES: PREVENTS RUST ON TOOLS, STEEL STOCK, PARTS, AND TEMPORARY OR EXTENDED PROTECTION OF MACHINERY. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.



| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

16 oz. Aerosol (11oz) 12 Cans 0019C06007

Gallon Can 2 Gallon 0019C06008

APC-963 H.D. CORROSION INHIBITOR

STOPS RUST AND CORROSION IN ITS TRACKS.

USES: GREAT ON BARE METAL, BATTERY TERMINALS, CABLES AND CHAINS, ELEVATORS, CRANES, FORK LIFTS, PUMPS, OUTDOOR TOOLS AND EQUIPMENT, AIRBRAKE RELEASE SPRINGS, AIRCRAFT FUSELAGES, AND OFFSHORE DRILLING.



| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

16 oz. Aerosol (10 oz) 12 Cans 0019C00963

Gallon Can 2 Gallon 0019C00963G

BLACK UNDERCOAT

AN EXTREMELY DURABLE RUST AND CORROSION INHIBITOR. A PREMIUM ASPHALT BASED RUBBERIZED UNDERCOATING THAT SEALS OUT MOISTURE AND DEADENS SOUND. RESISTS CHIPPING AND WILL NOT CRACK OR PEEL WITH AGE.

- PAINTABLE
- PREVENTS RUST
- LAYS DOWN SMOOTH WITH A BLACK FINISH
- DEADENS SOUND
- WATERPROOF, ELASTIC
- DRIES FAST



| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

20 oz. Aerosol (16oz) 12 Cans 0019C496405

BATTERY TERMINAL PROTECTOR

INDUSTRIAL BATTERY TERMINAL SEALER AND PROTECTOR. IDEAL FOR USE ON BATTERY POWERED SCRUBBERS, BOATS, BUSES, CARS, CONSTRUCTION EQUIPMENT, ELECTRIC FORK-LIFT TRUCKS, GOLF CARTS, MUNICIPAL VEHICLES AND TRUCKS.



| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

20 oz. Aerosol (18oz) 12 Cans 0019C494470

6013 CORROSION SUPPRESSANT 101

PROVIDES EXCELLENT RUST PROTECTION FOR METAL PARTS THAT MUST BE STORED, INDOORS OR OUT, FOR LONG PERIODS OF TIME. EXCELLENT FOR OUTDOOR METAL SHIPMENTS AND OUTDOOR STORAGE.

- DOES NOT CONTAIN CFCs, HCFCs, OR CHLORINATED SOLVENTS
- MEETS MIL-C-16173E, GRADE 4



USES: ALL METAL SURFACES, MARINE EQUIPMENT, FARM MACHINERY, CONSTRUCTION EQUIPMENT, MOTORS, TANKS, PIPES, DIES, MOLDS, PARTS, TOOLS, AUTO BODIES, FRAMES, CABLES, AND SPORTING EQUIPMENT. DO NOT USE ON ELECTRICAL EQUIPMENT OR MACHINERY WHILE IN OPERATION.

| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

16 oz. Aerosol (5 oz.) 12 Cans 0019C06013

Gallon Can 2 Gallon 0019C06013G

6084 RED INSULATING VARNISH

A FLEXIBLE, TOUGH, OIL-PROOF FILM. THIS INSULATING VARNISH IS A CLASS F ESTER WITH A DIELECTRIC STRENGTH OF 1200V/MIL WET AND 2100 V/MIL DRY



USES: FOR ARMATURE AND STATOR WINDINGS, HIGH VOLTAGE CIRCUITS, COATING FRAYED INSULATION, AND TO RESTORE DIELECTRIC PROPERTIES LOST AS A RESULT OF WEAR OR DAMAGE..

| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

16 oz. Aerosol (13oz) 12 Cans 0019C06084

8079 DRIVE BELT DRESSING

PREVENTS BELT SLIPPAGE AND GLAZING FOR BETTER MOTOR EFFICIENCY AND LONGER BELT LIFE.

USES: INDUSTRIAL BELT DRIVES INCLUDING GENERATORS AND FANS, FLAT, ROUND, OR V-STYLE BELTS, AUTO FANS, WATER PUMPS, TRANSMISSIONS, POWER STEERING, FARM MACHINERY, APPLIANCES, AIR CONDITIONERS, AND POWER TOOLS.



| CAN SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
|----------|-----------|----------|

16 oz. Aerosol (12 oz) 12 Cans 0019C08079

Quart Can 12 Cans 0019C08079Q



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

LFP CLEANER/DEGREASER

THIS FAST DRYING, INDUSTRIAL STRENGTH SOLVENT IS INEXPENSIVE AND IDEAL FOR CLEANING AND DEGREASING. REMOVES GREASE, OIL, WAX, ADHESIVES, AND OTHER CONTAMINANTS, WITHOUT LEAVING A RESIDUE. HAS A LOW FLASH POINT (LFP).

- NON-CHLORINATED
- DOES NOT CONTAIN CFCs OR HCFCs

USES: MOTORS, TOOLS, MACHINERY, METAL PARTS, MECHANICAL EQUIPMENT, AIR CONDITIONERS, AIRCRAFT PARTS, AUTOMOTIVE PARTS, BEARINGS, CHAINS, PACKAGING MACHINERY, COMPRESSORS, GENERATORS, PORTABLE TOOLS, OFFICE MACHINERY, PUMPS, BRAKES, CLUTCHES, RELAYS, GEARS, CABLES, AND SOLENOIDS.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-------------|
| 18 oz. T/S | 12 Cans | 0019C00398 |
| 20oz. Aerosol (15 oz.) | 12 Cans | 0019C00399 |
| Gallon Can | 2 Gallons | 0019C00399G |

8260 HEAVY DUTY CITRUS CLEANER/DEGREASER

A HEAVY-DUTY, CITRUS-BASED CLEANER/DEGREASER THAT IS SAFE ON MOST PLASTICS.

- CITRUS BASED CLEANER
- DOES NOT CONTAIN CFCs, HCFCs, OR CHLORINATED SOLVENTS

USES: REMOVED GREASE AND GRIME FROM ALTERNATORS, PULLEYS, CHAINS, BREAKS, ENGINES, FORKLIFTS AND MORE.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-------------|
| 20oz. Aerosol (20 oz.) | 12 Cans | 0019C08260 |
| Gallon Can | 2 Gallons | 0019C08260G |

5070 CLEANER/DEGREASER - WB

A CONCENTRATED LIQUID CLEANER/DEGREASER DEVELOPED TO MEAT A VARIETY OF APPLICATIONS AND SURFACES. MAY BE DILUTED.

- WATER BASED
- NON-FLAMMABLE
- NON-BUTYL CONCENTRATE
- DOES NOT CONTAIN CHLORINATED SOLVENTS



USES: TO CLEAN GRILLS, DRIVEWAYS, FLOORS, FIBERGLASS, VINYL, GLASS, LIGHTS, TILE, MIRRORS, ETC.

| CAN SIZE | CASE PACK | PART NO. |
|------------------|-----------|------------|
| 1- Quart Can T/S | 12 Cans | 0019C05070 |
| Gallon Can | 4 Gallons | 0019C05071 |

5055 ALL PURPOSE CLEANER

THIS WATER AND AMMONIA BASED CLEANER PROVIDES A LOW FOAMING ACTION CLEANER FOR BREAKING UP GRIME.

USES: FOR HARD TO CLEAN SPOTS ON WOOD, METAL, TILE, PORCELAIN, PLASTIC, AND CHROME.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 16oz. Aerosol (15 oz.) | 12 Cans | 0019C05505 |

860 GLASS & SURFACE CLEANER

AN INDUSTRIAL GLASS AND SURFACE CLEANER THAT CUTS THROUGH DIRT, GREASE, AND GRIME ON A VARIETY OF SURFACES.

USES: GLASS, BAKED ENAMEL, PORCELAIN, VINYL, PLEXIGLAS, LAMINATED SURFACES, COUNTER TOPS, TILE, STAINLESS STEEL, AND CHROME.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|---------------|
| 20oz. Aerosol (19 oz.) | 12 Cans | 0019C00860 |
| Quart T/S | 12 Cans | 0019C00860Q |
| Gallon Can | 2 Gallons | 0019C00860-1 |
| 5 Gallon Can | 1 Can | 0019C00860-5 |
| 55 Gallon Can | 1 Can | 0019C00860-55 |

400 NFP SAFETY SOLVANT H.D.

EFFECTIVELY REMOVES OIL, GREASE, WAX, DIRT, AND MOISTURE. THE HIGH-DELIVERY (H.D.) SPRAY COMBINED WITH ITS UNIQUE WETTING ACTION PENETRATES INACCESSIBLE AREAS, EFFECTIVELY FLUSHING AWAY CONTAMINANTS WITHOUT LEAVING A RESIDUE.

- NO FLASH POINT (NFP)

USES: CHAINS, MOTORS, ELECTRICAL BOXES, AIRCRAFT PARTS, MACHINERY, AUTOMOTIVE PARTS, TOOLS, BRAKES, CLUTCHES, RELAYS, CABLES, LOCKS, GEARS, PORTABLE TOOLS, RADAR EQUIPMENT, GENERATORS, BEARINGS, COMPRESSORS, SWITCH GEARS, OFFICE MACHINERY, PUMPS, AND MORE.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20 oz. Aerosol (20oz.) | 12 Cans | 0019C00400 |

NEED SOMETHING YOU DON'T SEE HERE? CALL US!

(800) 225-6763

8060 NFP SAFETY SOLVENT

THIS QUICK DRYING, NO FLASH POINT (NFP) SOLVENT REMOVES GREASE DEPOSITS, OIL, METALLIC PARTICLES, CARBON DUST, AND OTHER DANGEROUS MATERIALS, AND PREVENTS COSTLY FLASH-OVERS.

- NON-FLAMMABLE, NON-CORROSIVE FORMULA

USES: SAFE FOR CLEANING ELECTRIC MOTORS, LATHES, MINING EQUIPMENT, GREASE FITTINGS, MOLDS, SWITCHES, GENERATORS, RELAYS, BRAKE LININGS, RHEOSTATS, AND FUSE HOLDERS.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-------------|
| 20oz. Aerosol (20 oz.) | 12 Cans | 0019C08060 |
| Gallon Can | 2 Gallons | 0019C08060G |

BATTERY TERMINAL CLEANER

REMOVES CORROSION FROM ALL BATTERY PARTS AND QUICKLY IDENTIFIES LEAKS. COLOR INDICATOR SHOWS RED IN PRESENCE OF ACID. WHEN NEUTRALIZING, COLOR INDICATOR SHOWS YELLOW. REGULAR USE INCREASES BATTERY PERFORMANCE AND LIFE EXPECTANCY. NEUTRALIZES ACID AND DISSOLVES CORROSION FROM TERMINAL CABLES, HOLDDOWNS, AND BOXES.

USES: AUTOMOBILE, MARINE, AIRCRAFT AND INDUSTRIAL APPLICATIONS.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20oz. Aerosol (18 oz.) | 12 Cans | 0019490605 |

ALL PURPOSE FOAM CLEANER

PENETRATES QUICKLY TO EMULSIFY AND DISSOLVE DIRT, SOAP SCUM & OTHER DEPOSITS. REGULAR USE HELPS KEEP SURFACES LIKE-NEW. THICK FOAM CLINGS TO SMOOTH VERTICAL SURFACES.

USES: CLEANING TILE & WHITENING GROUT, PORCELAIN, LEATHER, FORMICA, WALLS, CERAMICS, METAL, SINKS, BATHTUBS, WOOD SURFACES AND MORE.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-------------|
| 20oz. Aerosol (18 oz.) | 12 Cans | 0019C496335 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED OR TRANSLATED INTO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE COPYRIGHT 1993.

CLEANERS & DEGREASERS

590 CARB & CHOKE CLEANER

A fast-acting blend of solvents that maximizes carburetor performance.

- Does not contain CFCs, HCFCs, or chlorinated solvents
- Meets VOC requirements in all 50 states, including carb

USES: Automatic chokes, carburetor components, PVC valves, crankcase breather elements, exhaust gas recycling valves and intake parts. May be used in any carburetor or fuel injected gasoline engine.



| Can Size | Pack Size | Part No. |
|------------------------|-----------|------------|
| 16oz. Aerosol (12 oz.) | 12 Cans | 0019C00590 |

GUNK CARB & CHOKE CLEANER

Powerful solvent that quickly removes dirt, varnish, deposits, and more from your carburetor, choke and valve.

- Chlorinated Formula
- Removes dirt, varnish, gum, carbon deposits, and sludge
- Cleans the carburetor and combustion chamber of gasoline engines



| Can Size | Part No. |
|----------------------|----------|
| 1 Large 12.5 oz. Can | |

591 LOW VOC BRAKE & PARTS CLEANER (LESS THAN 10% VOC)

A non-corrosive degreaser effective in removing oil, grease, wax, dirt, and moisture from brake drums, linings, and pads.

USES: Drum and disk-type breaks, may also be used for cleaning chains, gears, bearings, clutches, u-joints, and other areas where grease and oil have accumulated.



| Can Size | Pack Size | Part No. |
|------------------------|-----------|-------------|
| 20oz. Aerosol (14 oz.) | 12 Cans | 0019C00591 |
| Gallon Can | 2 Gallons | 0019C00591G |

BRAKE CLEANER

- Chlorinated
- Non-flammable



| Can Size | Pack Size | Part No. |
|---------------|-----------|----------|
| 16oz. Aerosol | 12 Cans | 0008150 |

592 BRAKE & PARTS CLEANER (LESS THAN 20% VOC)

A non-corrosive degreaser effective in removing oil, grease, wax, dirt, and moisture from brake drums, linings, and pads.

USES: Drum and disk-type breaks. May also be used for cleaning chains, gears, bearings, clutches, u-joints, and other areas where grease and oil have accumulated.



| Can Size | Pack Size | Part No. |
|------------------------|-----------|-------------|
| 20oz. Aerosol (14 oz.) | 12 Cans | 0019C00592 |
| Gallon Can | 2 Gallons | 0019C00592G |

BRAKE CLEANER

This professional strength non-chlorinated brake cleaner cleans and degreases all types of brake assemblies, linings and drums.



| Can Size | Pack Size | Part No. |
|------------------------|-----------|------------|
| 15oz. Aerosol (14 oz.) | 12 Cans | 0008101080 |

ENGINE STARTING FLUID

An engine starting fluid with upper cylinder lubricant for use in all gasoline and diesel engine.



| Can Size | Pack Size | Part No. |
|---------------|-----------|------------|
| 7oz. Aerosol | 12 Cans | 0008101090 |
| 11oz. Aerosol | 12 Cans | 0008101091 |

ENGINE CLEANER

Use master "engine cleaner" for marine, tractor, auto and power mower engines. It is an effective maintenance product for all farm and garden equipment and industrial machinery.



| Can Size | Pack Size | Part No. |
|---------------|-----------|------------|
| 16oz. Aerosol | 12 Cans | 000810EC16 |

ZENACOIL

Specially formulated foaming coil cleaner. No rinse formula reaches all areas of coils. Thick foam lifts out and holds dirt and grime in suspension until rinsed or condensation washes away soil.

USES: For use in hotels, industrial plants, automotive, hospitals, roof top or window air conditioner units.

- Non-chlorinated



| Can Size | Pack Size | Part No. |
|------------------------|-----------|------------|
| 20oz. Aerosol (18 oz.) | 12 Cans | 0019C49355 |

ZENAGEL

Clinging formula for use on ovens, broilers, barbecue grills, rotisseries, and more. Works on warm or cold ovens and grills.

- Improved formula
- Self-cleaning
- Fast penetrating
- Cleans warm or cold



| Can Size | Pack Size | Part No. |
|------------------------|-----------|------------|
| 20oz. Aerosol (18 oz.) | 12 Cans | 0019499185 |

BIG ORANGE SLICE

Big Orange Slice is a heavy-duty degreaser that uses natural citrus. This versatile product can be used to remove grease, oil, gaskets, protective coatings, and much more. This formula works extremely well degreasing heavy equipment, machined parts, motors, molds, and dies. It does not contain any fluorocarbon propellants or chlorinated solvents that can deplete the ozone. This versatile formula contains a citrus fragrance and rinses with water.

- Degreases & deodorizes
- Uses natural citrus
- Emulsifies in water
- No ozone-damaging CFC's
- Works great on bugs, tar, & removing adhesives



| Can Size | Pack Size | Part No. |
|------------------------|-----------|-------------|
| 20oz. Aerosol (18 oz.) | 12 Cans | 0019C499385 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1999.

Contact Cleaners

415 OFF-LINE CONTACT CLEANER H.D.

THIS FAST EVAPORATING CLEANER IS HIGHLY REFINED AND DESIGNED FOR USE ON HIGH-TECH ELECTRONIC HARDWARE, PCBs AND PWBS.

- FLAMMABLE, NOT TO BE USED ON ENERGIZED EQUIPMENT OR IN OPERATION



USES: ELECTRICAL COMPONENTS, CONNECTORS, CONTACTS, MAGNETIC TAPE HEADS, SEMICONDUCTOR ASSEMBLIES, PRECISION INSTRUMENTS, PRINTED CIRCUITS, COMPUTER COMPONENTS, RELAYS AND CONTROLS. METAL, PLASTICS, RUBBER, AND GLASS SURFACES.

| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-------------|
| 20 oz. Aerosol (15oz.) | 12 Cans | 0019C00415 |
| Gallon Can | 2 Gallons | 0019C00415G |

8377 ELECTRIC COMPONENT CLEANER

THIS NO-FLASH, FAST PENETRATING, HIGH PRESSURE CLEANER IS DESIGNED FOR PRECISION CLEANING ON ELECTRONIC HARDWARE AND PRINTED CIRCUIT BOARD

- NO FLASH CLEANER



USES: ELECTRICAL CONTACTS AND TERMINALS, SEMICONDUCTOR ASSEMBLIES, PRECISION INSTRUMENTS, CIRCUIT BREAKERS, SWITCHES, RELAYS AND CONTROLS, PCBs, MECHANICAL OR ELECTRICAL SOLENOIDS, TELEPHONE EQUIPMENT, SENSORS, AND TELEVISIONS.

| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 16 oz. Aerosol (14 oz) | 12 Cans | 0019C08377 |

ZENASHEEN H2O

NEW GENERATION WATER-BASED CLEANER/POLISH FORMULATED FOR STAINLESS STEEL, CHROME, BRASS, COPPER, AND ALUMINUM. GREAT FOR RAILINGS, ELEVATOR CABS, KITCHEN, AND LAB EQUIPMENT, ETC. EFFECTIVELY REMOVES SMUDGES, FINGERPRINTS, WATER MARKS, GREASE, TARNISH, AND OXIDATION FROM BRIGHT METALS. SEALS AND PROTECTS AGAINST FUTURE OXIDATION

- CLEANS, POLISHES, PROTECTS
- WATER-BASED
- RESTORES ORIGINAL LUSTER
- REPELS DUST



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-------------|
| 20oz. Aerosol (18 oz.) | 12 Cans | 0019C496655 |

8276 OFF-LINE CONTACT CLEANER

A FAST-EVAPORATING, LOW-ODOR CLEANER FOR OFF-LINE EQUIPMENT MAINTENANCE.

- DOES NOT CONTAIN CFCs, HCFCs, OR CHLORINATED SOLVENTS



USES: OUT-OF-SERVICE ELECTRONIC COMPONENTS. FOR RELAYS, TERMINALS, SWITCHES, ETC

| CAN SIZE | CASE PACK | PART NO. |
|-----------------------|-----------|------------|
| 20 oz. Aerosol (15oz) | 12 Cans | 0019C08276 |

Cleaners/Degreasers

ZENAFAST SOLVENT CLEANER & DEGREASER

AN ADVANCED FORMULA THAT EFFICIENTLY AND THOROUGHLY REMOVES OIL, GREASE, LUBRICANTS, DIRT, TAR, AND SLUDGE AS WELL AS OTHER CONTAMINANTS. DRIES FAST AND LEAVES NO RESIDUE. CONTAINS NO CHLORINATED SOLVENTS THAT COULD CONTAMINATE WASTE OIL. NON-CORROSIVE TO METALS. IT CAN ALSO BE USED ON DE-ENERGIZED CIRCUIT BOARDS AND ELECTRIC MOTORS, MOLDS AND MACHINERY PARTS.

- PLASTIC-SAFE
- CLEANS INSTANTLY AND EVAPORATES FAST
- NON-CHLORINATED
- LEAVES NO RESIDUE
- SOME STATES MAY HAVE VOC RESTRICTIONS FOR THE SALE AND USE OF THIS PRODUCT. SEE YOUR SALESMAN FOR CURRENT INFORMATION.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 20 oz. Aerosol (15 oz.) | 12 Cans | 0019499075 |

CARPET CLEANER

PINPOINT SPRAY CARPET STAIN REMOVER WORKS ON OIL, GREASE, DIRT, COFFEE, AND MORE. FORMULATED FOR DIRECT APPLICATION TO CARPET STAINS. SAFE ON MOST FABRICS. BEFORE USING ANY PRODUCT ON FABRIC, ALWAYS TEST IN AN INCONSPICUOUS AREA FIRST.

- SPRAYS UPSIDE DOWN
- DESTROYS ODORS
- SAFE ON MOST FABRICS
- SPRAY ON-BLOT OFF



| SIZE | CASE PACK | PART NO. |
|-----------------|-----------|------------|
| 20 oz. (18 oz.) | 12 Cans | 0019493955 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

CARPET CLEANER

POWERFUL CARPET STAIN AND SPOT REMOVER. CONTAINS STRONG CLEANERS TO REMOVE STAINS DUE TO DIRT, INK, MUD, KETCHUP, URINE, VOMIT, COFFEE, TEA, ALCOHOLIC BEVERAGES AND SOFT DRINKS. UPRIGHT SPRAY VALVE ALLOWS EASY APPLICATION.

- FAST ACTING UPRIGHT VALVE
- CITRUS FRAGRANCE
- NON-FOAMING
- SAFE FOR USE ON MOST FABRIC & CARPET YARNS
- GREAT FOR AUTOMOTIVE INTERIORS, UPHOLSTERY AND CARPETING



| SIZE | CASE PACK | PART NO. |
|-----------------|-----------|------------|
| 20 oz. (18 oz.) | 12 Cans | 0019493965 |

THE BOSS - GLASS & SURFACE CLEANER

THIXOTROPIC SPOT-FREE GLASS. A THICK CLEANING FORMULA THAT ELIMINATES WASTE AND SAVES MONEY.

- PREVENTS FINGERPRINTS AND SMUDGES
- DRIES CRYSTAL CLEAR



| SIZE | CASE PACK | PART NO. |
|--------|------------|-------------|
| 32 oz. | 12 bottles | 0019C272103 |

GLEAMONEX GLASS CLEANER

PREMIUM NON-AMMONIATED GLASS CLEANER. THICK FOAM CLEANER LIFTS AWAY THE TOUGHEST SOILS. IDEAL FOR USE ON WINDOWS, MIRRORS, WINDSHIELDS, AND SHOWCASES.

- FOAM ON-WIPE DRY
- CLEANS, RESTORES, SHINES
- "FRESH" FRAGRANCE
- COMPLETELY STREAKPROOF
- SAFE ON TINTED WINDOWS



| SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-------------|
| 20oz. Aerosol (12 oz.) | 12 Cans | 0019C495205 |

ZENATIZE FOAM CLEANER

HOSPITAL USE, BROAD SPECTRUM DISINFECTANT. DISINFECTS AGAINST STAPHYLOCOCCUS AUREUS, SALMONELLA CHOLERAESUIS, AND PSEUDOMONAS AERUGINOSA. KILLS HIV. ELIMINATES TRICHOPHYTON MENTAGROPHYTES (THE CAUSE OF ATHLETE'S FOOT FUNGUS). POWERFUL CLEANER FOR USE ON FLOORS, WALLS, GARBAGE CANS, SHOWERS, LAVATORY FIXTURES, AND MORE. SAFE ON CHROME, PLASTIC, ENAMEL, PORCELAIN, AND FIBERGLASS.



- BACTERIOCIDAL, VIRUCIDAL, FUNGICIDAL
- NONABRASIVE
- NO SCRUBBING, NO RINSING
- KILLS HIV
- PREVENTS AND CONTROLS MOLDS AND MILDEWS
- SPRAY ANYWAY 360 DEGREE VALVE
- CLEANS, SHINES, DEODORIZES, AND DISINFECTS

| SIZE | CASE PACK | PART NO. |
|---------------------------|-----------|-------------|
| 20oz. Aerosol (18.25 oz.) | 12 Cans | 0019C494955 |

GLASS CLEANER CONCENTRATE

A CONCENTRATED, STREAK-FREE, NON-FOGGING, GLASS CLEANER THAT MAY BE UTILIZED ON HOME WINDOWS, COMMERCIAL BUILDING WINDOWS, CAR WINDOWS, LEXAN, LUCITE, AND PLEXIGLASS SURFACES, AS WELL AS COMPUTER AND TELEVISION SCREENS. REGISTERED WITH THE NSF NON-FOOD COMPOUNDS PROGRAM - A1, C1, C2. NSF REGISTRATION #: 146432



- EPA SDSI
- NSF REGISTERED

| SIZE | CASE PACK | PART NO. |
|--------|------------|----------|
| 32 oz. | 12 Bottles | 0019C421 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

Anti-Seize Products

COPPER ANTI-SEIZE COMPOUND

DESIGNED TO LUBRICATE AND PROTECT MOST METAL CORROSION AND SEIZURE.

- MEETS MIL-A-907E
- DOES NOT CONTAIN CFCs, HCFCs, OR CHLORINATED SOLVENTS



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|------------|------------|
| .70 oz. Stick | | 0028003320 |
| 16oz. Aerosol (12 oz.) | 12 Cans | 0019494645 |
| 8 oz. B/T Bottle | 12 Bottles | 0019C09122 |
| 1 lb. B/T Bottle | 12 Bottles | 0019C09123 |

9105 ANTI-SEIZE COMPOUND

PROVIDES AN AEROSOL DELIVERY OF GRAPHITE IN A THIN BLACK FILM FOR STUD ASSEMBLIES, FLANGE BOLTS, CYLINDER HEADS, HIGH TEMPERATURE CONNECTIONS, AND MANHOLE LUGS.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 16oz. Aerosol (12 oz.) | 12 Cans | 0019C09105 |

NICKEL ANTI-SEIZE COMPOUND

PROTECT METAL PARTS FROM RUST, CORROSION, GALLING AND SEIZING ON HIGH TEMPERATURE. FOR USE ON STAINLESS STEEL AND OTHER METALS IN HARSH ENVIRONMENTS.



| CAN SIZE | CASE PACK | PART NO. |
|------------------|-----------|------------|
| 8 oz. B/T bottle | 6 Bottles | 0019001603 |
| 1 lb. B/T bottle | 4 Bottles | 0019000640 |

Anti-Seize & Adhesives

Adhesives

8177 MULTIPURPOSE ADHESIVE

PROVIDES HOLDING POWER ON MOST SURFACES, ROUGH OR SMOOTH.

- NON-FLAMMABLE, NON-CORROSIVE FORMULA

USES: PAPER, CARDBOARD, WOOD, OR METALS. IDEAL FOR LIGHT PRODUCTION WORK, ESPECIALLY THE TEMPORARY PINNING ALIGNMENT OF PARTS FOR FINAL ASSEMBLY.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20oz. Aerosol (14 oz.) | 12 Cans | 0019C08177 |

8190 HI-STRENGTH ADHESIVE

A HIGH-STRENGTH, INDUSTRIAL GRADE ADHESIVE FOR EXTRA-STRONG BONDING OF MATERIALS TO A VARIETY OF SURFACES.

- FAST DRYTIME; 1 MINUTE TO TACK

USES: BONDING INSULATION, HARD PLASTIC, WOOD, METAL, FABRIC, AND PAPER.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20oz. Aerosol (12 oz.) | 12 Cans | 0019C08190 |

8178 EPS FOAM/ CONCRETE ADHESIVE

A PRESSURE SENSITIVE, UPSIDE-DOWN SPRAY ADHESIVE FOR FAST TACKING AND EXTRA-STRONG BONDING OR LAMINATING OF EXPANDED POLYSTYRENE (EPS).

- FLAMMABLE, NOT TO BE USED ON ENERGIZED EQUIPMENT OR IN OPERATION

USES: CAN BE USED THROUGHOUT GENERAL INDUSTRY AND CONSTRUCTION FOR BONDING EPS TO CONCRETE AND OTHER SURFACES.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20oz. Aerosol (14 oz.) | 12 Cans | 0019C08178 |

875 LABEL ADHESIVE

FORMULATED FOR PERMANENT OR TEMPORARY BONDING OF A VARIETY OF MATERIALS TO PAINTED, UNPAINTED, SMOOTH OR ROUGH SURFACES.

USES: LIGHTWEIGHT MATERIALS SUCH AS LABELS, PAPER, FOAM, RUBBER, CLOTH, CARDBOARD, STENCILS, FELT, FABRIC, ARTS AND CRAFTS, PHOTOGRAPHIC PRINTS, ACETATE, FOIL, AND MOST PLASTICS.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 20 oz. Aerosol (14 oz.) | 12 Cans | 0019C00875 |

876 CARTON ADHESIVE

THIS HIGH-STRENGTH INDUSTRIAL ADHESIVE IS SPECIALLY FORMULATED FOR EITHER TEMPORARY OR PERMANENT BONDING TO UNEVEN OR POROUS SURFACES AND WEIGHTED MATERIALS.

USES: FOR CARTON SEALING, FIBERGLASS INSULATION, WEATHER STRIPPING, FELT BONDING, LABEL APPLICATION, TRUCK AND AIRCRAFT INTERIORS, TACKING DROP CLOTHS, BONDING GASKETS IN WATER PUMPS, ADHERING UPHOLSTERY, AND METAL-TO-METAL CONTACT APPLICATIONS, AND DECORATIVE LAMINATES.



| CAN SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|------------|
| 20 oz. Aerosol (12 oz.) | 12 Cans | 0019C00876 |

NEED SOMETHING YOU DON'T SEE HERE? CALL US!

(800) 225-6763



Mold Products



3090 TOOL & DIE SAVER

Protect stored tools and dies from moisture during storage. Ideal for long-term, indoor storage.

Uses: Good for chucks, set-up jigs, tools, stored metal molds and dies, and seldom used parts.



| Can Size | Case Pack | Part No. |
|-----------------------|-----------|------------|
| 16oz. Aerosol (11oz.) | 12 Cans | 0019C03090 |

3095 MOLD CLEANER

A solvent based spray cleaner for general cleaning of metal molds.

Uses: Metal molds, dies, pins, jigs, machinery, and mechanical equipment.



| Can Size | Case Pack | Part No. |
|-------------------------|-----------|------------|
| 16oz. Aerosol (10.5oz.) | 12 Cans | 0019C03095 |

3452 LECITHIN MOLD RELEASE

Uses: Plastic wrap cutting equipment, compression molding gaskets and seals for tank closures, toy and furniture manufacturing, urethanes, epoxy, resins, polyesters and polystyrenes.



| Can Size | Case Pack | Part No. |
|-------------------------|-----------|------------|
| 16oz. Aerosol (10.5oz.) | 12 Cans | 0019C03452 |

3445 HEAVY DUTY SILICONE

Industrial strength release agents that are economically priced and help resist costly breakdowns.

2% Silicone Formula

Uses: nyrene, acrylic, cellulotics, ABS, polystyrene, polyesters, melamine, phenolic, polyethylene, nylon, polycarbonate, and rubber molds.



| Can Size | Case Pack | Part No. |
|-----------------------|-----------|------------|
| 16oz. Aerosol (12oz.) | 12 Cans | 0019C03445 |

3423 INDUSTRIAL SILICONE

Industrial strength release agents that are economically priced and help resist costly breakdowns.

5% Silicone Formula

Uses: plastic injection, compression, candle and blow molders, extruders, foundries, and investment castings. Recommended for use on A.B.S. resins, acrylics, wax, rubber, polyesters, cellulotics, and polystyrenes.



| Can Size | Case Pack | Part No. |
|-----------------------|-----------|------------|
| 16oz. Aerosol (11oz.) | 12 Cans | 0019C03423 |

FOOD GRADE SILICONE MOLD RELEASE

Food grade silicone release that ideal for all polypropylene and polyurethane moldings.

Uses: Plastic injection, compression, candle and blow molders, extruder, foundries, and investment castings. Provides excellent lubricating, properties for guides, saws, conveyors, and rollers on packing equipment.



| Can Size | Case Pack | Part No. |
|-----------------------|-----------|------------|
| 16oz. Aerosol (12oz.) | 12 Cans | 0019C02011 |

3460 PAINTABLE MOLD RELEASE

Specially formulated paintable silicone fluids provide excellent release properties that are ideal for all types of plastics where decorating is required after molding.

Uses: hot or cold molding processes for rubber, polystyrenes, polyurethane foams, plastic, metal castings, and elastomeric materials.



| Can Size | Case Pack | Part No. |
|-----------------------|-----------|------------|
| 16oz. Aerosol (12oz.) | 12 Cans | 0019C03460 |

3470 MOLD RELEASE PROTECTOR

A wax based mold release that eliminates part imperfections. Perfect for overnight protection. Helps to eliminate flash, rust caused from condensation after shut-down. Then at start up, no need to remove, just shoot mold clean.

Uses: Epoxy molding, polyurethane, and phenolics.



| Can Size | Case Pack | Part No. |
|-----------------------|-----------|------------|
| 20oz. Aerosol (13oz.) | 12 Cans | 0019C03470 |

NEED SOMETHING
YOU DON'T SEE HERE?
CALL US!
(800) 225-6763



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED OR TRANSLATED INTO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE COPYRIGHT 1993.

MISCELLANEOUS

420 DUST AIR™

A pure non-cfc controlled air source that removes dust and airborne contaminants from delicate instruments without scratching.

USES: electronics, lab equipment, data processing and optical, precision mechanical parts, computer equipment, electronics, circuitry, and photography equipment.



| CAN SIZE | PACK SIZE | PART NO. |
|------------------------|-----------|------------|
| 12oz. Aerosol (10 oz.) | 12 Cans | 0019C00420 |

HAND-Y CLEANING TOWEL

Waterless, anti-bacterial cleaning towels are lint-free and packaged in a convenient tub with a dispenser lid for easy access.

- Pre-moistened, no need for water
- Fresh citrus scent

Uses: Remove grease, adhesive, grime, ink, lubricants, tar, and other industrial stains and soils.



| TUB SIZE | PACK SIZE | PART NO. |
|--------------|-----------|------------|
| 72 Towel Tub | 6 Tubs | 0019C05021 |

HAND-Y PRO TOWEL

Waterless, anti-bacterial cleaning towels are lint-free and packaged in a convenient tub with a dispenser lid for easy access. Scrubbing surface handles tough jobs.

- Pre-moistened, no need for water
- Fresh citrus scent
- Rough on one side, smooth on one side.

Uses: Remove grease, adhesive, grime, ink, lubricants, tar, and other industrial stains and soils.



| TUB SIZE | PACK SIZE | PART NO. |
|--------------|-----------|------------|
| 72 Towel Tub | 6 Tubs | 0019C05025 |

ADJUSTABLE HAND SPRAYER

Handy trigger spray bottle for non-paint liquid products.



| BOTTLE SIZE | PACK SIZE | PART NO. |
|-------------|-----------|------------|
| 22 | 6 Bottles | 0019C02310 |

GO-JO

Hand cleaner with pump-natural orange with pumice



| SIZE | PART NO. |
|----------|------------|
| 15oz. | 0008101119 |
| 1/2 GAL. | 0008101120 |
| 1 GAL. | 0008101121 |

INDUSTRIAL HAND CLEANER

Heavy duty, solvent free, walnut based cleaner does it all. Cleans the toughest soils, greases, inks, painted and almost anything else. Concentrated soap does it all.



| SIZE | CASE SIZE | PART NO. |
|----------------|------------|------------|
| 13.5oz. Bottle | 12 Bottles | 0008030755 |
| 1 GAL. | | 0008030760 |
| Dispenser | | 0008030761 |

CHERRY INDUSTRIAL HAND CLEANER

An industrial strength pumice based soap designed to remove grease, grime paint, and so much more. Enriched with multiple emollients and skin conditioners. Cherry burst.

| SIZE | CASE SIZE | PART NO. |
|-----------|-----------|-------------|
| 1 GAL. | | 0019C233053 |
| Dispenser | | 0008030761 |

CITRUS DISINFECTANT

Ready to use, broad-spectrum, anti-microbial agent in one step disinfecting/deodorizing spray, prevents mold, mildew, and bacteria on environmental surfaces. Disinfects and deodorizes surfaces through effective bacterial and fungicidal activity



| BOTTLE SIZE | PACK SIZE | PART NO. |
|-------------------------|-----------|------------|
| 20 oz. Aerosol (15 oz.) | 12 Cans | 0019495565 |

ZENASHINE FOAM TIRE & VINYL SHINE

A self-cleaning foam emulsion that cures to a glossy protective shine in minutes. Excellent for use on vinyl, rubber and synthetic surfaces.

- Self-cleaning
- Renews and protects
- Prevents Oxidation
- All weather



| BOTTLE SIZE | PACK SIZE | PART NO. |
|-------------------------|-----------|-------------|
| 16 oz. Aerosol (13 oz.) | 12 Cans | 0019c494705 |

ZENACHILL FREEZING PENETRANT LUBRICANT

New technology that immediately freezes and shrinks seized and corroded nuts, bolts, pins, hinges, and studs allowing the lubricant to penetrate and loosen the toughest applications.

- Shock freezing releases seized parts
- Released parts remain lubricated & protected from corrosion
- Non-chlorinated and low VOC
- 360 degree spray anyway valve



| BOTTLE SIZE | PACK SIZE | PART NO. |
|-------------------------|-----------|-------------|
| 16 oz. Aerosol (13 oz.) | 12 Cans | 0019C492545 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1999.

862 HORNET & WASP SPRAY

THIS FAST-ACTING SPRAY SATURATES NESTS AND INSTANTLY KILLS HORNETS, WASPS, AND YELLOW JACKETS.

- USDA F-2



USES: UTILITY METERS/BOXES, EAVES, TELEPHONE POLES, SHRUBS, FENCES, AND WINDOW AND DOOR FRAMES.

| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20oz. Aerosol (14 oz.) | 12 Cans | 0019C00862 |

5062 ANTI-VANDAL SPRAY

A CLEAR SPRAY BLEND OF SOLVENTS THAT REMOVES LIPSTICK, PENCIL, INK, CRAYON, AND SPRAY PAINT FROM A VARIETY OF HARD SURFACES.

USES: ON TILE, BRICK, ALUMINUM, STEEL, GRANITE, MARBLE, FORMICA. AND DOZENS OF OTHER HARD SURFACES. IDEAL FOR REMOVING UNWANTED MARKS FROM ROAD SIGNS, WASHROOMS, PUBLIC BUILDINGS, SIDEWALKS, UNDERPASSES, SCHOOL LOCKER ROOMS, TRANSIT SYSTEM BUILDINGS AND VEHICLES, AND RAIL CARS.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 16oz. Aerosol (14 oz.) | 12 Cans | 0019C05062 |

MULTI-PURPOSE INSECT KILLER

A SYNTHETIC PERMETHRIN BASED, FAST-ACTING, FLYING/CRAWLING INSECT SPRAY. KILLS INSTANTLY AND PREVENTS BREEDING. FOR USE IN HOMES AND IN NON-FOOD AREAS OF INDUSTRIAL BUILDINGS



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20oz. Aerosol (15 oz.) | 12 Cans | 0019495785 |

Miscellaneous

FLY AWAY WIPES - INSECT REPELLANT

FLY AWAY WIPES PROVIDE UP TO 4 HOURS OF PROTECTION FROM MOSQUITOES, BLACK FLIES, STABLE FLIES, SAND FLIES, GNATS, CHIGGERS, FLEAS, AND TICKS. THESE CONVENIENT, EASY TO USE WIPES ALLOW FOR QUICK AND THOROUGH APPLICATION TO SKIN, HAIR, AND CLOTHING TO ENSURE MAXIMUM PROTECTION. WATER-BASED FORMULA WITH 25% DEET

- 6"X 8" WIPE



| CAN SIZE | PART NO. |
|-----------------|------------|
| 40-ct. canister | 0019495785 |

SPRAYON INSECT REPELLANT II

EFFECTIVELY REPELS MOSQUITOES, BLACK FLIES, CHIGGERS, DEER FLIES, TICKS, GNATS, STABLE FLIES, FLEAS

- 23.75% DEET



| CAN SIZE | CASE PACK | PART NO. |
|---------------|-----------|------------|
| 8 oz. Aerosol | 12 Cans | 425-S00856 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

DRY SPRAY FOR AUTOMATIC DISPENSERS

USE ANYWHERE ODOR IS A PROBLEM: BATHROOMS, LOCKER ROOMS, HOSPITALS, NURSING HOMES, SMOKING AREAS, CARS, BOATS, RV'S, MOTELS, RESTAURANTS, CARPETS, UPHOLSTERY, DRAPERIES, FABRICS AND MORE. FRESH LINEN SCENT.

| SIZE | CASE PACK | PART NO. |
|-----------------|-----------|-------------|
| 20 oz. (18 oz.) | 12 Cans | 0019C491333 |

DISPENSER

AUTOMATIC DISPENSER FOR USE WITH NEUTRAZEN NATURAL SCENTS DRY SPRAY ODOR COUNTERACTANT.

PART NO.

0019C499501

LOTION HAND CLEANER



ECONOMICAL LOTION HAND CLEANER FORMULATED TO PRODUCE A POWERFUL, YET MILD LATHER THAT PROVIDES EFFECTIVE CLEANING AND RINSES CLEAN LEAVING HANDS FEELING SOFT AND FRESH. THIS OPAQUE PINK, ALMOND SCENTED CLEANER IS IDEAL FOR THOSE REQUIRING MULTIPLE HAND WASHINGS.

| SIZE | CASE PACK | PART NO. |
|------------|-----------|-----------|
| 800 mL bag | 12 Bags | 001900500 |
| 1 Gallon | 4 bottles | 001900501 |

800/1000 ML BAG IN BOX HAND SOAP DISPENSER

FOR ITEMS ABOVE - HUSKY 515 AND 500.

PART NO.

00195370W

HUSKY 570 FOAMING PREMIUM HAND WASH

A PREMIUM FOAMING HAND WASH FORMULATED TO PROVIDE GENTLE HAND CLEANING FOR PROFESSIONALS, EMPLOYEES, CARE GIVERS AND GUESTS. THE RICH FOAM QUICKLY CLEANS AWAY SOILS.

| SIZE | CASE PACK | PART NO. |
|----------|-----------|----------|
| 1 Gallon | 4 Bottles | 0019C570 |

Miscellaneous

ODOR NEUTRALIZING FOGGER

- REMOVES OFFENSIVE ODORS
- TREATS 6,000 CU. FT.
- SAFE ON FABRICS
- UNIQUE SCENT



IDEAL FOR USE IN HOTELS, MOTELS, APARTMENTS, NURSING HOMES, GARBAGE CONTAINERS, CLOSETS, HAMPERS, LOCKER ROOMS, BATHROOMS, SMOKING AREAS AND AUTOMOBILES.

| SIZE | CASE PACK | PART NO. |
|-------------------------|-----------|-------------|
| 8 oz. Aerosol (6.75oz.) | 12 Cans | 0019C109056 |

ODOR NEUTRALIZING AEROSOL

- REMOVES OFFENSIVE ODORS
- TREATS 6,000 CU. FT.
- SAFE ON FABRICS
- FRESH LINEN SCENT



IDEAL FOR USE IN APARTMENTS, HOSPITALS, NURSING HOMES, GARBAGE CONTAINERS, BOATS, CARPETS, UPHOLSTERY, DRAPES, FABRICS, LOCKER ROOMS, BATHROOMS, SMOKING AREAS, RV'S AND AUTOMOBILES.

| SIZE | CASE PACK | PART NO. |
|-----------------------|-----------|-------------|
| 20 oz. Aerosol (14oz) | 12 Cans | 0019C491123 |

ZENABRITE LEMON

CREAMY-RICH FURNITURE POLISH WITH LEMON OIL. FORTIFIED WITH CARNAUBA, BEESWAX AND LEMON OIL. REGULAR USE FEEDS AND NOURISHES WOOD, ENHANCING AND DEEPENING THE NATURAL BEAUTY OF THE SURFACE. AN IDEAL PRODUCT FOR FINE WOODS, MARBLE, PLASTIC LAMINATES AND FIBERGLASS.

- CLEANS
- PRESERVES
- PROTECTS
- REPELS



| SIZE | CASE PACK | PART NO. |
|-----------------|-----------|------------|
| 20 oz. (18 oz.) | 12 Cans | 0019494725 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1999.

VELONEX UPHOLSTERY CLEANER

FOAMY CLEANER MADE ESPECIALLY TO CLEAN AND PRESERVE THE VELOUR UPHOLSTERY FABRICS. EASILY CLEANS DIRT, SOIL, AND STAINS. EXCELLENT FOR CLEANING ALL OTHER TYPES OF FABRIC UPHOLSTERY. WHEN DRY, A SUPERIOR STAIN PROTECTOR IS LEFT BEHIND TO REPEL DIRT, SOIL, AND GRIME.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20oz. Aerosol (18 oz.) | 12 Cans | 0008030763 |

ZENASHINE

A CLEAR AND ODORLESS COATING THAT WORKS INSTANTLY. FAST AND EASY TO USE. BRIGHTENS AND RENEWS ANY VINYL AND PLASTIC SURFACE. NO WIPING NECESSARY. FINE AEROSOL MIST IS IDEAL FOR THOSE HARD-TO-REACH PLACES.



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20oz. Aerosol (12 oz.) | 12 Cans | 0008030762 |

ZENASHINE FOAM

A SELF-CLEANING FOAM EMULSION THAT CURES TO A GLOSSY PROTECTIVE SHINE IN MINUTES. EXCELLENT FOR USE ON VINYL, RUBBER AND SYNTHETIC SURFACES.

- SELF-CLEANING
- RENEWS AND PROTECTS
- PREVENTS OXIDATION
- ALL WEATHER



| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|-------------|
| 16oz. Aerosol (13 oz.) | 12 Cans | 0010C494705 |

ZENALUBE RED GREASE

ZENALUBE RED IS A MULTI-PURPOSE LUBRICANT THAT PROVIDES EXTRA PROTECTION UNDER EXTREME PRESSURES. IT MAINTAINS CONSTANT VISCOSITY OVER A WIDE RANGE OF TEMPERATURES.



| CAN SIZE | CASE PACK | PART NO. |
|----------------------------|-----------|------------|
| 16 oz. Aerosol (11.25 oz.) | 12 Cans | 0019000050 |

Miscellaneous

MILDEW STAIN MOVER

A READY-TO-USE SPRAY CLEANER THAT COMBINES POWERFUL CLEANING ACTION WITH A STAIN REMOVER TO CLEAN AND BRIGHTEN MOLD STAINS AND MILDEW STAINS. USE HUSKY 416 ANYWHERE MOLD AND MILDEW STAINS ARE PRESENT.



USES: TILE, GROUT, SHOWER DOORS, VINYL SHOWER CURTAINS, COUNTERS AND SINKS.

| SIZE | CASE PACK | PART NO. |
|----------------|------------|----------|
| 32 oz. Bottles | 12 Bottles | 0019C416 |

MOLD CONTROL

EFFECTIVELY ELIMINATES MOLD, INHIBITS MOLD RE-GROWTH, AND GETS RID OF MUSTY ODORS WITHOUT HARSH CHEMICALS. THIS EPA REGISTERED PRODUCT CAN BE USED BY HOMEOWNERS, PROFESSIONAL REMODELERS, CONTRACTORS AND MOLD REMEDIATORS ON VIRTUALLY ALL SURFACES



USES: WALLBOARD, WOOD, CONCRETE, METAL, TILE, GROUT, FABRIC UPHOLSTERY AND FURNITURE.

| SIZE | CASE PACK | PART NO. |
|----------------|------------|------------|
| 32 oz. Bottles | 12 Bottles | 0019C418 |
| 1 GAL. | | 0019C418-1 |

ZENAMELT

A FAST ACTING FROST AND ICE REMOVER SPECIFICALLY FORMULATED TO QUICKLY DISSOLVE ICE, FROST AND SNOW DEPOSITS.



- MELTS ICE, FROST AND SNOW INSTANTLY
- FAST ACTING, WATER RINSEABLE, THAWS FROZEN LOCKS
- HELPS PREVENT FREEZING

| CAN SIZE | CASE PACK | PART NO. |
|------------------------|-----------|------------|
| 20oz. Aerosol (12 oz.) | 12 Cans | 0019498755 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

PROFESSIONAL STRENGTH DRAIN OPENER

FAST-ACTING, CHLORINATED DRAIN OPENER AND CLEANER PIERCES THROUGH STANDING WATER TO QUICKLY OPEN THE TOUGHEST OF CLOGGED DRAINS. SAFE TO USE ON STANDARD AND PLASTIC PIPE, IN SEPTIC SYSTEMS, AND IN GARBAGE DISPOSALS. FORMULATED FOR USE ON INSTITUTIONAL GRADE EQUIPMENT AND DRAINS. NOT EFFECTIVE ON PAPER.

• EPA SDS1



| SIZE | CASE PACK | PART NO. |
|--------|------------|----------|
| 32 oz. | 12 Bottles | 0019C403 |

BACTERIAL DIGESTANT DEODORANT

FAST-ACTING DRAIN MAINTAINER CONTAINS LIVE BACTERIA THAT DIGEST GREASE AND OTHER ORGANIC WASTE TO KEEP DRAINS FLOWING. THIS NON-ACID, NON-CAUSTIC PRODUCT IS IDEALLY USED FOR DAILY DRAIN MAINTENANCE.

• EPA SDS1



| SIZE | CASE PACK | PART NO. |
|--------|------------|----------|
| 32 oz. | 12 Bottles | 0019C400 |

TOILET BOWL CLEANER

A 9% HYDROCHLORIC ACID TOILET BOWL CLEANER THAT EFFECTIVELY CLEANS, DEODORIZES, AND DISINFECTS PORCELAIN, CERAMIC OR VITREOUS CHINA TOILET BOWLS AND URINALS. THIS LOW ACID CLEANER PROVIDES RICH SUDSING ACTION LEAVING TOILET BOWLS AND URINALS SPARKLING CLEAN AND ELIMINATES OFFENSIVE ODORS IN THE RESTROOM.



| SIZE | CASE PACK | PART NO. |
|--------|------------|----------|
| 32 oz. | 12 Bottles | 0019C302 |

900 Industrial Strength Degreaser

Concentrated, butyl-based, heavy duty degreaser and cleaner designed to handle tough cleaning jobs. Dilutable to suit a wide range of cleaning and degreasing tasks. Appropriate for cleaning commercial and industrial businesses as well as office spaces. Approved for use on a wide range of surfaces.



| SIZE | PART NO. |
|--------|------------|
| Gallon | 0019C900-1 |

Miscellaneous

FLOOR STRIPPER

RINSE-FREE STRIPPER EFFICIENTLY CLEANS RESILIENT TILE FLOORING AND REMOVES LAYERS OF FLOOR FINISH WITHOUT THE USE OF A FLOOR MACHINE. SIMPLE MOP AGITATION DISSOLVES FINISH BUILDUP PERMITTING FAST PICK UP WITH A MOP OR WET VAC. NO NEUTRALIZING RINSE REQUIRED, AND NO RESIDUE IS LEFT BEHIND TO INTERFERE WITH SUBSEQUENT FINISH APPLICATION. VOC CARB COMPLIANT.



| SIZE | CASE PACK | PART NO. |
|----------|-----------|------------|
| 1 Gallon | 4 Bottles | 0019C704 |
| 5 Gallon | | 0019C704-5 |

HEAT BARRIER SPRAY

- PREVENTS HEAT DAMAGE TO COMPONENTS DURING SOLDERING, BRAZING OR WELDING
- THE UNIQUE GELLED FORMULA STICKS TO THE SURFACE WITHOUT DRIPS AND RUNS
- PROTECTS ADJOINING AREAS MADE OF WOOD, WALLBOARD, INSULATION, ETC.
- NO MESSY CLEANUP



| SIZE | PART NO. |
|--------|-----------|
| 32 oz. | 000811509 |

430 Glass, Plastic, & Screen Cleaner RTU

Ready-to-use, streak-free, non-fogging, glass cleaner that may be utilized on residential and commercial building windows, car windows, Lexan, Lucite, Plexiglas, computer and television screens, and other surfaces not harmed by water.



| SIZE | PART NO. |
|-------|----------|
| Quart | 0019C420 |

445 Fleetwash & Pressure Sprayer Concentrate

Formulated for heavy-duty vehicle cleaning and other maintenance tasks. Easily cuts grease, oils, road film, and bugs without streaking or leaving filmy residue. May be used with a broad range of fleet maintenance programs including manual, power washing, and automatic equipment.



| SIZE | PART NO. |
|----------|----------|
| 1 Gallon | 0019C445 |

814 Q/T Tuberculocidal Spray Disinfectant

A ready-to-use, quaternary ammonium disinfectant spray cleaner that is ideal for healthcare facilities due to its extensive list of disinfectant claims including Tuberculosis and Norovirus. Inhibits growth of mold and mildew and controls related odors. EPA-registered as a Broad Spectrum Disinfectant cleaning product. Bloodborne pathogen compliant.



| SIZE | PART NO. |
|-------|----------|
| Quart | 0019C814 |

710 Floor Cleaner & Neutralizer

Versatile floor cleaner eliminates alkalinity and salt film from both hard and soft surfaces. Can be used as a floor cleaner during the winter season to remove salt or ice melt residue. Safe for use in extractors and auto scrubbing equipment.



| SIZE | PART NO. |
|--------|----------|
| Gallon | 0019C710 |

NEED SOMETHING YOU DON'T SEE HERE? CALL US! (800) 225-6763



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

MECHANIC'S HELPER RTV SILICONE

MECHANIC'S HELPER IS A PREMIUM GRADE, LOW VOLATILE SILICONE GASKET MAKING MATERIAL THAT IS MADE FROM 100% RTV (ROOM TEMPERATURE VULCANIZING) SILICONE FOR SAFE USE ON ALL OXYGEN SENSOR EQUIPPED VEHICLES. MECHANIC'S HELPER REPLACES A WIDE RANGE OF CORK, PAPER, ASBESTOS, FELT AND METAL GASKETS

USES: OIL AND WATER PUMPS, OIL AND TRANSMISSION PANS, GEAR BOXES, VALVE COVERS, TIMING CHAIN COVERS, ELECTRIC MOTORS, ELECTRIC CONTROL BOXES, MECHINE COVERS, COMPRESSORNS AND OXYGEN SENSOR EQUIPPED VEHICLES.



| CAN SIZE | CASE PACK | PART NO. |
|-------------|-----------|------------|
| 8 oz. BLACK | 6 Cans | 0008009001 |
| 8 oz. BLUE | 6 Cans | 0008009003 |
| 8 oz. RED | 6 Cans | 0008009005 |
| 8 oz. CLEAR | 6 Cans | 0008009009 |
| 8 oz. WHITE | 6 Cans | 0008009010 |

RTV SILICONE ADHESIVE SEALANT



| SIZE | COLOR | PART NO. |
|-------|-------|------------|
| 3 oz. | BLACK | 0008101050 |
| 3 oz. | BLUE | 0008101060 |
| 3 oz. | CLEAR | 0008101063 |
| 3 oz. | RED | 0008101055 |

Sealents/Retaining Compounds

TITEBOND 100% SILICONE SEALANT

TITEBOND® 100% SILICONE SEALANT IS A VERSATILE 100% SILICONE FORMULA THAT IS IDEAL FOR BOTH INTERIOR AND EXTERIOR APPLICATIONS. IT OFFERS EXCELLENT ADHESION TO MANY COMMON CONSTRUCTION MATERIALS, INCLUDING VINYL, ALUMINUM, GLASS AND PAINTED SURFACES. IT ALSO PROVIDES A STRONG, FLEXIBLE SEAL THAT OFFERS EXCELLENT WATER-RESISTANCE.

USES: COMMON CONSTRUCTION MATERIALS, INCLUDING VINYL, ALUMINUM, GLASS AND PAINTED SURFACES.



| SIZE | CASE PACK | PART NO. |
|-----------------|-----------|-------------|
| 10.1 oz. CLEAR | 12 Cans | 0008270-000 |
| 10.1 oz. WHITE | 12 Cans | 0008270-001 |
| 10.1 oz. ALMOND | 12 Cans | 0008270-427 |

PIPE SEALANT PASTE WITH PTFE

PIPE SEALING PASTE IS A PREMIUM, TEFLON® ENHANCED COMPOUND WHICH PROVIDES SUPERIOR SEALING FOR MOST THREADED METAL OR PLASTIC PIPE. SOLUTION 425 WILL PREVENT LEAKS AND SEAL MOST COMMON FLUIDS AND GASES, INCLUDING FUELS, OILS, WATER, REFRIGERANTS, STEAM, AND INERT GASES. NON-HARDENING FORMULA WILL NOT CRACK, SHRED, OR CONTAMINATE MOST SYSTEMS. EASES ASSEMBLY AND DISASSEMBLY OF METAL AND PLASTIC FITTINGS. SEALS TO BURSTING PRESSURE OF PIPE AND IS RATED TO 10,000PSI NOT RECOMMENDED FOR POTABLE WATER SYSTEMS OR FOR USE IN OXYGEN SERVICE. PRODUCT SAFE FOR INCIDENTAL FOOD CONTACT. PACKAGED IN EASY TO USE BRUSH TOP CANS.

TEFLON® REGISTERED TRADEMARK OF DUPONT.



| SIZE | CASE PACK | PART NO. |
|--------------|------------|------------|
| 8 oz. CLEAR | 12 Bottles | 0019M10702 |
| 16 oz. WHITE | 12 Bottles | 0019M10706 |

DIELECTRIC GREASE

0.33 OZ. TUBE



| SIZE | PART NO. |
|--------------|------------|
| .33 oz. Tube | 442-270640 |

NEED SOMETHING YOU DON'T SEE HERE? CALL US!
(800) 225-6763



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

Paint

Manufactured in the U.S.A.



About Our Paints...

MRO Industrial Enamels

A superior, lead-free industrial coating formulated for maintenance operations where maximum performance is required. This high solids paint does not run or sag, and gives twice the coverage of conventional aerosol enamels.

Big Rig

Formulated with the heavy duty owner/operator in mind, this high solids coating works best in fleet maintenance applications where maximum performance is required. Resists fading, chipping, and corrosion.

Hi Tech

A premium grad paint formulated for general purpose applications where maximum indoor/outdoor coating performance is required. Rust inhibitive.

Farm and Industry

A superior, premium grade enamel formulated for maximum exterior durability and outstanding weather resistance. Available in many popular implement manufacturer colors.

PBE

Designed for the quality conscious paint and body professional, these primers prevent rust and corrosion and enhance the quality and appearance of the finished product. Sandable in 5 minutes!

Spray Glo Fluorescent Paints

An ultra high visibility coating for any project that requires a brilliant color. It has 400% greater visibility than regular paint.

Ceiling Tile Paint

A special water based formulation for touching up stains that appear on both textured and acoustical ceiling tiles. Must be used in an upright position and is activated by pressing sprayhead to the side.

Stripe Athletic Field Marker

Specially formulated for line striping athletic fields and engineered for use in an inverted position for quick and easy application. Stripe Athletic Field Marker can be used in nearly all of our competitors marking machines due to the universal sprayhead design.

Stripe Latex Traffic Marker

An environmentally friendly water-borne formulation for line striping. Compatible with most American made marking machines currently on the market.

Stripe Temporary Marking Paint

A quick drying marker applied in an inverted position where a temporary mark is desired. Marking paint remains for only as long as the paint remains free of moisture. Paint will simply wash away after a few heavy rains or by directly removing the paint with a garden hose.

MRO enamel affords excellent protection in the following exposures:

Weather Resistance: Excellent gloss and color retention under normal weather conditions.

Water & Humidity: Withstands high humidity, splash and spray. This enamel is not recommended for continuous immersion.

Abrasion Resistance: Very good

Heat Resistance: Up to 250°F (121°C) dry heat



Catalog Legend

The following paint pages reflect categories that, in some instances, contain several types of paints. Please be sure to note the following markings as the product type will determine whether it is high solids as well as the Net Weight of that particular selection.

Hi Tech

*

Farm and Industry

†

(16 Oz. Can, 12 Oz Net Weight)

Color swatches shown are approximations for identification purposes and are not intended to reflect actual paint colors.



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

Paints

Manufactured in the U.S.A.

MRO Hi-Solids - Enamels

20 Oz. Cans - 16 Oz. Weight

| | | |
|--|------------------------------|----------|
| | Gloss Black | 1415 |
| | Flat Black | S6201433 |
| | Flat White | S6201412 |
| | Gloss White | 1413 |
| | Gloss Safety Yellow | S6201419 |
| | Gloss Safety Red | S6201423 |
| | Gloss Safety Blue | S6201427 |
| | Light Blue | S6201425 |
| | Gloss Safety Green | S6201452 |
| | Dark Green | S6201449 |
| | Cascade Green | S6201448 |
| | Gloss Safety Orange | S6201451 |
| | Gray ANSI 61 | S6201416 |
| | Dark Machinery Gray ANSI 49 | S6201417 |
| | Light Machinery Gray ANSI 70 | S6201418 |
| | Tan | S6201435 |
| | Stainless Steel | S6201460 |
| | Deep Blue | S6201426 |
| | Gloss Dove Gray (Light)* | S16112 |
| | Semi-Gloss Black* | S16139 |
| | Dove Gray* | S16112 |
| | Hunter Green* | S16128 |
| | Colonial White* | S16140 |
| | Gloss Red* | S16122 |

Color swatches shown are approximations for identification purposes and are not intended to reflect actual paint colors.

MRO Hi-Solids - Gallons

1 Gallon Weight

| | | |
|--|------------------------------|--------|
| | Gloss Black | S11415 |
| | Flat Black | S11433 |
| | Gloss White | S11413 |
| | Gloss Safety Yellow | S11419 |
| | Equipment Yellow | S11443 |
| | Gloss Safety Blue | S11427 |
| | Shiny Aluminum | S11411 |
| | Gloss Safety Green | S11452 |
| | Gloss Safety Orange | S11451 |
| | Light Machinery Gray ANSI 70 | S11418 |
| | Dark Machinery Gray ANSI 49 | S11417 |
| | Gloss Safety Red | S11423 |
| | Sandstone | S11480 |

† Denotes Seymour Farm & Industry
* Denotes Seymour Hi-Tech

Rust Proof Anyway - Solvent Based IEnamels

16 Oz. Cans - 12 Oz. Weight

| | | |
|--|-----------------|------------|
| | Safety Purple | 0019C00300 |
| | Safety Red | 0019C00301 |
| | Safety Yellow | 0019C00302 |
| | Safety Blue | 0019C00303 |
| | Safety Green | 0019C00304 |
| | Safety Orange | 0019C00305 |
| | Safety Black | 0019C00306 |
| | White | 0019C00307 |
| | Brite Red | 0019C00308 |
| | Aluminum | 0019C00309 |
| | Silver | 0019C00310 |
| | Gold | 0019C00311 |
| | Flat Black | 0019C00312 |
| | Flat White | 0019C00313 |
| | Brown | 0019C00314 |
| | Tan | 0019C00317 |
| | Light Blue | 0019C00318 |
| | Royal Blue | 0019C00319 |
| | Forest Green | 0019C00320 |
| | Dark Gray | 0019C00333 |
| | Semi-Flat Black | 0019C00342 |
| | Satin Black | 0019C00344 |
| | Meter Green | 0019C00348 |
| | Meter Gray | 0019C00349 |
| | Light Gray | 0019C00361 |



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

Paints

Manufactured in the U.S.A.

Engine Enamels - Automotive

20 Oz. Cans - 16 Oz. Weight

| | | |
|--|------------------------------|------------|
| | Universal Black (GM) | SEN42 |
| | Chevrolet Orange* | 0019C00520 |
| | Ford Blue* | 0019C00560 |
| | Ford Mustang Blue* | SEN56 |
| | Ford Gray* | SEN43 |
| | GM Blue* | 0019C00562 |
| | GM Red* | SEN59 |
| | Cummins Beige* | 0019C00580 |
| | Chrome Aluminum* | SEN41 |
| | Detroit Diesel Alpine Green* | 0019C00540 |
| | AMC Blue* | SEN66 |
| | Chrysler Blue* | 0019C00568 |
| | Ford/Chrysler Red* | 0019C00550 |
| | Dull Aluminum* | 0019C00575 |
| | Universal Gold* | SEN50 |
| | Gloss Clear Engine Coat* | 0019C00510 |

High Temp 1200³F

16 Oz. Cans - 11 Oz. Weight

| | | |
|--|-----------------|-----------|
| | Aluminum | 0019CZ630 |
| | White | 0019CZ645 |
| | Black | 0019CZ635 |
| | Cast Iron Gray* | 0019CZ642 |

Color swatches shown are approximations for identification purposes and are not intended to reflect actual paint colors.

Tractor & Implement-Enamels

20 Oz. Cans - 16 Oz. Weight

| | | |
|--|--------------------------------|------------|
| | School Bus Yellow | 0019C00178 |
| | Equipment Yellow† | 0019C00167 |
| | New Equipment Yellow | 0019C00168 |
| | JD New Farm & Implement Yellow | S16266 |
| | Ryder Yellow | S6201446 |
| | Farm & Implement/Case Green† | 0019C00157 |
| | New Farm & Implement Green† | S16268 |
| | IHC Red † | S16214 |
| | Omaha Orange | S6201450 |
| | Case Power Tan † | S16272 |
| | Allis Chalmers Orange † | S16210 |
| | Ford Blue † | S16242 |

Primers

16 Oz. Cans - 11 Oz. Weight

| | | |
|--|------------|------------|
| | Red Oxide | 0019CZ8074 |
| | Light Gray | 0019CZ8072 |
| | White | 0019CZ8076 |
| | Black | 0019CZ8078 |

Weld Thru Primers

20 Oz. Cans - 15 Oz. Weight

| | | |
|--|------------|---------|
| | Spray-Galv | S16845 |
| | Shiny Galv | S16841 |
| | Cold Galv | S161445 |

Fluorescent Paint - General Use

16 Oz. Cans - 11 Oz. Weight

| | | |
|--|--------------------|------------|
| | Fluorescent Orange | 0019CZ1422 |
| | Fluorescent Red | 0019CZ1418 |
| | Fluorescent Yellow | 0019CZ1417 |
| | Flourescent Green | 0019CZ1416 |
| | Flourescent Blue | 0019CZ1415 |

General Purpose - Lacquers/Acrylics & Metallics

20 Oz. Cans - 16 Oz. Weight

| | | |
|--|----------------|----------|
| | Shiny Aluminum | S6201411 |
| | Dull Aluminum* | S16132 |
| | Dull Black* | S16806 |

Ceiling Tile Paint

20 Oz. Cans - 16 Oz. Weight

| | | |
|--|-----------|--------|
| | New White | S25051 |
| | Old White | S20052 |

Miscellaneous

16 Oz. Cans - 11 Oz. Weight

| | | |
|--|--------------------------|------------|
| | Steel Renew | 0019C00291 |
| | Flat Matte Clear Acrylic | 0019C00292 |
| | White Appliance Paint | 0019C00293 |
| | Almond Appliance Paint | 0019C00290 |

† Denotes Seymour Farm & Industry

* Denotes Seymour Hi-Tech



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

Paints

Manufactured in the U.S.A.

Inverted Marking - 20 Oz. Cans - 17 Oz. Weight

| | | |
|--|------------------------|------------|
| | White | 0019C01387 |
| | Yellow | 0019C01382 |
| | Blue | 0019C01383 |
| | Red | 0019C01381 |
| | Green | 0019C01384 |
| | Fluorescent Red | 0019C01390 |
| | Orange | 0019C01385 |
| | Fluorescent Orange | 0019C01392 |
| | Fluorescent Blue | 0019C01394 |
| | Fluorescent Green | 0019C01391 |
| | Fluorescent Yellow | 0019C01393 |
| | Fluorescent Red/Orange | 0019C01395 |
| | Fluorescent Pink | 0019C01399 |

Field Marking - Turf 20 Oz. Cans - 18 Oz. Weight

| | | |
|--|--------|------------|
| | White | 0019C00291 |
| | Red | 0019C00292 |
| | Yellow | 0019C00293 |
| | Blue | 0019C00290 |

"Upright" Markers 20 Oz. Cans - 18 Oz. Weight

| | | |
|--|--------------------|---------|
| | Fluorescent Orange | S201757 |
| | Fluorescent Red | S201754 |
| | Green Fluorescent | S201768 |
| | White | S201752 |

Color swatches shown are approximations for identification purposes and are not intended to reflect actual paint colors.



Paint Marker - Valve Action Real Paint-Valve Actuated Tip

| | | |
|--|--------|------------|
| | Red | 0008101013 |
| | Black | 0008101014 |
| | Yellow | 0008101015 |
| | White | 0008101016 |
| | Blue | 0008101021 |
| | Green | 0008101022 |

Striping Paint - Solvent Based 20 oz. Cans - 18 Oz. Weight

| | | |
|--|----------------|------------|
| | Traffic White | 0019C00710 |
| | Traffic Yellow | 0019C00720 |
| | Traffic R | 0019C00730 |
| | Traffic Orange | 0019C00740 |
| | Traffic Blue | 0019C00750 |
| | Traffic Green | 0019C00760 |
| | Asphalt Black | 0019C00770 |

Striping Paint - Water Based 20 oz. Cans - 18 Oz. Weight

| | | |
|--|--------|------------|
| | White | 0019C00790 |
| | Yellow | 0019C00791 |
| | Blue | 0019C00792 |
| | Red | 0019C00793 |

Paint Accessories - Traffic & Athletic Applicator Tools



Traffic Machi

SZ604

Designed exclusively for Stripe Traffic paints, this easy to use machine applies crisp, even 2"-4" lines on any hard surface. Holds 12 cans.

Athletic Field Machine

SZ607

For use with Stripe Athletic Field Marking paints. The same as the SZ604 except for its larger wheels, this machine allows application of lines between 2-4 inches on athletic fields and other turf surfaces.



Marking Gun

SZ605

Compact and lightweight, this tool is ideal for freehand marking with any Stripe traffic or inverted tip cans.



Marking Wand

SZ606

For use with a variety of Stripe inverted tip marking paints (those with a straight tip). This lightweight tool is ideal for a wide range of precise marking applications.



THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

Pacer Technology

Industrial Chemicals • Manufactured in the U.S.A.

PACER
TECHNOLOGY

INDUSTRIAL • PRIVATE LABEL



ADVANCED TECHNOLOGY

RX-50

FAST CURE • GENERAL PURPOSE • 50 CPS
VISCOSITY • ALLOWS UP TO .004" GAP FILL
CAPACITY • MEETS MIL-A-46050-C TYPE CLASS I

SIZE 5 Grams
CASE PACK 10/case
PART NO. 0019P04015

SIZE 20 Grams
CASE PACK 10/case
PART NO. 0019P04010



RX-50M GEL (LOCTITE 454)

SLOW CURE • ALLOWS MAXIMUM TIME FOR
PARTS POSITIONING • NON-SAG, NON-RUNNING
FEATURE ALLOWS VERTICAL APPLICATIONS •
ALLOWS UP TO .02" GAP FILL CAPACITY

SIZE 5 Grams
CASE PACK 10/case
PART NO. 0019P04075

SIZE 20 Grams
CASE PACK 10/case
PART NO. 0019P04070



SEALANTS

PIPE SEALANT WITH PTFE (LOCTITE 592)

GENERAL PURPOSE • RESISTS CHEMICALS •
INSTANT SEALING

SIZE 50 ml
CASE PACK 10/case
PART NO. 0019P08000



SPECIALTY CHEMICALS

X-9 DEBONDER CA REMOVER (LOCTITE 768)

REMOVES CYANOACRYLATE ADHESIVES •
SOFT IN 20-30 SECONDS • SAFE ON MOST
PLASTICS, METALS, FABRICS, AND WORK
SURFACES

SIZE 1 oz.
CASE PACK 10/case
PART NO. 0019P06102




SPECIALTY CHEMICALS

QUICK SETTING METAL EPOXY ADHESIVE

CAN BE DRILLED, TAPPED OR FILED WHEN
CURED • TEMP RANGE -40 TO 300°F • 24 HR
FULL CURE TIME • SHEAR STRENGTH 2500
PSI • BONDS COPPER, STEEL, BRASS, IRON,
STAINLESS STEEL & ALUMINUM

SIZE 1 oz.
CASE PACK 12/case
PART NO. 0008000022



QUICK SETTING INSTANT EPOXY

WORKS BEST ON:
• ALL-PURPOSE CERAMIC • CHINA • FIBERGLASS
• GLASS • LEATHER • METAL • MOST PLASTICS
• WOOD

SIZE 1 oz.
CASE PACK 12/case
PART NO. 000815353





THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF ARROW INDUSTRIAL SUPPLY, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

PACER
TECHNOLOGY
INDUSTRIAL • PRIVATE LABEL

Industrial Adhesives

Manufactured in the U.S.A.

ANL-42 (LOCTITE 242) MEDIUM STRENGTH REMOVABLE BLUE THREADLOCKER

MEDIUM STRENGTH REMOVABLE
GENERAL PURPOSE ADHESIVE FOR
LOCKING / SEALING FASTENERS OVER
1/4" IN DIAMETER
• MAY BE DISASSEMBLED WITH HAND TOOLS

SIZE 10 ml
CASE PACK 10/case
PART NO. 0019P06120

SIZE 50 ml
CASE PACK 10/case
PART NO. 0019P06122



ANL-71 (LOCTITE 271) HIGH STRENGTH PERMANENT RED THREADLOCKER

HIGH STRENGTH PERMANENT
HIGH STRENGTH ADHESIVE FOR
LOCKING / SEALING FASTENERS OVER 1"
IN DIAMETER • DISASSEMBLY DIFFICULT

SIZE 10 ml
CASE PACK 10/case
PART NO. 0019P06140

SIZE 50 ml
CASE PACK 10/case
PART NO. 0019P06142



ANL-RC (LOCTITE 609) HIGH STRENGTH PERMANENT RED RETAINING COMPOUND

HIGH STRENGTH • GENERAL PURPOSE
RETAINING COMPOUND FOR RETAINING BEARINGS,
BUSHINGS, COLLARS, KEYS AND SPLINES • .005" GAP
FILLING CAPACITY ALLOWS SLIP FIT INSTEAD OF
PRESS FIT PARTS • MEETS MIL-R-46082B

SIZE 10 ml
CASE PACK 10/case
PART NO. 0019P06170

SIZE 50 ml
CASE PACK 10/case
PART NO. 0019P06172



Vibra-TITE®

VIBRA-TITE GEL MEDIUM STRENGTH, BLUE THREADLOCKER

FOR FASTENERS FROM 1/4" TO 3/4" IN DIAMETER.
REMOVABLE. COMPARABLE TO LOCTITE 242

SIZE 35 ml PUMP
CASE PACK 2/pack
PART NO. 00280012535

SIZE 2 ml resealable Tubes
CASE PACK 10 pack
PART NO. 002812102



VIBRA-TITE GEL HIGH STRENGTH PERMANENT RED TREADLOCKER

HIGH STRENGTH • GENERAL PURPOSE • PERMANENTLY
LOCKS NUTS AND BOLTS UP TO 1" IN DIAMETER •
COMPARABLE TO LOCITE 262

SIZE 50 ml
CASE PACK 10/case
PART NO. 00280013525

SIZE 2 ml resealable tubes
CASE PACK 10/pack
PART NO. 002814002



Gasket Maker

VIBRA-TITE FLEXIBLE GASKET MAKER

PROVIDES RESISTANCE TO LOW PRESSURES AFTER
ASSEMBLY OF FLANGES

SIZE 50 ml Tube
PART NO. 002870950





THIS DOCUMENT IS PROTECTED BY
COPYRIGHT. ALL RIGHTS ARE RESERVED.
NO PART OF THIS DOCUMENT MAY
BE PHOTOCOPIED, REPRODUCED, OR
TRANSLATED TO ANOTHER LANGUAGE
WITHOUT THE WRITTEN CONSENT OF
ARROW INDUSTRIAL SUPPLY, INC. THE
INFORMATION CONTAINED IN THIS
DOCUMENT IS SUBJECT TO CHANGE
WITHOUT NOTICE. COPYRIGHT 1993.

Vibra-Tite[®]

Industrial Chemicals • Manufactured in the U.S.A.

Instant Super Glue Multi-Purpose

CLEAR; BONDS RUBBER, METAL, PLASTIC
PARTS WITH GAPS TO
0.004 INCH; VISCOSITY: 45 CP

SIZE 2 ml bullets
CASE PACK 100/Fishbowl
PART NO. 002839502

Loctite Series Blue 263 High Strength Removeable Threadlocker

SIZE 10 ml
PART NO. 442-1330583

Loctite Series Blue 242 Medium Strength Removeable Threadlocker

SIZE 10 ml
PART NO. 442-135354



ARROW

INDUSTRIAL SUPPLY

(614) 898-5997

800-225-6763

FAX (614) 898-6080

800-828-7190

PLEASE VISIT US ON THE INTERNET

<http://www.arrowisi.com>

THIS DOCUMENT IS PROTECTED BY COPYRIGHT. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT MAY BE PHOTOCOPIED, REPRODUCED, OR TRANSLATED TO ANOTHER LANGUAGE WITHOUT THE WRITTEN CONSENT OF THE OWNERS OF M.R.O. DISTRIBUTION COMPANY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. COPYRIGHT 1993.

- **We are a stocking distributor of over 70,000 items.**
- **All orders received by noon will be processed that day.**
- **We offer, on request, monthly sales and usage reports.**
- **Fax orders are welcomed.**
(800) 828-7190 (614) 898-6080
- **We have no minimum order**
- **We sell you what you need,**
we have no minimum quantities.
- **We ship UPS Regular or Next Day Air.**
- **Telephone orders are welcomed.**
(800) 225-6763 (614) 898-5997

IMPORTANT WARNING

The following applies to our complete product line:

Arrow Industrial Supply is a distributor of over 70,000+ items. We are not a manufacturer of any of the products we distribute. All of our products are purchased from manufacturers, distributors and importers. Conformance to IFI specification is formally requested from all of our suppliers. They are responsible for the inspection of all parts and testing.

Our business is limited to the marketing and distribution of all the products we sell. We do not alter in any products.

On Thru-Hardened fasteners, we make available certifications upon request. Keep in mind that when parts are mixed together in storage bins of any type, identifying lot numbers of a specific fastener is impossible. If a customer needs to keep the lot numbers and certification available, then it is up the end user to make arrangements for the proper storage of said products so no mixture is possible. It is also up to the end user to keep proper records of where each part is used, location, installation procedures, and lot numbers of said fasteners.

Arrow Industrial Supply and related companies are not responsible for any critical application errors that may result in any type of failure, personal injury or damages.

Material Safety Data Sheets are available on all chemical based products upon request.

All questions should be directed to J & J Enterprises of Westerville, Inc., 660 Kintner Parkway, Sunbury, Ohio 43082, or (800) 225-6763.

THERE ARE NO UNDERSTANDINGS, AGREEMENTS, REPRESENTATIONS OR WARRANTIES, EXPRESSED OR IMPLIED INCLUDING ANY REGARDING WARRANTIES OF MERCHANTABILITY OF FITNESS FOR ANY PARTICULAR PURPOSE, NOT SPECIFIED HEREIN, RESPECTING ANY SALE OF PRODUCTS BY J & J ENTERPRISES OF WESTERVILLE, INC. D/B/A/ ARROW INDUSTRIAL SUPPLY TO THE EXTENT PERMITTED BY LAW.

PAYMENT TERMS : CREDIT CARD (MASTERCARD, VISA, DISCOVER, AMERICAN EXPRESS) OR NET 30 DAYS UPON CREDIT APPROVAL. PAST DUE ACCOUNTS WILL BE CHARGED 1-1/2% PER MONTH LATE CHARGE. ALL COLLECTION COST, COURT COST AND ATTORNEY FEES WILL BE THE SOLE RESPONSIBILITY OF THE DEBTOR.



Why Arrow Industrial Supply...

- North American distributor stocking over 70,000 items, with additional 250,000 available
- Over 30 years servicing the MRO market
- Tenured, experienced MRO sales team provides On-Site Professional Service
- No Minimum Order Dollar Amount.
- No Minimum Package Quantities. Order 2, Get 2
- Same day Shipping – 98% Complete & 99% Accuracy - UPS Regular or Next Day Air
- No restocking fees
- Single Source Solution reduces Procurement Costs

For over 30 years, Arrow Industrial Supply has taken great pride in establishing itself as a company devoted to its customers. It is our top priority to provide the highest quality products and exceptional service geared at providing substantial cost savings to you.

Through our Inventory Control Systems, we are able to offer parts standardization and control over your MRO spend on consumable items, thus reducing your overall expenditures.

We're so sure that our VMI services will provide you with significant savings that we are willing to put our name on the line. Providing you with a written overstock guarantee, no minimum quantities, and detailed invoicing are just a few ways we can show you our interest lies in partnering with you to manage your MRO inventory.

A handwritten signature in black ink, likely belonging to a company representative.



ARROW INDUSTRIAL SUPPLY
 660 KINTNER PARKWAY, SUNBURY, OH
 PH: 614.898.5997 or 800.225.6763 FAX: 614.898.6080 or 800.828.7190

WWW.ARROWISI.COM